


**SECOND QUARTER 2011
GROUNDWATER MONITORING REPORT**

**TASKS 1.0 AND 2.2 OF AQUIFER CHARACTERIZATION PLAN
MITIGATION ORDER ON CONSENT DOCKET NO. P-121-07
COCHISE COUNTY, ARIZONA**



Prepared for:

**FREEPORT-MCMORAN CORPORATION
COPPER QUEEN BRANCH**
36 West Highway 92
Bisbee, Arizona 85603

Prepared by:

CLEAR CREEK ASSOCIATES, P.L.C.
221 North Court Avenue Suite 101
Tucson, Arizona 85701

July 13, 2011

**SECOND QUARTER 2011
GROUNDWATER MONITORING REPORT**

**TASKS 1.0 AND 2.2 OF AQUIFER CHARACTERIZATION PLAN
MITIGATION ORDER ON CONSENT DOCKET NO. P-121-07
COCHISE COUNTY, ARIZONA**

Prepared for:

**FREEPORT-MCMORAN CORPORATION
COPPER QUEEN BRANCH**
36 West Highway 92
Bisbee, Arizona 85603

Approved by:

James R. Norris


James R. Norris
Arizona Registered Geologist No. 30842

July 13, 2011

TABLE OF CONTENTS

1.	INTRODUCTION	1
1.1	Scope of Groundwater Monitoring	1
2.	GROUNDWATER MONITORING RESULTS	3
2.1	Results of Monitoring	3
2.2	Quality Assurance/Quality Control Review	3
3.	FINDINGS	4
4.	REFERENCES	5

TABLES

1	Schedule for Water Quality Sampling and Water Level Monitoring
2	Summary of Groundwater Monitoring for Second Quarter 2011
3	Compilation of Analytical Results for Sulfate and Field Parameters
4	Compilation of Groundwater Elevation Data

FIGURES

1	Generalized Geology and Well Locations
2	Sulfate Concentrations in Groundwater for Second Quarter 2011
3	Groundwater Elevations for Second Quarter 2011
4	Sulfate Concentration Over Time in Public Drinking Water Supply Wells
5	Hydrographs for BMO Monitor Wells in Basin Fill
6	Hydrographs for BMO Monitor Wells in Bedrock

APPENDICES

A	Data Verification Report
B	Analytical Reports
C	Groundwater Sampling Forms

1. INTRODUCTION

This report provides the results of groundwater monitoring conducted by Freeport-McMoRan Corporation Copper Queen Branch (CQB) in the second quarter 2011 in the vicinity of the Concentrator Tailing Storage Area (CTSA). Groundwater monitoring is conducted pursuant to Tasks 1.0 (well inventory of drinking water wells) and 2.2 (groundwater monitoring) of the Work Plan (Hydro Geo Chem, Inc. [HGC], 2008a) to characterize sulfate in the vicinity of the CTSA. The Work Plan was submitted to Arizona Department of Environmental Quality (ADEQ) on December 17, 2007 pursuant to the Mitigation Order on Consent Docket No. P-121-07 (ADEQ, 2007). CQB initiated water sampling prior to work plan approval while ADEQ was commenting on the Work Plan and CQB was responding to their comments. Revision 1 of the Work Plan was submitted to ADEQ on July 3, 2008 and ADEQ approved the Work Plan on August 3, 2008. On January 25, 2010 CQB proposed a revised groundwater monitoring program (CQB, 2010). The revised monitoring program was approved by ADEQ in April 2010 (ADEQ, 2010). Clear Creek Associates (Clear Creek) prepared this groundwater monitoring report on behalf of CQB.

1.1 Scope of Groundwater Monitoring

The objectives of groundwater monitoring are:

- Determination of the sulfate concentration in drinking water supply (DWS) wells outside of and within one mile of the sulfate plume for the purpose of identifying the need for mitigation actions and tracking the plume margin,
- Identification of the plume margin for ongoing delineation of the plume extent and migration,
- Documentation of the sulfate concentration in the plume and at areas distal to the plume to monitor long-term concentration trends, and
- Measurement of water levels in the vicinity of the plume to document potentiometric conditions (CQB, 2010).

The groundwater plume is considered to consist of groundwater with sulfate in excess of 250 milligrams per liter (mg/L) attributable to the CTSA. The sample collection and analysis specifications of the Work Plan have been retained throughout the groundwater monitoring program. Table 1 provides the schedule for the groundwater monitoring program. Dissolved sulfate is the only constituent monitored.

Figure 1 presents a generalized geologic map of the study area and well locations where data have been collected during this reporting period. Table 2 lists wells identified for monitoring in the second quarter, their availability for sampling, and their sampling status. Groundwater sampling and analysis methods used by Clear Creek and CQB are described in the Quality Assurance Project Plan (QAPP) contained in Appendix F of the Work Plan (HGC, 2008a). Results of groundwater monitoring are presented in Section 2.

Four new monitor wells, BMO-2010-1M, BMO-2010-2M, BMO-2010-3B, and BMO-2010-3M, were installed in the third quarter of 2010. The new wells were added to the groundwater monitoring program pursuant to Section 3 of the Work Plan (HGC, 2008a).

2. GROUNDWATER MONITORING RESULTS

2.1 Results of Monitoring

Analytical results and groundwater elevation data for the second quarter 2011 are tabulated in Tables 3 and 4, respectively, along with information previously collected under the Mitigation Order. Figure 2 shows the concentrations of dissolved sulfate in the wells sampled in the second quarter 2011. The most recent sample results are shown at wells where multiple samples were collected during the quarter. The highest sulfate concentration measured at co-located wells was used for concentration contouring. Figure 3 shows groundwater elevations in the second quarter 2011. Groundwater elevations were calculated using depth to water measurements made under static (nonpumping) conditions for all wells shown.

2.2 Quality Assurance/Quality Control Review

Pursuant to Section 6.4 of the QAPP, a data verification report was prepared for quality assurance and quality control purposes. The data verification report and analytical laboratory reports for data collected by Clear Creek and CQB during the second quarter 2011 are included in Appendix A and Appendix B, respectively. Copies of groundwater sampling forms for samples collected by Clear Creek and CQB are in Appendix C. As determined by the analytical data verification review, all data for samples collected in the second quarter 2011 by Clear Creek and CQB are of acceptable quality for use in the groundwater monitoring being conducted pursuant to the Mitigation Order.

3. FINDINGS

This report provides the results of groundwater monitoring conducted within the vicinity of the CTSA for the second quarter 2011. Groundwater samples were collected from 48 wells and depth to water measurements were collected at 37 wells. The December 2010 Aquifer Characterization Report (Clear Creek, 2010) provides detailed descriptions of the hydrogeology, water quality, and sulfate plume. Findings based on the second quarter 2011 groundwater monitoring are described below.

- Water quality samples have been collected from wells completed in three principal water bearing units in the area: basin fill, undifferentiated Bisbee Group, and Glance Conglomerate. The undifferentiated Bisbee Group consists, from youngest to oldest, of the Cintura Formation, Upper Mural Limestone, Lower Mural Limestone and Morita Formation. Figures 2 and 3 provide the screened lithology of the wells sampled.
- Sulfate concentration data indicate that the plume extends to the southwest from the vicinity of the former evaporation pond to the vicinity of Naco and to the south to the vicinity of Bisbee Junction (Figure 2). The groundwater monitoring data indicate that the sulfate plume extends over an area of approximately 2.5 miles by 3.9 miles and is contained primarily in the basin fill and undifferentiated Bisbee Group except near the former evaporation pond where wells in the Glance Conglomerate have sulfate concentrations greater than 250 mg/L.
- Comparison of the second quarter 2011 sulfate concentrations with previous quarters indicates no large scale change in the plume geometry since the Mitigation Order sampling began in the fourth quarter 2008, although concentration contours within the plume have been modified to reflect current concentrations.
- Figure 4 shows sulfate concentrations through time at public drinking water supply wells that are not receiving mitigation actions. Sulfate concentrations have remained relatively stable over time, although NWC-04 displays the greatest variability in concentration
- Groundwater elevations decrease from northeast to southwest in the area east of the Black Gap Fault and between the Bisbee Municipal Airport and Bisbee Junction, and from east to west across the central portion of the study area west of the Black Gap Fault (Figure 3).
- Figures 5 and 6 show groundwater elevations over time for BMO monitor wells with screen intervals in basin fill and bedrock, respectively. Groundwater elevations in BMO monitor wells screened in basin fill decrease over time. The maximum decrease has been 3.36 feet since July 2008. Groundwater elevations in BMO monitor wells screened in bedrock are relatively steady over time, although BMO-2008-10GL and BMO-2008-11G display increasing trends whereas BMO-2008-1G displays a decreasing trend.

4. REFERENCES

- Arizona Department of Environmental Quality (ADEQ). 2007. Mitigation Order on Consent, Docket No. P-121-07, In the Matter of: Phelps Dodge Corporation, Copper Queen Branch, located at 36 West Highway 92, Bisbee, Arizona, ADEQ Identification Number 100531. November 14, 2007.
- ADEQ. 2010. Correspondence from Cynthia Campbell, ADEQ, to Rebecca Sawyer, CQB, Re: Request to Modify Groundwater Monitoring Program, Mitigation Order on Consent No. P-127-07, Your Letter dated January 25, 2010. April 22, 2010.
- Clear Creek Associates (Clear Creek). 2010. Revision I Aquifer Characterization Report, Task 4.0 of Aquifer Characterization Plan, Mitigation Order on Consent Docket No. P-121-07, Cochise County, Arizona, Volumes I and II. December 15, 2010.
- Freeport McMoRan Copper Queen Branch (CQB). 2010. Correspondence from Rebecca Sawyer, CQB, to Cynthia Campbell, ADEQ, Re: Request to Modify Groundwater Monitoring Program Mitigation Order on Consent No. P-121-07. January 25, 2010
- Hydro Geo Chem, Inc. (HGC). 2008a. Revision 1, Work Plan to Characterize and Mitigate Sulfate with Respect to Drinking Water Supplies in the Vicinity of the Concentrator Tailing Storage Area, Cochise County, Arizona. July 3, 2008.
- HGC. 2008b. Fourth Quarter 2008, Groundwater Monitoring Report, Tasks 1.0, 2.2 and 2.3 of Aquifer Characterization Plan Mitigation Order on Consent No. P-121-07, Cochise County, Arizona. October 27, 2008.
- HGC. 2009. Aquifer Characterization Report, Task 4.0 of Aquifer Characterization Plan, Mitigation Order on Consent Docket No. P-121-07, Cochise County, Arizona, Volume I. April 29, 2009.

TABLES

Table 1
Schedule for Water Quality Sampling and Water Level Monitoring

Well Name	ADWR 55 Registry No.	Semiannual Sampling First Quarter	Quarterly Sampling Second Quarter	Annual Sampling Third Quarter	Quarterly Sampling Fourth Quarter
ANDERSON	613396	✓	✓	✓	✓
AWC-02	616586	✓	✓	✓	✓
AWC-03	616585	✓	✓	✓	✓
AWC-04	616584	✓	✓	✓	✓
AWC-05	590620	✓	✓	✓	✓
BANKS 986	647986	✓	✓	✓	✓
BANKS 987	647987	WLO		WLO	
BARTON 919	644919	WLO		WLO	
BF-01	539783			✓	
BIMA	577927	✓	✓	✓	✓
BMO-2008-1G	909474	✓		✓	
BMO-2008-3B	909147	✓		✓	
BMO-2008-4B	910096	✓		✓	
BMO-2008-5B	909653	✓	✓	✓	✓
BMO-2008-5M	909552	✓	✓	✓	✓
BMO-2008-6B	909146	✓	✓	✓	✓
BMO-2008-6M	909019	✓	✓	✓	✓
BMO-2008-7M	908794	✓		✓	
BMO-2008-8B	910097			✓	
BMO-2008-8M	909711	✓		✓	
BMO-2008-9M	909255	✓		✓	
BMO-2008-10GU	909272			✓	
BMO-2008-10GL	909435			✓	
BMO-2008-11G	909434	✓		✓	
BMO-2008-13B	909551			✓	
BMO-2008-13M	909760			✓	
BMO-2010-1M ¹	219957	✓	✓	✓	✓
BMO-2010-2M ¹	219958	✓	✓	✓	✓
BMO-2010-3B ¹	219970	✓	✓	✓	✓
BMO-2010-3M ¹	219969	✓	✓	✓	✓
CHAMBERS	629807	✓	✓	✓	✓
COB MW-1	903992			✓	
COB MW-2	903984	✓		✓	
COB MW-3	906823			✓	
COB WL	593116			✓	
COOPER	623564	✓	✓	✓	✓
COOPER C	637069	✓	✓	✓	✓
DODSON	644927	✓	✓	✓	✓
DOUGLASS 791	592791	WLO		WLO	
DOUGLASS 792	592792	WLO		WLO	
DURAZO	NR	✓	✓	✓	✓

Table 1
Schedule for Water Quality Sampling and Water Level Monitoring

Well Name	ADWR 55 Registry No.	Semiannual Sampling First Quarter	Quarterly Sampling Second Quarter	Annual Sampling Third Quarter	Quarterly Sampling Fourth Quarter
EAST	599796	✓	✓	✓	✓
EPPELE 641	805641	✓	✓	✓	✓
FLEMING	218386	WLO		WLO	
FRANCO	500101	✓	✓	✓	✓
FULTZ	212447	✓	✓	✓	✓
GARNER 557	558557	WLO		WLO	
GARNER 635	587635	✓	✓	✓	✓
GGOOSE 547	628547	✓		✓	
GOAR RANCH	610695	WLO		WLO	
HOBAN	805290	✓	✓	✓	✓
HOWARD	NR	✓	✓	✓	✓
KEEFER	209744	✓	✓	✓	✓
MCCONNELL 265	539265	✓	✓	✓	✓
METZLER	35-71891	✓	✓	✓	✓
MOORE	538847	✓	✓	✓	✓
NESS	509127	✓		✓	
NOTEMAN	212483	✓	✓	✓	✓
NWC-02	562944	✓	✓	✓	✓
NWC-03	203321	✓	✓	✓	✓
NWC-03 CAP	627684	WLO		WLO	
NWC-04	551849	✓	✓	✓	✓
NWC-06	575700	✓	✓	✓	✓
OSBORN	643436	✓		✓	
PALMER	578819	✓	✓	✓	✓
PANAGAKOS	35-76413			✓	
PARRA	576415	✓	✓	✓	✓
PIONKE	613395	✓	✓	✓	✓
POOL	509518	✓	✓	✓	✓
RAMIREZ	216425	✓	✓	✓	✓
RAY	803772	✓	✓	✓	✓
ROGERS 596/803	573596	✓	✓	✓	✓
ROGERS E	216018	✓	✓	✓	✓
RUIZ	531770	✓	✓	✓	✓
SCHWARTZ	210865	✓	✓	✓	✓
STEPHENS	808560	WLO		WLO	
SUNBELT	201531	WLO		WLO	
SWAN	NR	✓		✓	
TM-02A	522574	✓		✓	
TM-06 MILLER	522695			✓	
TM-07	522576	✓		✓	
TM-15 MILLER	522699			✓	

Table 1
Schedule for Water Quality Sampling and Water Level Monitoring

Well Name	ADWR 55 Registry No.	Semiannual Sampling First Quarter	Quarterly Sampling Second Quarter	Annual Sampling Third Quarter	Quarterly Sampling Fourth Quarter
TM-16	522578			✓	
TM-19A	522580	✓		✓	
TM-42	562554			✓	
TVI 236	802236			✓	
TVI 713	567713	WLO		WLO	
TVI 875	568875	✓	✓	✓	✓
WEED	544535	✓	✓	✓	✓
WEISKOPF	641802	✓	✓	✓	✓
ZANDER	205126	✓	✓	✓	✓

Notes:

ADWR = Arizona Department of Water Resources

WLO = Water Level Only

¹Well installed third quarter 2010 and will be sampled quarterly for the first year and re-evaluated at the end of that year

Table 2
Summary of Groundwater Monitoring for Second Quarter 2011

Well Name	ADWR 55 Registry No.	Owner	Monitoring Purpose	Casing Depth (feet)	Water Level Measured?	Water Sample Collected?	Status
ANDERSON	613396	Anderson	Well Inventory	236	Y	Y	Water quality sample collected in April 2011
AWC-02	616586	Arizona Water Company	Plume	330	N	Y	Water quality sample collected in April 2011. Unable to collect water level because well was pumping
AWC-03	616585	Arizona Water Company	Plume	269	N	Y	Water quality sample collected in April 2011. Unable to collect water level because well was pumping
AWC-04	616584	Arizona Water Company	Plume	250	N	Y	Water quality sample collected in April 2011. Unable to collect water level because well was pumping
AWC-05	590620	Arizona Water Company	Plume	1183	N	Y	Water quality sample collected in April 2011. Unable to collect water level because well was pumping
BANKS 986	647986	Banks	Well Inventory	435	N	Y	Water quality sample collected in April 2011; unable to collect water level because wellhead is not accessible
BANKS 987	647987	Banks	Well Inventory	339	Y	N	Well not scheduled for sampling in the second quarter 2011; water level collected in April 2011.
BARTON 919	644919	Barton	Plume	130	N	N	Well not scheduled for sampling in the second quarter 2011
BF-01	539783	Copper Queen Branch	Plume	400	N	N	Well not scheduled for sampling in the second quarter 2011
BIMA	577927	Bisbee Municipal Airport	Plume	465	Y	Y	Water quality sample collected in April 2011
BMO-2008-1G	909474	Copper Queen Branch	Plume	310	N	N	Well not scheduled for sampling in the second quarter 2011
BMO-2008-3B	909147	Copper Queen Branch	Plume	260	N	N	Well not scheduled for sampling in the second quarter 2011
BMO-2008-4B	910096	Copper Queen Branch	Plume	610	N	N	Well not scheduled for sampling in the second quarter 2011
BMO-2008-5B	909653	Copper Queen Branch	Plume	285	Y	Y	Water quality sample collected in May 2011
BMO-2008-5M	909552	Copper Queen Branch	Plume	450	Y	Y	Water quality sample collected in May 2011
BMO-2008-6B	909146	Copper Queen Branch	Plume	265	Y	Y	Water quality sample collected in May 2011
BMO-2008-6M	909019	Copper Queen Branch	Plume	450	Y	Y	Water quality sample collected in May 2011
BMO-2008-7M	908794	Copper Queen Branch	Plume	670	N	N	Well not scheduled for sampling in the second quarter 2011
BMO-2008-8B	910097	Copper Queen Branch	Plume	480	Y	N	Well not scheduled for sampling in the second quarter 2011; water level collected in May 2011.
BMO-2008-8M	909711	Copper Queen Branch	Plume	1210	Y	N	Well not scheduled for sampling in the second quarter 2011; water level collected in May 2011.

Table 2
Summary of Groundwater Monitoring for Second Quarter 2011

Well Name	ADWR 55 Registry No.	Owner	Monitoring Purpose	Casing Depth (feet)	Water Level Measured?	Water Sample Collected?	Status
BMO-2008-9M	909255	Copper Queen Branch	Plume	775	Y	N	Well not scheduled for sampling in the second quarter 2011; water level collected in May 2011.
BMO-2008-10GL	909435	Copper Queen Branch	Plume	810	N	N	Well not scheduled for sampling in the second quarter 2011
BMO-2008-10GU	909272	Copper Queen Branch	Plume	449	N	N	Well not scheduled for sampling in the second quarter 2011
BMO-2008-11G	909434	Copper Queen Branch	Plume	760	N	N	Well not scheduled for sampling in the second quarter 2011
BMO-2008-13B	909551	Copper Queen Branch	Plume	474	Y	N	Well not scheduled for sampling in the second quarter 2011; water level collected in May 2011.
BMO-2008-13M	909760	Copper Queen Branch	Plume	1030	Y	N	Well not scheduled for sampling in the second quarter 2011; water level collected in May 2011.
BMO-2010-1M	219957	Copper Queen Branch	Plume	540	Y	Y	Water quality sample collected in May 2011
BMO-2010-2M	219958	Copper Queen Branch	Plume	370	Y	Y	Water quality sample collected in May 2011
BMO-2010-3B	219970	Copper Queen Branch	Plume	330	Y	Y	Water quality sample collected in April 2011
BMO-2010-3M	219969	Copper Queen Branch	Plume	532	Y	Y	Water quality sample collected in April 2011
CHAMBERS	629807	Chambers	Well Inventory	245	N	Y	Water quality sample collected in April 2011; unable to collect water level because wellhead is not accessible
COB MW-1	903992	City of Bisbee	Plume	420	N	N	Well not scheduled for sampling in the second quarter 2011
COB MW-2	903984	City of Bisbee	Plume	170	N	N	Well not scheduled for sampling in the second quarter 2011
COB MW-3	906823	City of Bisbee	Plume	269	N	N	Well not scheduled for sampling in the second quarter 2011
COB WL	593116	City of Bisbee	Plume	150	N	N	Well not scheduled for sampling in the second quarter 2011
COOPER	623564	Cooper, Teresa	Plume	325	N	Y	Water quality sample collected in April 2011; unable to collect water level because wellhead is not accessible
COOPER C	637069	Cooper, Charles	Plume	220	Y	Y	Water quality sample collected in April 2011
DODSON	644927	Dodson	Plume	200	Y	Y	Water quality sample collected in April 2011
DOUGLASS 791	592791	Douglass	Well Inventory	200	N	N	Well identified for water level measurements only; well not scheduled for water level measurements in the second quarter 2011
DOUGLASS 792	592792	Douglass	Well Inventory	200	N	N	Well identified for water level measurements only; well not scheduled for water level measurements in the second quarter 2011

Table 2
Summary of Groundwater Monitoring for Second Quarter 2011

Well Name	ADWR 55 Registry No.	Owner	Monitoring Purpose	Casing Depth (feet)	Water Level Measured?	Water Sample Collected?	Status
DURAZO	NR	Durazo	Well Inventory	ND	N	Y	Water quality sample collected in April 2011; unable to collect water level because wellhead is not accessible
EAST	599796	East	Well Inventory	125	Y	Y	Water quality sample collected in April 2011
EPPELE 641	805641	Eppele	Well Inventory	265	Y	Y	Water quality sample collected in April 2011
FLEMING	218386	Fleming	Well Inventory	400	N	N	Well identified for water level measurements only; well not scheduled for water level measurements in the second quarter 2011
FRANCO	500101	Franco	Well Inventory	200	N	N	Well not operational.
FULTZ	212447	Fultz	Well Inventory	300	N	Y	Water quality sample collected in April 2011; unable to collect water level due to obstruction in well
GARNER 557	558557	Garner	Plume	300	Y	N	Well identified for water level measurements only. Water level measurement taken in April 2011
GARNER 635	587635	Garner	Plume	680	Y	Y	Water quality sample collected in April 2011
GGOOSE 547	628547	Copper Queen Branch	Plume	800	N	N	Well not operational; unable to collect water level due to obstruction
GOAR RANCH	610695	Goar	Well Inventory	250	N	N	Well identified for water level measurements only; well not scheduled for water level measurements in the second quarter 2011
HOBAN	805290	Hoban	Well Inventory	316	N	N	Unable to access well; Unable to contact well owner
HOWARD	NR	Howard	Well Inventory	200	Y	Y	Water quality sample collected in April 2011
KEEFER	209744	Keefer	Well Inventory	245	Y	Y	Water quality sample collected in April 2011
MCCONNELL 265	539265	McConnell	Well Inventory	216	Y	Y	Water quality sample collected in April 2011
METZLER	35-71891	Metzler	Well Inventory	351	Y	Y	Water quality sample collected in April 2011
MOORE	538847	Moore	Well Inventory	220	N	Y	Water quality sample collected in April 2011; unable to collect water level because wellhead is not accessible
NESS	509127	Ness	Well Inventory	812	N	N	Well not scheduled for sampling in the second quarter 2011
NOTEMAN	212483	Noteman	Well Inventory	400	N	Y	Water quality sample collected in April 2011; unable to collect water level due to obstruction in well
NSD-02	527587	Naco Sanitary District	Water Level	120	Y	N	Well identified for water level measurements only. Water level measurement taken in June 2011
NSD-03	527586	Naco Sanitary District	Water Level	100	Y	N	Well identified for water level measurements only. Water level measurement taken in June 2011

Table 2
Summary of Groundwater Monitoring for Second Quarter 2011

Well Name	ADWR 55 Registry No.	Owner	Monitoring Purpose	Casing Depth (feet)	Water Level Measured?	Water Sample Collected?	Status
NWC-02	562944	Naco Water Company	Plume	312	N	Y	Water quality sample collected in April 2011; unable to collect water level because the well was pumping
NWC-03	203321	Naco Water Company	Plume	312	N	Y	Water quality sample collected in April 2011; unable to collect water level because the well was pumping
NWC-03 CAP	627684	Naco Water Company	Plume	179	N	N	Well identified for water level measurements only; well not scheduled for water level measurements in the second quarter 2011
NWC-04	551849	Naco Water Company	Well Inventory Sulfate Trend	795	N	Y	Water quality sample collected in April, May, and June 2011; unable to collect water levels because the well was pumping
NWC-06	575700	Naco Water Company	Well Inventory	410	N	Y	Water quality sample collected in April 2011; unable to collect water level because the well was pumping
OSBORN	643436	Osborn	Plume	258	N	N	Well not scheduled for sampling in the second quarter 2011
PALMER	578819	Palmer	Well Inventory	220	N	Y	Water quality sample collected in April; unable to collect water level because wellhead is inaccessible
PANAGAKOS	35-76413	Panagakos	Well Inventory	200	N	N	Well not scheduled for sampling in the second quarter 2011
PARRA	576415	Parra	Plume	355	N	Y	Water quality sample collected in April 2011; unable to collect water level because of obstruction in well
PIONKE	613395	Pionke	Well Inventory	300	Y	Y	Water quality sample collected in April 2011
POOL	509518	Pool	Well Inventory	313	N	Y	Water quality sample collected in April 2011, unable to collect water level measurement because wellhead is not accessible.
RAMIREZ	216425	Ramirez	Well Inventory	300	Y	Y	Water quality sample collected in April 2011
RAY	803772	Ray	Well Inventory	100	Y	Y	Water quality sample collected in April 2011
ROGERS 596	573596	Rogers, Ernest D	Plume	290	Y	N	Well is turned off. Rogers residence uses ROGERS 803; Water level measurement collected in April 2011
ROGERS 803	641803	Rogers, Ernest D	Plume	140	N	Y	Water quality sample collected in April 2011; unable to collect water level measurement because wellhead is not accessible
ROGERS E	216018	Rogers, Ernest M	Well Inventory	290	N	Y	Water quality sample collected in April 2011; unable to collect water level because of obstruction in well
RUIZ	531770	Ruiz	Well Inventory	312	Y	Y	Water quality sample collected in April 2011.
SCHWARTZ	210865	Schwartz	Well Inventory	305	Y	Y	Water quality sample collected in April 2011
STEPHENS	808560	Stephens	Well Inventory	NR	N	N	Well identified for water level measurements only; well not scheduled for water level measurements in the second quarter 2011
SUNBELT	201531	Sunbelt Marketing, Inc.	Well Inventory	380	N	N	Well identified for water level measurements only; well not scheduled for water level measurements in the second quarter 2011

Table 2
Summary of Groundwater Monitoring for Second Quarter 2011

Well Name	ADWR 55 Registry No.	Owner	Monitoring Purpose	Casing Depth (feet)	Water Level Measured?	Water Sample Collected?	Status
SWAN	NR	Swan	Well Inventory	NR	N	N	Well not scheduled for sampling in the second quarter 2011
TM-02A	522574	Copper Queen Branch	Plume	925	N	N	Well not scheduled for sampling in the second quarter 2011
TM-03	522575	Copper Queen Branch	Plume	200	N	N	Well not scheduled for sampling in the second quarter 2011
TM-06 MILLER	522695	Miller	Plume	200	N	N	Well not scheduled for sampling in the second quarter 2011
TM-07	522576	Copper Queen Branch	Plume	350	N	N	Well not scheduled for sampling in the second quarter 2011
TM-15 MILLER	522699	Miller	Well Inventory	325	N	N	Well not scheduled for sampling in the second quarter 2011
TM-16	522578	Copper Queen Branch	Plume	115	N	N	Well not scheduled for sampling in the second quarter 2011
TM-19A	522580	Copper Queen Branch	Plume	700	N	N	Well not scheduled for sampling in the second quarter 2011
TM-42	562554	Copper Queen Branch	Plume	250	N	N	Well not scheduled for sampling in the second quarter 2011
TVI 236	802236	Turquoise Valley, Inc.	Well Inventory	222	N	N	Well not scheduled for sampling in the second quarter 2011
TVI 713	567713	Turquoise Valley, Inc.	Well Inventory	200	Y	N	Well identified for water level measurements only; water level measurement taken in April 2011
TVI 875	568875	Turquoise Valley, Inc.	Plume	330	N	Y	Water quality sample collected in April 2011; unable to collect water level because well head is not accessible
WEED	544535	Weed	Plume	320	N	Y	Water quality sample collected in April 2011; unable to collect water level because well head is not accessible
WEISKOPF	641802	Weiskopf	Plume	200	Y	Y	Water quality sample collected in April 2011
ZANDER	205126	Zander	Well Inventory	280	Y	Y	Water quality sample collected in April 2011

37 48

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
ANDERSON	613396	3/20/08	7.25	21.1	1176	431
		5/5/08	7.03	21.8	1231	452
		7/14/08	7.11	21.6	1260	472
		10/15/08	7.10	21.3	1252	475
		1/27/09	7.27	21	965	488
		4/14/09	7.12	21.8	1229	534
		7/14/09	7.03	22.2	1372	550
		10/12/09	6.98	21.5	1375	510
		1/27/10	7.93	20.1	1449	523
		4/21/10	7.40	20.7	1439	627
		7/19/10	6.93	24.1	1420	648
		10/19/10	7.03	20.6	1229	416
		1/17/11	7.02	20.6	1334	562
4/11/11	6.92	15.1	1485	609		
AWC-02	616586	1/7/08	ND	ND	ND	14
		3/3/08	ND	ND	ND	16
		5/5/08	ND	ND	ND	13.3
		8/12/08	7.01	22.3	630	14.3
		10/23/08	7.31	23.1	464	15.9
		3/11/09	7.19	21.8	420	15.5
		4/22/09	7.17	22.6	430	14.7
		7/22/09	7.24	22.7	444	14.2
		10/21/09	7.19	21.3	468	16.8
		2/3/10	7.44	19.7	449	18.6
		4/23/10	7.56	19.7	526	18.3
		7/20/10	7.27	23.9	450	18.2
		11/4/10	7.72	21.3	465.9	18.8
		1/19/11	7.84	19.0	500	18.4
4/7/11	7.27	20.3	488.5	17.3		
AWC-03	616585	1/7/08	ND	ND	ND	41
		3/3/08	ND	ND	ND	38
		5/5/08	ND	ND	ND	37.3
		8/12/08	7.28	22.4	469	38.8
		10/23/08	7.48	21.0	462	41.8
		3/11/09	7.25	21.2	445	64.2
		4/22/09	7.30	21.4	452	42.4
		7/22/09	7.39	22.6	456	41.8
		10/21/09	7.48	21.3	540	50.5
		2/3/10	7.44	19.7	449	42.0
		4/23/10	7.57	19.7	468	44.4
		7/20/10	7.29	23.8	460	46.7
		11/4/10	7.80	20.8	452.3	46.3
		1/19/11	7.07	19.6	560	49.0
4/7/11	7.28	19.9	469.8	46.8		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
AWC-04	616584	2/4/08	ND	ND	ND	18
		4/7/08	ND	ND	ND	18
		6/2/08	ND	ND	ND	14.3
		8/12/08	7.08	22.5	458	21.6
		10/23/08	6.91	22.2	616	24
		3/11/09	7.02	21.3	539	27.2
		4/22/09	6.93	22.1	560	26.1
		7/22/09	7.13	22.5	587	26.2
		10/21/09	7.00	21.2	607	25.7
		2/3/10	7.35	19.3	438	16.3
		4/23/10	7.14	19.2	625	27.4
		7/20/10	7.02	24.1	600	26.6
		11/4/10	7.41	20.3	593.2	24.0
1/19/11	8.15	20.5	690	26.2		
4/7/11	7.00	20.4	637.2	25.8		
AWC-05	590620	2/4/08	ND	ND	ND	13
		4/7/08	ND	ND	ND	14
		6/2/08	ND	ND	ND	14.3
		8/12/08	6.74	23.3	425	14.9
		10/23/08	7.45	21.0	422	15.4
		3/11/09	7.31	22.1	398	16.5
		6/3/09	7.33	22.0	418	12.1
		7/22/09	7.49	24.4	423	14.1
		10/21/09	7.37	21.1	433	16.5
		2/3/10	7.35	19.3	438	16.3
		4/23/10	7.62	18.9	443	17.6
		7/20/10	7.62	24.2	440	19.1
		11/4/10	7.92	20.7	427.1	18.4
1/19/11	7.64	20.3	420	17.0		
4/7/11	7.22	20.8	438.3	17.6		
BANKS 986	647986	2/27/08	7.53	21.8	980	44
		5/12/08	7.40	22.1	1021	65.2
		7/21/08	7.43	22.9	1034	82.2
		10/13/08	7.28	21.7	980	53
		1/21/09	7.66	21.6	872	164
		4/8/09	7.56	22.7	933	47
		7/9/09	7.59	23.1	871	70.9
		10/7/09	7.50	22.2	838	67.7
		2/25/10	7.56	21.1	1020	50.5
		4/20/10	7.71	22.8	1013	53.9
		7/20/10	7.70	23.2	828.3	71.5
		10/20/10	7.60	22.4	948.7	73.4
		1/17/11	7.73	20.6	1038	53.5
4/5/11	7.66	21.5	965.0	64.5		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BF-01	539783	3/4/08	6.46	21.9	2745	1320
		5/23/08	6.41	18.3	2698	1450
		8/5/08	6.11	22.4	3095	1330
		11/5/08	6.33	19.9	3027	1490
		2/20/09	6.42	19.2	1477	1330
		5/6/09	5.98	23.9	2632	1280
		8/17/09	6.21	29.7	2948	1250
		11/4/09	6.24	23.0	2846	1280
		3/1/10	6.34	21.1	2945	1260
		4/7/10	5.83	20.4	1853	1450
		7/6/10	5.93	22.6	1403	1310
BIMA	577927	2/6/08	6.69	22.2	1335	210
		4/25/2008 ¹	6.37	23.1	1521	190
		5/13/2008 ¹	6.58	22.7	1489	195
		6/23/2008 ¹	6.30	23.3	1572	225
		6/23/08 DUP	6.30	23.3	1572	196
		7/29/2008 ¹	6.44	23.0	1647	204
		8/28/2008 ¹	M	23.0	1776	256
		9/23/2008 ¹	6.29	23.0	1741	296
		10/22/08	6.41	22.3	1801	285
		1/20/09	6.40	21.7	1233	190
		1/20/09 DUP	6.40	21.7	1233	200
		4/7/09	6.45	23.4	1436	212
		7/8/09	6.31	23.4	1483	189
		10/5/09	6.34	22.7	1525	233
		1/20/10	6.88	17.0	NA	222
		4/19/10	6.70	21.9	1533	256
		7/12/10	6.70	24.0	1577	273
		10/18/10	6.47	24.3	1702	296
		1/19/11	6.65	21.2	1672	283
		4/4/11	6.61	24.0	1643	282
BLOMMER	633472	2/5/08	7.43	20.2	714	206
		4/21/2008 ¹	7.06	21.9	753	201
		5/15/2008 ¹	7.16	22.2	845	211
		6/23/2008 ¹	6.93	21.5	903	193
		7/29/2008 ¹	7.21	22.2	921	203
		8/27/2008 ¹	7.12	22.1	864	189
		9/23/2008 ¹	7.16	22.3	818	193
		10/22/08	7.17	21.3	873	200
BMO-2008-1G	909474	8/27/08	7.09	24.2	808	107
		11/11/08	7.00	20.8	721	143
		2/25/09	7.01	22.0	860	109
		4/28/09	7.04	22.2	762	198
		8/4/09	7.23	22.8	950	104
		10/27/09	7.11	21.9	922	103
		2/17/10	7.36	20.5	899.3	98.4
		4/15/10	7.04	22.2	711	95.2
		7/7/10	6.91	21.5	640	88.1
		7/7/10 DUP	6.91	21.5	640	87.1
		2/10/11	6.80	21.0	916	105

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2008-3B	909147	7/18/08	7.35	23.9	615	106
		11/4/08	7.36	21.4	599	179
		11/4/08 DUP	7.36	21.4	599	177
		2/19/09	7.24	21.4	664	155
		5/11/09	7.23	22.1	631	149
		8/6/09	7.33	21.4	718	151
		8/6/09 DUP	7.33	21.4	718	156
		10/26/09	7.32	21.8	684	153
		3/3/10	7.38	21.4	695	164
		4/8/10	6.47	21.3	585	162
		7/1/10	6.92	21.4	541	157
BMO-2008-4B	910096	2/14/11	6.98	20.6	698	169
		12/11/08	7.34	22.8	374	9.4
		2/18/09	7.17	23.2	370	13.4
		4/30/09	7.33	24.5	376	11.4
		4/30/09 DUP	7.33	24.5	376	11.8
		8/6/09	7.53	24.6	397	11.5
		10/27/09	7.53	23.7	379	11.2
		2/24/10	7.48	21.8	362	9.7
		4/16/10	7.70	23.4	330	9.73
		7/2/10	7.25	23.6	323	10.10
		2/15/11	7.65	22.2	362	8.90
BMO-2008-5B	909653	9/30/08	7.08	22.0	688	193
		2/18/09	7.03	21.5	691	192
		4/27/09	7.32	22.1	605	177
		8/4/09	7.35	22.3	724	174
		10/29/09	7.29	21.8	731	181
		10/29/09 DUP	7.29	21.8	731	185
		2/15/10	7.22	21.7	720	185
		4/15/10	7.21	23.0	571	194
		7/7/10	6.94	22.2	551	183
		10/5/10	6.85	22.3	722	201
		2/14/11	6.90	21.8	725	203
BMO-2008-5M	909552	5/12/11	7.06	21.5	722	195
		10/2/08	7.13	23.6	551	107
		2/18/09	7.06	22.5	562	122
		4/27/09	7.50	22.9	501	111
		8/4/09	7.53	23.1	605	122
		10/29/09	7.35	22.4	610	123
		2/15/10	7.31	22.5	581	123
		4/16/10	7.28	22.6	509	125
		4/16/10 DUP	7.28	22.6	509	124
		7/7/10	7.02	23.5	482	123
		10/5/10	6.81	22.5	602	127
2/14/11	6.95	22.2	591	124		
5/12/11	7.16	23.0	558	119		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2008-6B	909146	7/16/08	7.36	24.1	475	53.3
		11/4/08	7.41	21.5	398	60.3
		2/19/09	7.23	21.1	444	54.3
		4/27/09	7.55	21.7	389	52.7
		8/4/09	7.48	23.4	470	48.5
		10/26/09	7.29	22.5	448	48.7
		2/15/10	7.53	21.2	391	33.5
		4/15/10	7.47	21.0	362	37.0
		7/1/10	7.24	22.2	361	40.1
		10/5/10	7.05	21.0	407	37.2
BMO-2008-6M	909019	2/14/11	7.27	21.8	397	40.2
		5/12/11	7.32	21.5	380	35.0
		7/10/08	M	22.1	702	182
		11/4/08	7.33	21.8	621	199
		2/20/09	7.11	22.0	702	193
		4/28/09	7.34	22.4	595	119
		8/4/09	7.40	23.3	750	189
		10/26/09	7.18	22.4	727	187
		2/15/10	7.29	20.8	733	193
		4/15/10	7.36	20.2	619	208
BMO-2008-7M	908794	7/1/10	7.15	22.0	571	198
		10/5/10	6.87	21.3	720	202
		2/14/11	6.80	21.3	731	202
		5/12/11	7.12	21.9	709	189
		7/14/08	7.63	25.2	500	31.4
		11/6/08	7.53	22.6	380	34.5
		2/18/09	7.31	23.3	452	27.6
		5/11/09	7.43	24.4	426	26.0
		8/6/09	7.81	24.1	486	25.1
		10/27/09	7.53	23.0	470	26.1
BMO-2008-8B	910097	2/17/10	7.57	23.4	452	25.4
		2/17/10 DUP	7.57	23.4	452	25.0
		4/15/10	7.52	23.2	415	26.0
		7/6/10	7.28	23.5	391	22.8
		2/14/11	7.18	22.0	465	27.5
		2/14/11 DUP	7.18	22.0	465	26.4
		12/5/08	6.47	20.1	2480	1890
		2/19/09	6.19	21.0	2958	1570
		5/5/09	6.18	21.3	2888	1370
		8/10/09	6.42	21.5	2897	1250
11/9/09	6.33	21.8	2889	1510		
11/9/09 DUP	6.33	21.8	2889	1520		
3/3/10	6.51	20.4	3016	1320		
4/16/10	6.06	21.4	1682	1470		
7/1/10	6.10	21.4	1594	1440		

Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2008-8M	909711	12/9/08	7.16	23.4	852	197
		2/19/09	7.27	23.5	758	147
		2/19/09 DUP	7.27	23.5	758	149
		5/5/09	7.19	25.1	680	122
		8/10/09	7.49	24.8	673	107
		11/5/09	7.30	25.4	675	104
		3/3/10	7.70	24.1	641	99.5
		4/16/10	7.29	24.5	541	97.0
		7/1/10	6.99	25.0	502	94.7
BMO-2008-9M	909255	1/24/11	7.05	23.4	595	98.2
		8/8/08	7.72	25.7	415	47.3
		11/5/08	7.89	21.4	444	54.4
		2/26/09	7.71	24.5	482	28.8
		5/12/09	7.76	24.8	449	51.7
		8/17/09	7.76	25.6	534	53.4
		11/3/09	7.82	24.9	552	56.9
		3/4/10	8.07	22.4	520	58.6
		4/6/10	6.74	23.8	484	60.1
BMO-2008-10GL	909435	7/1/10	7.40	24.6	425	61.0
		2/10/11	6.79	24.0	520	64.2
		8/20/08	6.22	29.5	2924	1320
		11/5/08	6.47	25.3	2573	1290
		2/25/09	6.34	26.8	2646	1180
		5/12/09	6.35	26.2	2402	1120
		8/11/09	6.52	27.3	2661	1030
		11/2/09	6.52	26.7	2565	1100
		3/4/10	6.76	24.1	2937	1080
BMO-2008-10GU	909272	4/8/10	6.03	25.6	1575	1260
		7/2/10	6.16	26.3	1338	1020
		8/4/08	6.41	23.6	3660	2210
		11/5/08	6.15	20.2	3343	1890
		2/25/09	5.96	22.7	3426	1740
		5/6/09	5.99	23.2	3359	1710
		8/11/09	6.28	22.5	3348	1690
		11/2/09	6.27	21.8	3157	1730
		3/10/10	6.67	19.1	3951	1700
BMO-2008-11G	909434	4/7/10	5.96	20.4	3210	1510
		7/6/10	5.90	21.8	1610	1670
		8/22/08	8.02	28.2	359	14.2
		11/12/08	7.96	24.2	257	13.9
		2/26/09	7.92	25.1	319	12.3
		4/28/09	8.14	25.5	273	11.8
		8/12/09	8.24	25.3	365	11.2
		11/9/09	8.03	25.5	339	13.9
		3/1/10	8.37	23.2	338	13.0
BMO-2008-11G	909434	4/9/10	6.88	24.5	301	13.0
		7/1/10	6.97	25.4	298	12.3
		2/10/11	6.99	24.0	327	11.7

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2008-13B	909551	10/3/08	6.49	21.6	2180	980
		2/17/09	6.51	20.9	1941	1000
		5/6/09	6.55	22.0	1891	930
		8/5/09	6.63	21.5	2137	950
		10/28/09	6.81	19.7	2259	1010
		2/16/10	6.87	20.8	2093	997
		4/14/10	6.38	21.2	1346	974
BMO-2008-13M	909760	7/6/10	6.37	21.8	1208	972
		12/3/08	7.73	24.1	1463	494
		2/17/09	8.21	22.7	1340	441
		4/29/09	8.04	24.8	1126	217
		8/5/09	8.04	25.4	1392	387
		10/28/09	8.12	21.4	1347	403
		2/16/10	8.07	24.9	1297	375
BMO-2010-1M	219957	4/13/10	8.06	23.2	1130	398
		7/2/10	8.30	23.9	1027	386
		9/9/10	7.82	24.6	727.0	150
		11/11/10	8.68	19.9	570	98
BMO-2010-2M	219958	2/11/11	8.15	20.8	589	138
		5/12/11	7.74	23.0	710	129
		9/15/10	6.66	22.6	2054	915
		11/11/10	6.97	20.6	1800	935
BMO-2010-3B	219970	2/10/11	6.53	20.8	2120	950
		5/13/11	6.54	21.1	2160	887
		7/29/10	7.48	23.1	420	16.0
		11/10/10	7.43	21.2	370	14.9
BMO-2010-3M	219969	1/20/11	7.44	20.9	416.1	14.4
		4/7/11	7.38	20.1	424.6	14.9
		7/31/10	7.73	24.3	390	14.8
		11/10/10	7.66	21.8	340	12.6
		11/10/10 DUP	7.66	21.8	340	12.7
BURKE	212268	1/20/11	7.72	22.6	380.4	11.5
		4/7/11	7.38	23.5	376.5	12.3
		2/7/08	7.17	23.0	411	29.5
		4/22/08	7.13	27.0	423	26
		8/5/08	7.06	26.8	496	21.9
		10/20/08	7.57	26.0	466	20.5
		2/11/09	7.23	25.0	363	23.9
		4/28/09	7.16	26.1	369	24.2
		8/19/09	7.36	26.7	486	22.5
		12/16/09	7.28	25.7	488	26
		3/2/10	7.56	12.3	432	23.8
4/22/10	7.49	16.4	452	24.8		
7/21/10	7.56	25.6	423.7	33.1		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
CHAMBERS	629807	3/6/08	7.73	17.8	408	7.7
		5/5/08	7.15	22.1	421	6
		7/14/08	7.43	23.2	434	5.8
		10/15/08	7.41	22.5	420	4
		1/27/09	7.57	21.5	312	5.3
		4/14/09	7.42	22.4	384	6.8
		7/15/09	7.83	23.4	414	4.3
		10/13/09	7.41	22.6	410	6.5
		1/26/10	7.31	21.3	416	5.7
		4/23/10	7.47	20.9	427.5	8.34
		7/21/10	7.49	23.1	430	7.75
		10/19/10	8.00	23.0	440	7.04
		1/18/11	7.47	22.4	390	7.30
4/11/11	7.18	22.0	427.3	7.74		
COB MW-1	903992	2/22/08	6.93	21.2	1401	720
		5/20/08	6.88	22.0	2050	980
		7/30/08	6.88	21.7	1780	730
		10/23/08	6.95	21.2	1690	750
		2/12/09	6.92	21.1	1313	750
		4/21/09	7.15	22.7	1366	720
		7/22/09	6.94	21.6	1570	680
		7/22/09 DUP	6.94	21.6	1570	730
		10/22/09	6.81	22.3	1582	820
		2/4/10	7.04	21.1	1653	680
		4/20/10	6.92	21.8	1836	783
		7/13/10	7.02	22.3	2004	919
		5/20/08	7.32	21.2	490	40.5
COB MW-2		7/30/08	7.34	20.8	511	37.6
		10/23/08	7.36	20.3	498	34.9
		2/12/09	7.35	20.2	379	35.6
		4/23/09	7.33	21.8	431	34
		7/22/09	7.36	21.3	483	33.5
		10/22/09	7.24	21.0	454	32.2
		3/3/10	7.55	19.7	450	33.5
		4/26/10	7.28	21.3	479.6	34.8
		7/13/10	6.91	21.2	479.5	30.4
		7/13/10 DUP	6.91	21.2	479.5	30.6
		1/20/11	7.47	20.7	440	29.6

Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
COB MW-3	906823	2/28/08	7.39	21.0	416	57.8
		3/27/08	ND	ND	ND	57.7
		4/30/08	ND	ND	ND	37
		5/20/08	7.56	22.3	473	35.8
		7/24/08	ND	ND	ND	64.9
		7/30/08	7.64	22.3	541	67.3
		10/9/08	ND	ND	ND	52.5
		10/23/08	7.43	20.8	507	76.6
		2/12/09	7.35	21.1	432	112
		4/23/09	7.35	22.6	407	43.7
		7/22/09	7.38	21.5	460	52.3
		10/22/09	7.40	21.3	466	74.2
		10/22/09 DUP	7.40	21.3	466	73.9
		3/3/10	7.36	21.1	480	102
		4/26/10	7.35	22.0	497.9	77.6
7/13/10	7.41	21.7	456.7	46.5		
COB WL	593116	2/22/08	6.99	20.6	919	90
		3/24/08	ND	ND	ND	98.2
		4/28/08	ND	ND	ND	98.7
		5/20/08	7.30	21.9	1053	98
		7/30/08	7.17	22.0	1098	97.1
		7/30/08	ND	ND	ND	100
		10/15/08	ND	ND	ND	107
		10/23/08	7.23	21.4	1075	104
		2/12/09	6.98	20.6	814	94
		4/23/09	7.29	22.2	923	98
		7/22/09	7.17	22.5	1037	97.3
		10/22/09	7.17	22.4	988	96.1
		3/3/10	7.48	21.1	1030	97.1
		4/26/10	7.36	21.9	1038	97.7
		4/26/10 DUP	7.36	21.9	1038	97.9
7/13/10	7.18	22.3	1013	88.7		
COLLINS	565260	2/12/08	6.88	21.6	1470	520
		5/29/08	7.01	22.0	1459	520
		7/31/08	6.86	21.6	1502	536
		10/20/08	8.44	24.7	1510	518
		2/11/09	6.68	21.4	1147	567
		4/21/09	6.92	22.5	1150	499
		7/22/09	7.00	22.4	1413	460
		10/20/09	6.60	21.9	1432	513
		2/2/10	6.98	21.2	1439	471
		4/23/10	6.99	20.6	1472	561
7/20/10	6.69	25.0	1420	569		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
COOPER	623564	2/14/08	7.02	20.8	371	33
		5/14/08	8.08	22.1	419	34.2
		7/31/08	7.81	28.4	455	33.7
		10/20/08	8.44	24.7	448	31.2
		2/11/09	7.32	19.2	333	34.3
		4/21/09	8.19	24.9	346	33.4
		7/20/09	8.45	29.8	430	32.3
		10/14/09	7.85	24.6	423	33.6
		2/1/10	7.83	13.6	433	32.4
		4/22/10	7.82	17.9	433	34.5
		7/19/10	7.98	29.3	420	35.0
		10/18/10	7.12	73.1	450	33.1
		1/19/11	8.83	18.4	410	32.1
4/11/11	7.65	21.0	442.6	34.3		
COOPER C	637069	3/20/08	6.93	21.3	2081	880
		5/5/08	6.78	22.4	2139	990
		7/15/08	6.86	22.3	2162	1040
		7/15/08 DUP	6.86	22.3	2162	960
		10/16/08	6.80	21.4	2078	1020
		1/27/09	6.92	20.5	1489	950
		4/14/09	6.85	21.6	1833	930
		7/14/09	6.75	22.1	1972	910
		10/12/09	6.70	21.8	1858	830
		1/27/10	7.27	19.6	1930	620
		4/22/10	6.76	19.5	1921	884
		7/21/10	6.84	22.9	1761	921
		10/20/10	7.16	20.9	1980	829
		1/17/11	6.95	20.5	1880	756
		4/11/11	6.82	21.0	1942	834
DODSON	644927	2/20/08	7.61	17.3	857	54
		5/12/08	7.11	21.1	1118	34.2
		7/24/08	7.25	21.6	1233	49.3
		10/13/08	7.15	20.5	1095	56.9
		1/22/09	7.20	20.4	892	51.8
		4/9/09	7.09	21.4	1103	50.1
		7/8/09	7.18	21.1	1153	55.9
		10/6/09	7.07	21.1	1140	49.3
		1/21/10	7.15	18.9	1227	44.6
		4/19/10	7.46	19.9	1261	48.8
		4/19/10 DUP	7.46	19.9	1261	48.6
		7/20/10	7.16	22.7	1260	47.5
		10/18/10	6.43	21.2	1260	49.3
		1/19/11	7.88	19.5	1120	57.9
4/5/11	7.03	20.9	1300	49.0		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
DURAZO	NR	2/10/09	7.22	18.8	848	386
		4/20/09	7.37	22.7	901	367
		7/15/09	7.57	22.8	1102	332
		10/14/09	7.17	21.9	1048	377
		2/1/10	7.30	21.1	1105	344
		4/26/10	7.22	23.1	1099	388
		7/20/10	7.28	23.0	1070	405
		10/19/10	7.28	21.9	1112	398
		1/19/11	7.94	21.6	1050	360
		4/4/11	7.20	21.9	1119	383
EAST	599796	2/8/08	7.45	19.9	423	10.6
		5/14/08	7.31	20.9	595	14.8
		7/23/08	7.34	20.8	605	11.8
		10/14/08	7.33	20.3	531	8.9
		1/20/09	7.33	20.0	482	12.5
		4/8/09	7.32	20.6	555	15.9
		7/13/09	7.33	21.2	613	13.8
		10/8/09	7.29	20.8	593	13.4
		1/25/10	7.08	19.0	585	10.7
		4/21/10	7.42	20.5	616	14.4
		4/21/10 DUP	7.42	20.5	616	13.9
		7/14/10	7.45	22.2	577.1	12.1
		10/20/10	7.64	21.2	650	12.1
		1/18/11	7.44	21.0	615.9	13.1
		4/5/11	7.19	20.8	612.5	13.8
EPPELE 641	805641	3/11/08	7.98	21.4	646	21.7
		5/12/08	7.21	21.7	667	24.7
		7/21/08	7.49	23.9	605	19
		10/14/08	7.56	20.4	642	21.8
		1/21/09	7.60	21.1	500	22.7
		4/8/09	7.56	22.4	538	19.7
		7/9/09	7.43	24.3	550	17.5
		7/20/10	7.58	23.3	529.2	21.1
		10/20/10	7.66	21.0	572.1	17.2
		1/17/11	7.43	21.0	576.4	17.3
		4/5/11	7.43	21.5	569.2	16.7
FLEMING	218386	7/15/10	6.98	24.2	1390	573
FRANCO	500101	2/6/08	7.47	19.6	1301	670
		5/5/08	6.93	23.1	1557	680
		7/14/08	7.00	22.7	1586	680
		10/15/08	7.20	20.5	1560	680
		1/22/09	7.19	20.1	1178	740
		4/14/09	7.24	23.1	1416	690
		7/13/09	7.30	27.3	1532	670
		10/12/09	7.16	24.2	1493	650
		1/26/10	6.91	18.5	1529	640
		4/23/10	7.43	15.8	1559	699
		7/13/10	7.48	28.6	901.6	188

Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
FULTZ	212447	2/27/08	6.76	21.1	1827	152
		4/21/2008 ¹	6.74	22.0	1739	137
		5/14/2008 ¹	6.88	22.3	1532	131
		6/23/2008 ¹	6.74	22.0	1788	111
		7/29/2008 ¹	6.74	22.2	1989	152
		8/28/2008 ¹	M	21.6	1889	137
		9/23/2008 ¹	6.82	21.9	1821	137
		10/22/08	6.80	21.4	1940	145
		1/21/09	6.74	21.2	1481	82
		4/9/09	6.78	21.5	1695	138
		7/13/09	7.04	23.4	1452	81
		10/8/09	7.00	21.6	1262	72
		10/8/09 DUP	7.00	21.6	1262	71.8
		1/25/10	7.11	21.8	1282	66.7
		4/20/10	7.32	21.2	1202	68.3
		7/14/10	7.75	22.2	1132	57.0
		10/20/10	7.27	20.5	1091	54.7
		1/18/11	7.23	20.4	1136	56.9
4/5/11	7.08	22.1	1082	49.5		
4/5/11 DUP	7.08	22.1	1082	51.7		
GALLANT	502527	2/11/08	7.46	20.2	604	17.9
		7/23/08	7.26	21.2	925	20.9
GARNER 635	587635	2/4/08	7.61	22.7	479	37.8
		5/5/08	7.26	24.9	468	35.8
		7/15/08	7.63	25.6	480	37.4
		10/15/08	7.65	24.1	472	36
		1/28/09	7.69	23.4	368	37.4
		4/15/09	7.83	24.1	412	36.9
		7/16/09	7.56	25.1	445	35.7
		10/14/09	7.58	25.2	446	36.1
		2/2/10	7.79	22.8	465	35.1
		4/22/10	7.84	23.7	464.1	36.9
		7/20/10	7.57	25.3	458.2	38.8
		10/19/10	8.23	25.4	510	37.9
		1/19/11	7.82	24.1	463.4	35.7
		1/19/11 DUP	7.82	24.1	463.4	35.7
4/6/11	7.76	23.4	467.4	35.8		
GGOOSE 547	628547	5/21/08	7.08	22.7	856	199
		8/15/08	7.02	24.8	915	178
		10/29/08	7.27	22.6	897	216
		2/24/09	7.06	23.8	851	186
		5/14/09	7.15	23.9	743	174
		8/19/09	7.20	23.8	887	175
		11/11/09	7.15	23.1	897	188

Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
GL-03	539782	3/4/08	7.43	25.7	417	20.3
		5/22/08	7.06	25.3	647	43.3
		8/4/08	7.10	26.8	673	36.1
		11/12/08	7.21	25.2	478	34.9
		2/26/09	7.05	26.5	603	54.8
		5/5/09	6.91	28.1	682	43.9
		8/1/09	7.12	27.4	768	43.1
		11/10/09	6.96	27.0	692	49
		3/2/10	7.36	24.9	693	43.4
		3/2/2010 DUP	7.36	24.9	693	45.1
		4/9/10	6.17	25.6	556	48.1
7/7/10	6.48	26.3	546	44.4		
HOBAN	805290	2/27/08	6.93	22.1	1359	510
		5/7/08	6.88	22.3	1532	670
		7/14/08	6.88	23.1	1719	690
		10/16/08	6.98	22.4	1624	692
		1/28/09	6.82	21.3	1220	580
		4/15/09	7.07	21.7	1423	700
		7/14/09	6.78	22.6	1551	670
		10/15/09	6.75	22.7	1487	670
		10/15/09 DUP	6.75	22.7	1487	780
		3/2/10	7.12	19.8	1575	580
		3/4/08	7.06	20.4	1280	571
HOWARD	NR	5/8/08	6.95	21.0	1494	673
		7/14/08	7.00	21.1	1566	610
		10/15/08	7.00	20.6	1598	683
		1/28/09	6.82	21.0	1203	640
		1/28/09 DUP	6.82	21.0	1203	640
		4/15/09	7.02	21.5	1397	620
		7/15/09	7.16	21.5	1539	640
		10/12/09	6.89	21.4	1414	600
		1/27/10	7.35	20.0	1714	440
		1/27/10 DUP	7.35	20.0	1714	520
		4/21/10	7.16	20.8	1490	710
		7/19/10	6.94	24.6	1350	548
		10/18/10	6.47	21.4	1420	568
		1/17/11	7.12	19.8	1370	520
4/11/11	7.20	20.6	1489	616		
KEEFER	209744	2/6/08	7.70	19.0	378	6.8
		5/6/08	7.19	20.3	512	9
		7/16/08	7.21	21.4	539	8
		10/28/08	7.32	20.1	534	21.2
		1/28/09	7.42	19.5	356	6.1
		4/16/09	7.29	20.0	452	7.7
		7/14/09	7.35	22.1	533	7
		10/13/09	7.24	20.7	516	8.7
		1/26/10	7.15	18.8	483	7.3
		4/20/10	7.44	20.5	540.9	8.77
		7/15/10	7.50	22.2	535.8	8.84
		10/19/10	6.72	20.2	470	7.89
		1/18/11	7.45	20.6	450	7.24
4/6/11	7.48	19.1	546.2	8.04		

Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
MCCONNELL 265	539265	2/20/08	7.21	21.1	1435	720
		5/6/08	6.77	21.6	1668	737
		7/15/08	6.91	22.3	1775	700
		10/15/08	6.82	21.3	1686	703
		1/28/09	6.85	21	1274	660
		4/15/09	7.04	21.3	1472	657
		7/15/09	7.01	22.2	1607	662
		10/12/09	6.77	21.7	1594	666
		1/26/10	6.71	21.5	1641	685
		4/22/10	6.95	20.1	1691	811
		7/21/10	6.86	23.5	1560	805
		10/18/10	6.97	22.0	1704	775
		1/19/11	7.38	20.6	1610	711
4/8/11	7.04	19.8	1775	810		
METZLER	35-71891	3/5/08	7.27	21.6	1055	317
		5/15/08	7.12	22.8	1051	329
		7/31/08	7.16	22.5	1078	317
		10/20/08	7.24	22.2	1080	305
		10/20/08 DUP	7.24	22.2	1080	326
		2/11/09	7.12	21.3	818	321
		4/20/09	7.22	23.2	845	313
		7/15/09	7.41	22.9	1031	293
		7/15/09 DUP	7.41	22.9	1031	309
		10/14/09	7.1	22.7	989	315
		2/1/10	7.22	21.7	1021	286
		5/18/10	7.56	21.0	1053	330
		7/16/10	7.20	24.1	1007	330
		10/19/10	7.15	22.6	1006	319
		1/19/11	7.55	21.1	930	298
		4/4/11	7.03	23.3	1018	323
MOORE	538847	2/20/08	7.69	22.2	362	7.1
		5/8/08	7.09	22.4	432	7.5
		7/16/08	7.34	23.0	482	9.8
		10/29/08	7.32	22.4	452	19.2
		1/29/09	7.11	21.7	328	6.6
		4/16/09	7.40	22.1	374	6.4
		7/15/09	7.44	23.3	439	5.8
		10/13/09	7.36	22.6	429	7.1
		1/26/10	7.54	19.6	423	6.3
		4/22/10	7.47	20.6	433	7.40
		7/15/10	7.44	24.1	431.3	7.54
		7/15/10 DUP	7.44	24.1	431.3	7.11
		10/19/10	6.79	22.1	430	7.14
		1/18/11	7.48	21.1	390	6.42
4/6/11	7.39	21.4	426.3	6.70		
NESS	509127	7/24/08	7.35	26.5	563	50.2
		10/16/08	7.47	21.4	542	48.9
		1/26/09	7.39	17.2	422	52.3
		5/11/09	7.52	28.8	472	45.9
		8/11/09	7.56	28.7	525	39.8
		11/12/09	7.53	24.5	537	51.3
		2/2/10	7.67	19.7	535	48.7
		4/21/10	7.70	23.5	518.9	42.1
		7/19/10	7.58	28.9	524.7	48.1
1/18/11	7.49	21.8	536.6	50.1		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
NOTEMAN	212483	2/5/08	6.70	19.9	1317	310
		5/13/08	6.67	23.0	1445	272
		7/24/08	6.68	24.2	1539	274
		10/23/08	6.57	23.2	1643	356
		1/19/09	6.38	22.9	1098	322
		4/7/09	6.56	23.8	1375	303
		7/8/09	6.55	24.6	1405	260
		10/5/09	6.48	24.1	1442	281
		1/20/10	6.79	20.3	1450	289
		4/19/10	6.81	22.4	1446	307
		7/19/10	6.77	24.6	1438	309
		10/18/10	6.08	24.6	1430	280
		1/19/11	6.84	22.3	1446	266
		4/4/11	6.72	22.9	1446	276
	4/4/11 DUP	6.72	22.9	1446	279	
NSD-02	527587	2/5/08	ND	ND	ND	43
		7/7/08	8.02	21.0	609	44
NSD-03	527586	2/5/08	ND	ND	ND	70.7
		7/7/08	7.64	21.0	570	58.9
NWC-02	562944	10/27/08	7.47	22.2	438	5.1
		2/12/09	7.58	21.6	330	6.6
		4/23/09	7.39	23.8	373	6.4
		7/21/09	7.62	23.9	408	5
		10/21/09	7.32	22.6	436	6.8
		2/3/10	7.68	19.6	423	8.5
		4/21/10	7.57	22.1	413	7.26
		7/20/10	7.36	23.7	412.5	6.87
		10/19/10	7.42	22.5	416.2	7.39
		1/18/11	7.47	23.2	390	6.43
		4/6/11	7.27	22.9	413.5	6.4
NWC-03	203321	3/4/08	ND	ND	ND	560
		6/9/08	ND	ND	ND	524
		10/27/08	7.07	21.9	1374	489
		2/12/09	7.06	20.2	1023	412
		4/23/09	6.98	21.9	1129	466
		4/23/09 DUP	6.98	21.9	1129	460
		7/21/09	7.21	22.9	1194	458
		10/21/09	6.94	21.8	1224	444
		2/3/10	7.24	20.7	1214	444
		4/21/10	7.22	21.6	1178	433
		7/20/10	7.04	22.8	1229	477
		10/19/10	7.22	21.3	1172	432
		1/18/11	7.09	22.8	1120	386
4/6/11	7.19	21.7	1114	361		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
NWC-04	551849	3/4/08	ND	ND	ND	240
		6/9/08	ND	ND	ND	231
		10/27/08	7.32	25.0	856	162
		1/22/09	7.23	22.9	688	184
		2/12/09	7.20	19.8	699	181
		2/12/09 DUP	7.20	19.8	699	198
		3/11/09	7.15	23.4	846	197
		4/23/09	7.21	24.1	797	188
		5/28/09	7.01	24.1	933	210
		6/24/09	6.93	25.6	792	169
		7/21/09	7.48	24.3	859	193
		8/19/09	7.12	24.5	906	183
		9/23/09	7.16	23.8	953	202
		10/21/09	7.18	24.3	875	191
		11/18/09	7.24	22.9	909	191
		12/16/09	7.28	22.3	926	193
		2/3/10	7.49	22.3	844	167
		3/8/10	7.33	22.5	880	182
		4/21/10	7.34	22.8	913	218
		5/18/10	7.68	25.8	901.3	210
		6/15/10	7.31	24.5	917.5	212
		7/20/10	7.28	28.3	873.2	188
		8/25/10	7.55	24.8	820.9	196
		9/29/10	7.38	24.5	920.2	205
		10/19/10	7.34	23.6	870.2	195
		11/4/10	7.53	23.9	853.2	197
12/14/10	7.41	23.6	856.8	182		
1/18/11	7.31	24.1	860	194		
2/17/11	7.46	22.3	848.6	169		
3/17/11	7.44	24.1	888.1	182		
4/5/11	7.32	23.4	878.7	196		
5/11/11	7.32	23.1	868.1	175		
6/17/11	7.28	23.7	856.3	204		
NWC-06	575700	3/4/08	ND	ND	ND	7.9
		6/9/08	ND	ND	ND	7.2
		10/27/08	7.35	23.3	414	6.4
		2/12/09	7.54	21.8	306	8
		4/23/09	7.30	24.5	354	7.3
		7/21/09	7.63	23.5	388	6.4
		10/21/09	7.26	23.2	413	8
		2/3/10	7.61	20.5	404	7.5
		2/3/10 DUP	7.61	20.5	404	7.4
		4/21/10	7.54	22.4	387	8.49
		7/20/10	7.33	26.0	388.6	8.59
		10/19/10	7.49	22.7	394.5	8.32
		1/18/11	7.45	23.4	380	8.24
		4/6/11	7.42	23.1	388.3	7.76
4/6/11 DUP	7.42	23.1	388.3	7.73		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
OSBORN	643436	2/25/08	7.35	22.4	508	16.4
		5/13/08	7.22	22.2	576	17.2
		7/22/08	7.24	22.9	618	17.7
		7/22/08 DUP	7.24	22.9	618	17.5
		10/16/08	7.39	22.4	595	15.9
		1/20/09	7.33	22.4	469	16
		4/7/09	7.25	24.0	542	17
		8/18/09	7.16	24.6	643	17.4
		10/5/09	7.14	22.9	599	17.9
		1/21/10	7.47	19.5	591	15.6
PALMER	578819	4/19/10	7.60	21.5	601.9	19.3
		7/12/10	7.69	24.2	594.0	18.4
		2/14/08	7.91	17.5	435	15.9
		5/13/08	7.92	22.9	508	16.6
		7/22/08	7.64	25.8	548	16.2
		10/16/08	7.61	17.0	527	15.9
		1/20/09	7.33	19.4	441	14.3
		4/8/09	7.65	19.1	475	15.4
		7/8/09	7.47	27.2	521	14.3
		10/5/09	7.81	22.2	538	16.2
		1/20/10	7.72	11.9	510	13.8
		4/22/10	7.97	13.6	520	16.7
		7/12/10	7.62	30.2	518.8	15.7
		10/18/10	8.13	22.1	511.9	16.5
PANAGAKOS	35-76413	1/18/11	7.24	17.1	517.0	15.7
		4/5/11	8.04	19.0	499.2	15.8
		4/21/08	6.80	20.5	1228	410
		7/21/08	6.95	21.9	1390	444
		10/13/08	6.86	21.2	1386	480
		10/13/08 DUP	6.86	21.2	1386	500
		1/22/09	6.92	19.7	997	397
		4/9/09	6.81	21.7	1228	431
		4/9/09 DUP	6.81	21.7	1228	426
		7/9/09	6.89	22.3	1469	490
		10/6/09	6.83	21.1	1328	472
		1/21/10	7.06	18.8	1291	318
		4/20/10	7.25	21.0	1528	608
		7/20/10	6.90	24.0	1560	706
PARRA	576415	10/18/10	6.38	22.1	1530	568
		2/11/08	7.08	21.8	1067	360
		5/15/08	7.10	21.8	1200	405
		7/31/08	7.00	22.4	1248	423
		7/31/08 DUP	7.00	22.4	1248	404
		10/20/08	7.07	22.9	1246	387
		2/13/09	7.24	22.1	965	405
		4/20/09	7.10	22.6	971	372
		7/20/09	7.17	23.9	1174	375
		10/20/09	6.80	22.5	1188	388
		2/1/10	7.07	21.5	1197	353
		4/22/10	6.91	20.3	1219	417
		7/14/10	7.13	22.2	1201	403
		7/14/10 DUP	7.13	22.2	1201	391
10/20/10	7.51	21.4	1270	411		
1/19/11	7.49	20.8	1130	391		
4/4/11	6.90	22.6	1207	382		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
PIONKE	613395	2/6/08	7.53	19.9	910	394
		5/7/08	7.08	21.4	1100	391
		7/17/08	6.99	21.9	1209	420
		10/27/08	7.03	20.8	1175	460
		1/29/09	7.13	19.9	847	385
		4/14/09	7.58	20.7	1053	411
		7/13/09	7.35	21.5	1165	472
		10/7/09	7.43	21.1	1100	403
		3/8/10	7.72	18.6	1201	406
		4/26/10	7.22	21.9	1224	438
		7/15/10	7.32	22.3	1158	474
		10/18/10	7.33	21.3	1277	473
		10/18/10 DUP	7.33	21.3	1277	487
		1/19/11	7.32	19.9	1222	471
4/8/11	7.13	19.2	1232	467		
POOL	509518	2/20/08	7.95	20.9	497	134
		5/19/08	7.40	22.2	585	122
		7/31/08	7.47	22.3	599	117
		10/21/08	7.51	21.4	598	120
		2/13/09	7.62	20.8	473	141
		4/21/09	7.73	22.6	470	124
		7/20/09	7.76	22.9	579	122
		10/20/09	7.22	21.2	577	122
		2/24/10	7.56	22.4	577	110
		4/22/10	7.75	20.2	606.5	130
		7/14/10	7.38	21.7	580.9	117
		10/20/10	7.79	21.3	620	115
		1/20/11	7.71	20.5	530	112
		1/20/11 DUP	7.71	20.5	530	114
		4/6/11	7.37	21.6	567.4	114
		POWER	624535	2/12/08	7.11	18.9
7/22/08	7.10			21.7	795	20.2
RAMIREZ	216425	2/4/08	7.47	21.7	408	7.6
		5/6/08	7.19	22.7	405	8.3
		7/17/08	7.32	24.5	439	8.8
		10/27/08	7.41	22.2	412	7.3
		1/29/09	7.24	22.2	301	8.3
		4/16/09	7.49	22.4	344	7.6
		7/10/09	7.52	23.9	411	6.4
		10/6/09	7.30	23.8	388	8.4
		1/25/10	7.48	22.4	390	7.8
		4/21/10	7.45	22.6	397	9.04
		7/21/10	7.38	25.1	420	8.98
		10/19/10	7.91	23.7	450	10.8
		1/18/11	7.52	23.1	380	8.18
		4/11/11	7.24	23.2	408.5	8.65

Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
RAY	803772	2/15/08	7.30	19.1	1540	159
		4/21/2008 ¹	6.92	21.3	1418	125
		5/13/2008 ¹	7.05	20.9	1418	123
		6/23/2008 ¹	6.87	21.1	1593	130
		7/29/2008 ¹	6.98	21.8	1411	120
		8/28/2008 ¹	M	21.1	1519	129
		9/23/2008 ¹	6.90	22.2	1519	125
		10/22/08	6.96	20.8	1604	145
		1/20/09	6.92	20.6	1355	88
		4/8/09	6.85	21.4	1759	178
		7/9/09	6.93	22.3	1434	126
		10/7/09	6.98	21.3	1288	127
		1/26/10	6.82	20.6	1352	125
		4/20/10	7.14	21.5	1318	134
		7/14/10	7.11	23.8	1313	137
		10/20/10	7.14	19.6	1368	127
		1/17/11	7.04	20.8	1451	132
		1/17/11 DUP	7.04	20.8	1451	125
4/5/11	7.03	20.8	1387	132		
ROGERS 803	641803	2/7/08	7.45	18.6	601	138
		4/21/2008 ¹	7.32	21.4	552	128
		5/8/2008 ¹	7.14	21.2	622	141
		6/23/2008 ¹	7.06	22.9	660	129
		7/29/2008 ¹	6.78	23.1	339	134
		8/28/2008 ¹	7.18	21.6	635	128
		9/23/2008 ¹	7.24	21.9	599	133
		10/22/08	7.36	21.3	650	144
		2/10/09	7.42	17.9	475	141
		4/29/09	7.52	21.9	506	211
		8/3/09	7.39	24.2	674	150
		7/16/10	7.46	23.9	643.4	169
		10/19/10	7.32	21.1	643.8	154
		10/19/10 DUP	7.32	21.1	643.8	154
		1/20/11	7.44	18.1	610	143
		4/8/11	7.30	20.2	658.2	160
ROGERS 596	573596	10/19/09	6.89	23.3	1360	590
		11/5/09	6.79	21.9	1418	540
		2/25/10	6.99	19.6	1603	520
		4/22/10	7.21	18.2	1641	710
ROGERS E	216018	2/4/08	7.40	21.0	435	4.6
		5/7/08	7.18	22.2	415	5.9
		7/17/08	7.28	23.0	446	7.1
		10/27/08	7.38	21.4	434	15.7
		2/10/09	7.51	20.7	322	5.4
		4/16/09	7.48	22.0	361	4.9
		7/13/09	7.34	22.6	420	3.8
		10/6/09	7.31	22.3	407	5.8
		1/25/10	7.52	20.6	414	5.1
		4/21/10	7.44	21.1	421	6.04
		7/21/10	7.37	23.8	430	6.47
		10/19/10	7.80	22.8	460	5.92
		1/18/11	7.39	21.5	390	5.50
4/11/11	7.19	22.7	427.2	6.13		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
RUIZ	531770	2/5/08	7.73	18.2	445	263
		5/15/08	7.23	25.9	965	265
		7/30/08	6.99	22.1	999	243
		10/20/08	7.04	22.0	995	238
		2/12/09	6.94	20.9	748	254
		4/21/09	7.18	22.3	759	227
		8/3/09	7.05	22.9	1029	221
		10/28/09	7.09	20.6	920	227
		2/1/10	7.08	20.9	934	236
		4/26/10	7.01	22.5	920.1	240
		7/20/10	7.08	22.5	880	240
		10/20/10	7.52	20.7	970	231
		1/18/11	7.19	20.2	860	213
4/8/11	7.09	19.8	923.3	236		
SCHWARTZ	210865	2/8/08	7.52	21.5	506	158
		4/21/2008 ¹	7.23	21.7	563	122
		5/19/2008 ¹	7.38	22.4	629	130
		6/23/2008 ¹	7.02	22.1	674	129
		7/29/2008 ¹	7.25	22.4	955	245
		8/28/2008 ¹	M	22.3	669	131
		9/23/2008 ¹	7.27	22.2	607	124
		10/22/2008 ¹	7.31	22.0	653	135
		11/19/2008 ¹	7.38	21.1	612	140
		12/17/2008 ¹	6.78	21.6	472	144
		1/29/2009 ¹	7.08	22.0	475	124
		2/23/2009 ¹	7.33	22.1	610	123
		4/17/09	7.46	22.2	520	120
		7/10/09	7.52	22.8	651	116
		7/10/09 DUP	7.52	22.8	651	117
		10/6/09	7.27	22.5	613	120
		1/22/10	7.79	19.5	664	133
		4/21/10	7.50	20.9	638	129
		7/21/10	7.43	22.0	650	134
		10/19/10	7.76	21.2	710	147
1/17/11	7.15	21.2	620	116		
4/11/11	7.20	21.5	656.9	128		
SRC	211345	4/23/08	7.57	25.8	380	19
		8/5/08	7.40	27.2	452	15.4
SWAN	NR	2/13/08	7.28	20.7	467	24.1
		5/14/08	7.24	21.2	479	23.7
		7/24/08	7.35	22.4	506	18
		10/16/08	7.32	20.7	488	19
		1/20/09	7.05	20.4	391	19.8
		4/7/09	7.21	21.5	447	19.9
		7/8/09	7.18	23.1	473	18.5
		10/5/09	7.18	21.4	496	19.7
		1/21/10	7.49	19.5	501	18.4
		4/21/10	7.42	20.3	512.1	20.9
		7/19/10	7.13	23.8	518.6	22.2
1/18/11	7.19	17.8	483.6	18.7		

Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
TM-02A	522574	3/4/08	8.67	22.6	302	12.3
		5/23/08	7.75	22.9	321	14.7
		8/15/08	7.84	26.4	369	14.4
		10/30/08	8.07	23.9	375	21.9
		2/24/09	8.10	24.8	340	20.3
		5/6/09	8.06	26.7	320	18.7
		8/12/09	8.34	26.9	398	20
		11/4/09	8.16	26.3	381	21.8
		3/10/10	8.13	25.2	351	21.4
		3/10/10 DUP	8.13	25.2	351	21.3
		4/6/10	6.96	24.6	363	25.6
7/6/10	7.38	24.6	343	22.1		
2/10/11	6.93	20.2	359	22.9		
TM-03	522575	5/20/08	7.51	22.2	778	110
		8/6/08	7.08	21.6	828	97
		11/12/08	7.47	20.5	590	128
		2/26/09	7.21	21.8	737	107
		2/26/09 DUP	7.21	21.8	737	102
		5/13/09	7.47	22.2	695	109
		8/18/09	7.48	22.4	822	98
		11/10/09	7.55	21.8	761	106
		3/2/10	7.56	21.6	748	99
		4/14/10	7.55	20.6	635	103
		7/7/10	7.19	21.4	566	103
TM-06 MILLER	522695	2/27/08	7.44	19.6	457	13.9
		5/20/08	7.50	20.7	506	32.7
		8/4/08	7.41	20.7	529	31.3
		10/29/08	7.55	20.2	531	34.5
		2/26/09	7.18	20.4	574	32.7
		5/13/09	7.35	20.9	465	30.6
		8/18/09	7.50	20.9	560	30.9
		8/18/09 DUP	7.50	20.9	560	29.9
		11/12/09	7.53	20.4	530	31.1
		4/14/10	7.35	19.4	461	29.0
		7/2/10	7.24	20.1	438	29.8
TM-07	522576	3/6/08	7.54	20.8	726	22.5
		5/22/08	6.96	20.1	385	22.9
		8/6/08	7.04	22.8	519	22.2
		11/4/08	7.76	20.6	347	31.2
		2/20/09	7.77	19.9	376	22.5
		5/13/09	7.30	22.9	559	130
		8/17/09	7.60	22.6	442	134
		11/3/09	7.85	21.8	441	134
		3/2/10	7.67	21.6	422	124
		5/25/10	7.77	21.2	398	42.6
		7/6/10	7.58	22.0	350	44.7
2/11/11	6.87	20.1	393	24.9		
TM-08 SWAN	522817	2/13/08	7.63	24.1	511	24.1
		5/14/08	7.44	24.4	480	12.6
		7/23/08	7.76	28.1	522	12.6

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
TM-15 MILLER	522699	2/27/08	7.66	21.9	344	14
		5/23/08	7.54	22.1	371	14.4
		8/5/08	7.42	23.3	413	13.7
		10/28/08	7.63	22.6	387	18.6
		10/28/08 DUP	7.63	22.6	387	18.8
		2/26/09	7.57	22.0	373	14.6
		5/13/09	7.61	23.1	344	13.7
		8/17/09	7.73	23.2	398	14.2
		11/3/09	7.73	23.4	414	14.8
		2/24/10	7.66	22.8	381	14.4
TM-16	522578	4/27/10	7.71	23.0	383.6	14.9
		7/20/10	7.77	23.0	324	14.3
		3/5/08	7.17	20.6	1351	497
		5/22/08	7.05	20.5	1304	522
		8/6/08	6.67	20.9	1410	466
		11/5/08	7.14	19.8	1162	547
		2/20/09	6.90	21.1	1292	492
		5/13/09	6.93	21.1	1179	484
		8/19/09	7.08	21.2	1354	468
		11/10/09	7.02	21.0	1310	505
TM-19A	522581	3/2/10	7.13	20.4	1313	451
		4/14/10	6.90	19.9	987	484
		7/2/10	6.81	20.8	858	474
		3/6/08	8.02	22.2	240	56.1
		5/22/08	7.36	24.0	501	64.5
		8/6/08	7.32	22.6	494	55.3
		11/18/08	7.79	24.3	365	66.3
		3/3/09	7.41	24.5	489	66.2
		4/22/09	7.44	24.3	494	62.5
		8/12/09	7.61	24.4	554	61.3
TM-42	562554	11/4/09	7.47	24.2	522	63
		3/10/10	7.54	22.9	511	60.6
		4/9/10	6.49	23.0	435	66.5
		7/7/10	6.93	23.8	428	63.2
		2/14/11	6.69	21.4	511	61.9
		3/5/08	7.10	20.8	1342	482
		5/22/08	7.05	21.4	1270	483
		8/6/08	6.69	22.0	1388	467
		11/6/08	6.90	21.0	1025	477
		2/18/09	6.72	22.3	1245	429
TM-43	564729	5/7/09	6.88	24.5	1155	430
		5/7/09 DUP	6.88	24.5	1155	445
TM-43A	564726	8/18/09	7.04	24.4	1336	428
		11/3/09	7.07	23.1	1266	430
TM-43B	565004	2/24/10	7.13	22.7	1236	390
		4/19/10	6.87	21.5	985	444
		7/2/10	6.81	23.9	827	407
TM-43B	565004	3/3/08	8.57	21.0	341	2.1
		8/4/08	8.14	25.7	436	<5
TM-43A	564726	3/3/08	6.17	19.9	2788	1420
		8/4/08	6.03	21.6	3149	1320
TM-43B	565004	3/3/08	6.79	20.6	514	0.7
		8/5/08	6.89	21.0	507	31.8
		8/5/08 DUP	6.89	21.0	507	32.5

Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
TVI 236	802236	3/20/08	7.48	20.0	488	31.3
		5/7/08	7.13	20.4	494	32.6
		7/15/08	7.39	21.9	532	37.6
		10/15/08	7.45	22.3	490	36.6
		2/11/09	7.32	20.1	391	27.6
		4/17/09	7.36	19.3	418	28.1
		4/17/09 DUP	7.36	19.3	418	28.3
		7/21/09	7.59	22.9	484	31.3
		10/19/09	7.31	22.1	513	33.2
		2/2/10	7.39	20.4	497	26
		4/23/10	7.46	20.0	504.6	30.9
		7/15/10	7.37	21.5	499.4	39.3
TVI 875	568875	2/21/08	7.28	21.1	739	244
		5/7/08	7.09	21.2	833	250
		7/15/08	7.27	22.4	925	274
		10/15/08	7.26	22.1	878	245
		2/11/09	7.20	20.7	738	312
		4/17/09	7.31	21.5	690	251
		7/21/09	7.47	22.2	812	236
		10/19/09	7.23	21.9	822	247
		2/2/10	7.32	20.8	939	250
		4/23/10	7.34	20.2	930.4	294
		7/15/10	7.46	21.8	842.5	262
		10/20/10	7.79	21.9	890	242
		1/20/11	7.39	21.0	780	226
		4/11/11	7.20	21.1	820.6	235
WALKER	200393	2/13/08	7.05	20.2	650	20
		7/23/08	7.25	20.7	740	45.4
WEED	544535	2/14/08	7.74	21.7	323	11.1
		5/15/08	7.22	22.7	365	12.6
		7/30/08	7.42	32.0	407	11.5
		10/20/08	8.10	31.6	405	10.2
		2/13/09	7.66	21.0	303	12.6
		4/22/09	7.46	22.2	368	11.6
		7/16/09	7.50	21.9	365	10.8
		10/20/09	7.34	21.6	381	12.7
		2/1/10	7.60	20.8	382	12.2
		4/26/10	7.69	22.1	366	13.4
		7/21/10	7.36	22.1	354.9	13.6
		7/21/10 DUP	7.36	22.1	354.9	13.5
		10/19/10	7.63	21.2	378.8	11.7
		1/19/11	7.62	21.1	383.6	12.2
4/11/11	7.44	21.5	386.6	13		

**Table 3
Compilation of Analytical Results
For Sulfate and Field Parameters**

Well Name	ADWR 55 Registry No.	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
WEISKOPF	641802	2/15/08	7.48	20.0	1072	500
		5/7/08	7.10	21.8	1251	483
		7/16/08	7.07	22.2	1399	560
		10/28/08	6.98	20.8	1401	602
		1/29/09	6.79	20.7	1014	503
		4/15/09	7.53	21.1	1164	503
		7/15/09	7.84	22.1	1317	486
		10/15/09	6.89	21.4	1216	484
		2/2/10	7.22	20.4	1319	451
		4/22/10	7.30	19.3	1329	572
		7/19/10	7.06	23.1	1330	573
		10/20/10	7.64	21.6	1360	515
		10/20/10 DUP	7.64	21.6	1360	529
		1/17/11	7.16	22.0	1270	481
4/11/11	6.88	22.4	1365	557		
ZANDER	205126	2/4/08	7.24	19.7	392	5.7
		5/6/08	7.26	21.2	404	6.3
		7/16/08	6.92	22.9	441	6.9
		10/28/08	7.40	21.2	415	15
		2/10/09	7.50	20.4	317	6
		4/16/09	7.47	21.7	352	5.5
		7/14/09	7.36	22.9	418	4.5
		10/13/09	7.41	21.7	407	6.3
		1/26/10	7.49	20.3	411	5.7
		4/2/10	7.55	20.0	416	6.70
		7/21/10	7.38	22.7	388.2	6.78
		10/19/10	6.78	21.3	430	6.56
		1/18/11	7.59	18.9	380	6.14
		1/18/11 DUP	7.59	18.9	380	6.06
4/6/11	7.20	19.7	425.8	6.12		

deg C = degrees Celsius

M = pH Meter Malfunction

NA = Not Analyzed

NR = No Record

ND = No Data

SC = Specific Conductance

SU = Standard Units

µS/cm = microsiemens per centimeter

¹ Verified drinking water supply well, sample collected for sulfate trend analysis and interim action evaluation

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
ANDERSON	613396	601134.729	3468816.065	4588.51	3/20/08	145.46	4443.05
					5/5/08	145.84	4442.67
					7/14/08	146.16	4442.35
					10/15/08	146.21	4442.30
					1/27/09	145.97	4442.54
					4/14/09	146.21	4442.30
					7/14/09	146.88	4441.63
					10/12/09	147.31	4441.20
					1/27/10	147.31	4441.20
					4/21/10	147.57	4440.94
					7/19/10	148.34	4440.17
					10/19/10	147.75	4440.76
					1/17/11	148.63	4439.88
4/11/11	149.46	4439.05					
AWC-02	616586	598907.911	3468549.357	4547.64	8/27/08	121.12	4426.52
					4/8/08 ²	116	4431.64
					10/23/08 ³	115	4432.64
					4/22/09 ³	118	4429.64
					10/9/09 ³	117	4430.64
					4/23/10 ³	119	4428.64
AWC-03	616585	599090.322	3468681.898	4539.52	8/27/08	119.40	4420.12
					4/8/2008 ²	112	4427.52
					10/23/08 ³	106	4433.52
					4/22/09 ³	114	4425.52
					10/9/09 ³	116	4423.52
					4/23/10 ³	116	4423.52
AWC-04	616584	598949.929	3468717.084	4540.48	8/18/08	112.56	4427.92
					4/8/2008 ²	108	4432.48
					10/23/08 ³	111.31	4429.17
					4/22/09 ³	110	4430.48
					10/9/09 ³	110	4430.48
					4/23/10 ³	109	4431.48
AWC-05	590620	599269.904	3468541.692	4542.51	8/27/08	299.65	4242.86
					4/8/08	284	4258.51
					10/23/08	284	4258.51
					4/22/09	286	4256.51
					6/3/09	125	4417.51
					10/9/09 ³	289	4253.51
					4/23/10 ³	278	4264.51

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BANKS 987	647987	606981.921	3469206.175	4648.18	2/27/08	208.00	4440.18
					5/12/08	216.30	4431.88
					7/21/08	228.95	4419.23
					10/13/08	228.20	4419.98
					1/21/09	206.64	4441.54
					4/8/09	205.50	4442.68
					7/9/09	235.68	4412.50
					10/7/09	236.71	4411.47
					2/25/10	216.98	4431.20
					4/20/10	219.35	4428.83
					7/20/10	235.60	4412.58
					10/20/10	230.24	4417.94
					1/17/11	215.28	4432.90
4/5/11	221.68	4426.50					
BARTON 919	644919	606243.850	3469076.689	4692.36	5/12/08	113.71	4578.65
					7/23/08	113.56	4578.80
					10/16/08	113.20	4579.16
					3/11/09	112.92	4579.44
					4/10/09	112.89	4579.47
					7/7/09	112.86	4579.50
BF-01	539783	604169.077	3472151.593	4835.23	3/4/08	348.99	4486.24
					5/23/08	348.80	4486.43
					8/5/08	348.66	4486.57
					11/5/08	348.94	4486.29
					2/20/09	348.78	4486.45
					5/6/09	348.73	4486.50
					8/17/09	348.73	4486.50
					11/4/09	348.65	4486.58
					3/1/10	348.84	4486.39
					4/7/10	348.70	4486.53
7/6/10	348.69	4486.54					
BIMA	577927	606001.245	3471852.804	4802.05	5/13/08	367.31	4434.74
					8/18/08	370.24	4431.81
					10/23/08	353.96	4448.09
					1/20/09	353.07	4448.98
					4/7/09	357.76	4444.29
					7/8/09	365.44	4436.61
					10/5/09	370.11	4431.94
					4/19/10	382.25	4419.80
					7/21/10	386.89	4415.16
					10/18/10	387.39	4414.66
					1/19/11	391.47	4410.58
					4/4/11	395.22	4406.83

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-1G	909474	606467.681	3471723.644	4805.10	8/27/08	62.05	4743.05
					11/11/08	60.95	4744.15
					2/25/09	61.43	4743.67
					4/28/09	62.01	4743.09
					8/4/09	62.96	4742.14
					10/27/09	63.61	4741.49
					2/17/10	64.51	4740.59
					4/15/10	65.05	4740.05
					7/7/10	65.83	4739.27
BMO-2008-3B	909147	602012.923	3467919.582	4583.97	2/10/11	67.74	4737.36
					7/18/08	138.05	4445.92
					11/4/08	137.95	4446.02
					2/19/09	138.19	4445.78
					5/11/09	138.46	4445.51
					8/6/09	139.02	4444.95
					10/26/09	139.60	4444.37
					3/3/10	140.03	4443.94
					4/8/10	140.07	4443.90
7/1/10	140.70	4443.27					
BMO-2008-4B	910096	601099.405	3468383.430	4573.17	2/14/11	141.41	4442.56
					12/11/08	130.77	4442.40
					2/18/09	130.58	4442.59
					4/30/09	131.24	4441.93
					8/6/09	131.96	4441.21
					10/27/09	132.04	4441.13
					2/24/10	131.82	4441.35
					4/16/10	132.65	4440.52
					7/2/10	133.20	4439.97
2/15/11	133.78	4439.39					
BMO-2008-5B	909653	600438.159	3468994.715	4585.10	9/30/08	145.10	4440.00
					2/18/09	144.35	4440.75
					4/27/09	144.78	4440.32
					8/4/09	145.36	4439.74
					10/29/09	145.88	4439.22
					2/15/10	145.42	4439.68
					4/15/10	145.80	4439.30
					7/7/10	146.59	4438.51
					10/5/10	147.00	4438.10
2/14/11	147.56	4437.54					
BMO-2008-5M	909552	600445.071	3468994.282	4585.02	5/12/11	148.04	4437.06
					10/2/08	146.65	4438.37
					2/18/09	145.97	4439.05
					4/27/09	146.46	4438.56
					8/4/09	147.13	4437.89
					10/29/09	147.68	4437.34
					2/15/10	147.07	4437.95
					4/16/10	147.34	4437.68
					7/7/10	148.28	4436.74
10/5/10	148.68	4436.34					
2/14/11	148.74	4436.28					
5/12/11	149.66	4435.36					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-6B	909146	600366.523	3469820.644	4627.44	7/16/08	190.13	4437.31
					11/4/08	190.23	4437.21
					2/19/09	189.71	4437.73
					4/27/09	189.99	4437.45
					8/4/09	190.80	4436.64
					10/26/09	191.04	4436.40
					2/15/10	190.82	4436.62
					4/15/10	190.75	4436.69
					7/1/10	191.43	4436.01
					10/5/10	192.50	4434.94
					2/14/11	192.19	4435.25
5/12/11	192.70	4434.74					
BMO-2008-6M	909019	600367.943	3469813.885	4626.90	7/10/08	191.63	4435.27
					11/4/08	190.25	4436.65
					2/20/09	190.70	4436.20
					4/28/09	190.98	4435.92
					8/4/09	191.77	4435.13
					10/26/09	192.14	4434.76
					2/15/10	191.78	4435.12
					4/15/10	191.64	4435.26
					7/1/10	192.53	4434.37
					10/5/10	192.96	4433.94
					2/14/11	193.14	4433.76
5/12/11	193.68	4433.22					
BMO-2008-7M	908794	603099.165	3470029.283	4688.33	7/14/08	238.31	4450.02
					11/6/08	239.69	4448.64
					2/18/09	238.90	4449.43
					5/11/09	239.03	4449.30
					8/6/09	239.17	4449.16
					10/27/09	239.55	4448.78
					2/17/10	239.98	4448.35
					4/15/10	240.13	4448.20
					7/6/10	240.28	4448.05
					2/14/11	241.26	4447.07
BMO-2008-8B	910097	604171.347	3471141.719	4753.25	12/5/08	297.94	4455.31
					2/19/09	297.63	4455.62
					5/5/09	297.37	4455.88
					8/10/09	297.53	4455.72
					11/9/09	297.85	4455.40
					3/3/10	298.37	4454.88
					4/16/10	298.46	4454.79
					7/1/10	298.64	4454.61
					2/11/11	299.56	4453.69
5/13/11	299.78	4453.47					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-8M	909711	604167.912	3471127.902	4752.45	12/9/08	299.79	4452.66
					2/19/09	298.32	4454.13
					5/5/09	298.27	4454.18
					8/10/09	298.57	4453.88
					11/5/09	298.81	4453.64
					3/3/10	299.18	4453.27
					4/16/10	299.42	4453.03
					7/1/10	299.70	4452.75
					1/24/11	300.46	4451.99
BMO-2008-9M	909255	604668.669	3471121.675	4762.61	8/8/08	287.17	4475.44
					11/5/08	287.65	4474.96
					2/26/09	285.65	4476.96
					5/12/09	285.28	4477.33
					8/17/09	286.09	4476.52
					11/3/09	286.55	4476.06
					3/4/10	287.45	4475.16
					4/6/10	287.81	4474.80
					7/1/10	288.26	4474.35
					2/10/11	289.77	4472.84
BMO-2008-10GL	909435	605264.072	3471702.043	4792.21	8/20/08	521.75	4270.46
					11/5/08	520.50	4271.71
					2/25/09	516.72	4275.49
					5/12/09	514.68	4277.53
					8/11/09	513.23	4278.98
					11/2/09	509.43	4282.78
					3/4/10	510.88	4281.33
					4/8/10	506.31	4285.90
BMO-2008-10GU	909272	605267.551	3471731.866	4793.45	8/4/08	299.28	4494.17
					11/5/08	295.89	4497.56
					2/25/09	289.84	4503.61
					5/6/09	289.35	4504.10
					8/11/09	289.09	4504.36
					11/2/09	289.77	4503.68
					3/10/10	289.58	4503.87
					4/7/10	289.5	4503.95
BMO-2008-11G	909434	603800.995	3472626.482	4844.67	8/22/08	577.76	4266.91
					11/12/08	576.80	4267.87
					2/26/09	575.91	4268.76
					4/8/09	575.46	4269.21
					8/12/09	574.84	4269.83
					11/9/09	573.41	4271.26
					3/1/10	573.68	4270.99
					4/9/10	573.56	4271.11
7/1/10	572.97	4271.70					
2/10/11	571.61	4273.06					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-13B	909551	601657.612	3470076.358	4649.21	10/3/08	206.42	4442.79
					2/17/09	206.11	4443.10
					5/6/09	206.32	4442.89
					8/5/09	206.79	4442.42
					10/28/09	207.08	4442.13
					2/16/10	207.26	4441.95
					4/14/10	207.27	4441.94
					7/6/10	207.68	4441.53
					2/10/11	208.51	4440.70
BMO-2008-13M	909760	601650.495	3470040.455	4647.15	5/13/11	208.95	4440.26
					12/3/08	206.00	4441.15
					2/17/09	208.74	4438.41
					4/29/09	208.53	4438.62
					8/5/09	208.85	4438.30
					10/28/09	208.91	4438.24
					2/16/10	209.16	4437.99
					4/13/10	209.20	4437.95
					7/2/10	209.30	4437.85
2/10/11	210.36	4436.79					
BMO-2010-1M	219957	605581.263	3469935.750	4718.55	5/13/11	210.50	4436.65
					9/7/10	224.13	4494.42
					11/10/10	222.97	4495.58
					2/11/11	222.01	4496.54
BMO-2010-2M	219958	605685.549	3470564.646	4746.16	5/12/11	223.08	4495.47
					9/7/10	264.13	4482.03
					11/11/10	263.94	4482.22
					2/10/11	264.13	4482.03
BMO-2010-3B	219970	599977.962	3468347.363	4550.59	5/13/11	266.97	4479.19
					7/28/10	115.38	4435.21
					11/10/10	115.80	4434.79
					1/20/11	115.46	4435.13
BMO-2010-3M	219969	599970.801	3468353.543	4550.53	4/7/11	116.11	4434.48
					7/30/10	118.63	4431.90
					11/10/10	118.75	4431.78
					1/20/11	118.32	4432.21
BURKE	212268	602230.087	3473029.816	4856.30	4/7/11	119.09	4431.44
					4/22/08	606.55	4249.75
					8/5/08	605.86	4250.44
					10/28/08	604.88	4251.42
					2/19/09	603.91	4252.39
4/28/09	603.70	4252.60					
8/19/09	602.66	4253.64					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
COB MW-1	903992	603153.259	3469889.889	4683.26	2/22/08	232.47	4450.79
					5/20/08	233.12	4450.14
					7/30/08	233.37	4449.89
					10/23/08	233.62	4449.64
					2/12/09	234.05	4449.21
					4/21/09	234.99	4448.27
					7/22/09	234.34	4448.92
					10/22/09	234.69	4448.57
					2/4/10	235.15	4448.11
					4/20/10	235.47	4447.79
COB MW-2	903984	600973.257	3468114.836	4566.21	2/22/08	122.85	4443.36
					5/20/08	123.00	4443.21
					7/30/08	123.53	4442.68
					10/23/08	124.02	4442.19
					2/12/09	123.39	4442.82
					4/23/09	124.16	4442.05
					7/22/09	124.91	4441.30
					10/22/09	125.33	4440.88
					3/3/10	124.93	4441.28
					4/26/10	125.47	4440.74
COB MW-3	906823	599169.225	3468726.000	4538.63	2/28/08	120.84	4417.79
					5/20/08	125.00	4413.63
					7/30/08	118.50	4420.13
					10/23/08	117.93	4420.70
					2/12/09	110.91	4427.72
					4/23/09	125.13	4413.50
					7/22/09	124.09	4414.54
					10/22/09	118.03	4420.60
					3/3/10	120.14	4418.49
					4/26/10	123.12	4415.51
COB WL	593116	606357.506	3472502.012	4832.06	2/22/08	56.50	4775.56
					5/20/08	57.50	4774.56
					7/30/08	58.64	4773.42
					10/23/08	58.76	4773.30
					2/12/09	58.89	4773.17
					4/23/09	59.73	4772.33
					7/22/09	61.27	4770.79
					10/22/09	62.82	4769.24
					3/3/10	65.24	4766.82
					4/26/10	66.13	4765.93
7/13/10	67.52	4764.54					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
COLLINS	565260	602551.286	3471341.335	4733.72	2/12/08	289.47	4444.25
					5/29/08	288.53	4445.19
					7/31/08	290.08	4443.64
					10/20/08	290.15	4443.57
					4/21/09	290.66	4443.06
					7/20/09	290.78	4442.94
					10/20/09	290.52	4443.20
					2/2/10	291.64	4442.08
					4/23/10	291.96	4441.76
					7/20/10	292.21	4441.51
COOPER C	637069	601349.987	3468913.011	4599.14	3/4/08	155.08	4444.06
					5/5/08	155.34	4443.80
					7/15/08	156.01	4443.13
					10/16/08	155.85	4443.29
					1/27/09	155.62	4443.52
					4/14/09	155.86	4443.28
					7/14/09	156.50	4442.64
					10/12/09	156.89	4442.25
					1/27/10	157.03	4442.11
					4/22/10	157.31	4441.83
					7/21/10	158.00	4441.14
					10/20/10	158.41	4440.73
					1/17/11	158.37	4440.77
4/11/11	158.74	4440.40					
DODSON	644927	605594.560	3469063.772	4686.34	5/12/08	81.38	4604.96
					7/24/08	82.20	4604.14
					10/13/08	81.82	4604.52
					1/22/09	82.33	4604.01
					4/9/09	82.84	4603.50
					7/8/09	86.88	4599.46
					10/6/09	87.27	4599.07
					1/21/10	88.54	4597.80
					4/19/10	89.53	4596.81
					7/20/10	90.79	4595.55
					10/18/10	90.33	4596.01
					1/19/11	90.34	4596.00
4/5/11	91.05	4595.29					
DOUGLASS 791	592791	607632.993	3470222.677	4703.27	2/13/08	22.11	4681.16
					5/13/08	24.60	4678.67
					7/22/08	27.00	4676.27
					10/16/08	23.60	4679.67
					1/19/09	26.51	4676.76
					4/8/09	28.53	4674.74
					7/7/09	31.04	4672.23
					10/5/09	31.49	4671.78
					1/21/10	34.55	4668.72
					4/19/10	36.40	4666.87
					7/12/10	36.74	4666.53
					1/18/11	25.96	4677.31

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
DOUGLASS 792	592792	607607.541	3469829.115	4681.73	2/13/08	87.76	4593.97
					5/13/08	87.21	4594.52
					7/22/08	86.90	4594.83
					10/16/08	86.45	4595.28
					1/20/09	86.26	4595.47
					4/8/09	86.04	4595.69
					7/7/09	86.16	4595.57
					10/5/09	86.19	4595.54
					1/21/10	86.45	4595.28
					4/19/10	87.19	4594.54
					7/12/10	87.55	4594.18
1/18/11	87.80	4593.93					
EAST	599796	607076.365	3468712.215	4626.01	2/8/08	50.20	4575.81
					5/14/08	52.45	4573.56
					7/23/08	52.16	4573.85
					10/14/08	52.19	4573.82
					1/20/09	50.52	4575.49
					4/8/09	51.91	4574.10
					7/13/09	56.93	4569.08
					10/8/09	60.95	4565.06
					1/25/10	59.35	4566.66
					4/21/10	58.88	4567.13
					7/14/10	61.86	4564.15
10/20/10	61.20	4564.81					
1/18/11	59.79	4566.22					
4/5/11	59.73	4566.28					
EPPELE 641	805641	607165.354	3469229.942	4642.86	3/11/08	29.52	4613.34
					5/12/08	30.64	4612.22
					7/21/08	25.59	4617.27
					10/14/08	24.53	4618.33
					1/21/09	27.35	4615.51
					4/8/09	29.08	4613.78
					7/9/09	31.51	4611.35
					10/7/09	29.92	4612.94
					7/20/10	50.38	4592.48
					10/20/10	48.88	4593.98
					1/17/11	51.13	4591.73
4/5/11	53.81	4589.05					
FLEMING	218386	605565.701	3469342.523	4693.68	2/18/09	299.30	4394.38
					4/8/09	301.81	4391.87
					7/7/09	304.60	4389.08
					10/6/09	307.84	4385.84
					1/21/10	311.73	4381.95
					4/20/10	315.26	4378.42
					7/15/10	318.32	4375.36
					11/4/10	349.62	4344.06
1/19/11	356.89	4336.79					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
FULTZ	212447	607153.306	3469063.892	4642.92	10/22/08	40.59	4602.33
					1/21/09	40.66	4602.26
					4/9/09	42.88	4600.04
					7/13/09	54.94	4587.98
					10/8/09	56.16	4586.76
					1/25/10	53.45	4589.47
					4/20/10	63.82	4579.10
					7/14/10	119.86	4523.06
GARNER 557	558557	602659.240	3468962.415	4638.45	2/21/08	191.05	4447.40
					5/5/08	191.28	4447.17
					7/15/08	191.44	4447.01
					10/16/08	191.83	4446.62
					1/28/09	191.92	4446.53
					4/15/09	192.09	4446.36
					7/16/09	192.52	4445.93
					10/14/09	192.82	4445.63
					2/2/10	193.33	4445.12
					4/22/10	193.49	4444.96
					7/20/10	193.93	4444.52
					10/19/10	194.29	4444.16
					1/19/11	194.61	4443.84
					4/6/11	194.86	4443.59
GARNER 635	587635	602665.352	3468967.902	4640.74	2/4/08	193.20	4447.54
					5/5/08	195.90	4444.84
					7/15/08	193.58	4447.16
					10/15/08	194.35	4446.39
					1/28/09	194.80	4445.94
					4/15/09	195.54	4445.20
					7/16/09	194.88	4445.86
					10/14/09	196.36	4444.38
					2/2/10	195.32	4445.42
					4/22/10	196.01	4444.73
					8/25/10	195.57	4445.17
					10/19/10	225.83	4414.91
					1/19/11	196.89	4443.85
4/6/11	197.40	4443.34					
GGOOSE 547	628547	606256.657	3469820.260	4717.11	5/21/08	220.91	4496.20
					8/15/08	238.48	4478.63
					10/29/08	235.90	4481.21
					2/24/09	236.13	4480.98
					5/14/09	236.17	4480.94
					8/19/09	236.01	4481.10
					8/19/09	236.01	4481.10
					11/11/09	237.66	4479.45
					3/9/10	238.84	4478.27
4/27/10	239.17	4477.94					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
GL-03	539782	604386.940	3473747.943	4924.31	5/22/08	660.15	4264.16
					8/4/08	659.79	4264.52
					12/2/08	658.25	4266.06
					2/26/09	658.62	4265.69
					5/5/09	657.23	4267.08
					8/12/09	656.56	4267.75
					8/12/09	656.56	4267.75
					11/10/09	655.31	4269.00
					3/2/10	655.52	4268.79
					4/9/10	655.35	4268.96
7/7/10	655.05	4269.26					
GOAR RANCH	610695	602454.751	3468892.471	4631.13	2/21/08	183.90	4447.23
					5/5/08	188.11	4443.02
					7/16/08	184.41	4446.72
					10/22/08	184.68	4446.45
					1/27/09	184.87	4446.26
					4/15/09	184.96	4446.17
					7/7/09	185.36	4445.77
					10/12/09	185.72	4445.41
					2/2/10	186.25	4444.88
					4/22/10	186.44	4444.69
					7/13/10	186.76	4444.37
					1/19/11	187.52	4443.61
HOBAN	805290	601705.848	3468880.329	4597.21	2/27/08	163.05	4434.16
					5/7/08	163.28	4433.93
					7/14/08	163.87	4433.34
					10/16/08	163.95	4433.26
					1/28/09	163.82	4433.39
					4/15/09	164.16	4433.05
					7/14/09	164.59	4432.62
					10/15/09	165.00	4432.21
					3/2/10	165.32	4431.89
					5/18/10	165.71	4431.50
					7/20/10	166.17	4431.04
10/19/10	166.45	4430.76					
HOWARD ⁴	NR	601281.159	3468770.377	4593.91	3/4/08	150.10	4443.81
					5/8/08	150.70	4443.21
					7/14/08	150.91	4443.00
					10/15/08	150.67	4443.24
					1/28/09	150.67	4443.24
					4/15/09	151.15	4442.76
					7/15/09	151.76	4442.15
					10/12/09	152.08	4441.83
					1/27/10	152.20	4441.71
					4/21/10	152.30	4441.61
					7/19/10	153.16	4440.75
					10/18/10	153.53	4440.38
1/17/11	153.51	4440.40					
4/11/11	154.24	4439.67					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
KEEFER	209744	599879.175	3468119.015	4572.03	2/6/08	134.67	4437.36
					5/6/08	135.28	4436.75
					7/16/08	136.24	4435.79
					10/28/08	135.87	4436.16
					1/28/09	134.88	4437.15
					4/16/09	135.00	4437.03
					7/14/09	136.07	4435.96
					10/13/09	136.67	4435.36
					1/26/10	136.26	4435.77
					4/20/10	136.26	4435.77
					7/15/10	137.29	4434.74
					10/19/10	137.68	4434.35
1/18/11	137.42	4434.61					
4/6/11	137.91	4434.12					
MCCONNELL 265	539265	601463.094	3468840.139	4600.70	2/20/08	156.15	4444.55
					5/6/08	156.40	4444.30
					7/15/08	157.07	4443.63
					11/19/08	157.17	4443.53
					1/28/09	156.70	4444.00
					4/15/09	157.22	4443.48
					7/15/09	157.59	4443.11
					10/12/09	158.13	4442.57
					1/26/10	158.35	4442.35
					4/22/10	158.68	4442.02
					7/21/10	159.37	4441.33
					10/18/10	159.63	4441.07
1/19/11	159.69	4441.01					
4/8/11	159.10	4441.60					
METZLER	35-71891	602091.308	3471381.176	4728.53	3/5/08	288.30	4440.23
					5/15/08	286.53	4442.00
					7/31/08	286.82	4441.71
					10/20/08	287.09	4441.44
					2/11/09	287.74	4440.79
					4/20/09	287.47	4441.06
					7/15/09	287.58	4440.95
					10/14/09	287.99	4440.54
					2/1/10	288.38	4440.15
					5/18/10	288.65	4439.88
					7/16/10	288.88	4439.65
					10/19/10	289.09	4439.44
1/19/11	289.54	4438.99					
4/4/11	289.87	4438.66					
NESS	509127	607866.391	3471419.494	4761.23	7/24/08	557.90	4203.33
					10/16/08	549.30	4211.93
					2/25/09	536.40	4224.83
					5/11/09	544.64	4216.59
					8/11/09	566.87	4194.36
					11/12/09	537.34	4223.89
					2/2/10	531.85	4229.38
					4/21/10	568.11	4193.12
7/19/10	573.02	4188.21					
1/18/11	541.80	4219.43					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
NOTEMAN	212483	606053.800	3471576.400	4800.68	5/13/08	339.77	4460.91
					8/27/08	344.34	4456.34
					11/22/08	322.26	4478.42
					2/25/09	327.54	4473.14
NSD-02	527587	598820.051	3468821.474	4531.38	10/7/09	101.17	4430.21
					3/16/10	99.43	4431.95
					5/25/10	101.63	4429.75
					8/25/10	102.38	4429.00
					3/17/11	102.68	4428.70
					6/17/11	109.29	4422.09
NSD-03	527586	598070.538	3468694.259	4518.28	10/7/09	85.62	4432.66
					3/16/10	83.51	4434.77
					5/25/10	84.49	4433.79
					8/25/10	85.70	4432.58
					3/17/11	86.76	4431.52
					6/17/11	88.76	4429.52
NWC-02	562944	600177.435	3467474.673	4600.44	10/27/08	160.51	4439.93
					4/29/09 ⁵	160.5	4439.94
					9/10/09 ⁵	155	4445.44
					4/2010 ⁵	131	4469.44
NWC-03	203321	601153.857	3468350.838	4574.99	11/3/08	131.48	4443.51
					4/29/09 ⁵	130	4444.99
					9/10/09 ⁵	126	4448.99
					10/9/09 ⁵	125	4449.99
NWC-03 CAP ⁶	627684	601151.704	3468343.653	4572.82	2/2/09	130.03	4442.79
					4/23/09	130.62	4442.20
					7/21/09	131.26	4441.56
					10/21/09	131.60	4441.22
					2/3/10	131.34	4441.48
					4/21/10	131.86	4440.96
					7/20/10	131.50	4441.32
					1/18/11	132.91	4439.91
NWC-04	551849	605829.808	3469071.959	4690.77	12/2/08	352.11	4338.66
					4/29/09 ⁵	328	4362.77
					9/10/09 ⁵	324	4366.77
					4/2010 ⁵	216	4474.77
NWC-06	575700	599822.821	3467749.954	4592.50	4/29/09 ⁵	156	4436.50
					9/10/09 ⁵	155	4437.50
					10/9/09 ⁵	148	4444.50
					4/2010 ⁵	140	4452.50
OSBORN	643436	607031.823	3470270.548	4711.95	5/13/08	68.65	4643.30
					8/5/08	69.53	4642.42
					10/16/08	69.83	4642.12
					1/20/09	69.23	4642.72
					4/7/09	69.60	4642.35
					7/8/09	96.61	4615.34
					10/5/09	75.09	4636.86
					1/21/10	75.37	4636.58
					4/19/10	81.59	4630.36
7/12/10	83.00	4628.95					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
PANAGAKOS	35-76413	605304.234	3469323.140	4691.40	1/22/09	155.28	4536.12
					4/9/09	156.15	4535.25
					7/9/09	161.61	4529.79
					10/6/09	167.20	4524.20
					1/21/10	166.92	4524.48
					4/20/10	167.11	4524.29
					7/20/10	171.78	4519.62
					10/18/10	176.39	4515.01
PARRA	576415	602170.716	3471263.549	4727.21	5/15/08	279.78	4447.43
					8/18/08	280.06	4447.15
					11/3/08	280.39	4446.82
					2/13/09	280.75	4446.46
					4/28/09	280.88	4446.33
					7/20/09	280.99	4446.22
PIONKE	613395	601045.471	3468960.981	4592.13	7/17/08	149.88	4442.25
					11/3/08	150.99	4441.14
					2/25/09	149.68	4442.45
					4/14/09	150.01	4442.12
					7/13/09	150.47	4441.66
					10/7/09	150.96	4441.17
					3/8/10	151.11	4441.02
					4/26/10	151.32	4440.81
					7/15/10	151.90	4440.23
					10/18/10	152.38	4439.75
					1/19/11	152.38	4439.75
POOL	509518	599683.603	3470013.823	4639.09	2/20/08	204.22	4434.87
					5/19/08	204.72	4434.37
					7/31/08	205.56	4433.53
					10/21/08	205.06	4434.03
					2/13/09	204.74	4434.35
					4/21/09	204.87	4434.22
					7/20/09	205.69	4433.40
					10/20/09	206.06	4433.03
					2/24/10	205.59	4433.50
					4/22/10	205.48	4433.61
					7/14/10	206.58	4432.51
					10/20/10	206.74	4432.35
RAMIREZ	216425	599730.649	3467584.363	4596.61	10/27/08	159.45	4437.16
					1/29/09	158.74	4437.87
					4/16/09	158.66	4437.95
					7/10/09	159.64	4436.97
					10/6/09	160.36	4436.25
					1/25/10	160.10	4436.51
					4/21/10	159.96	4436.65
					7/21/10	161.05	4435.56
					10/19/10	161.23	4435.38
					1/18/11	161.22	4435.39
4/11/11	161.48	4435.13					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
RAY	803772	607083.422	3469195.147	4647.91	2/15/08	40.85	4607.06
					5/13/08	43.82	4604.09
					7/29/08	45.25	4602.66
					10/22/08	44.54	4603.37
					1/20/09	44.31	4603.60
					4/8/09	44.68	4603.23
					7/9/09	48.99	4598.92
					10/7/09	49.87	4598.04
					1/26/10	47.61	4600.30
					4/20/10	49.78	4598.13
					7/14/10	51.36	4596.55
					10/20/10	49.85	4598.06
					1/17/11	50.51	4597.40
4/5/11	51.84	4596.07					
ROGERS 596	573596	601001.503	3468491.639	4577.35	11/11/09	135.46	4441.89
					2/25/10	135.89	4441.46
					4/22/10	135.62	4441.73
					7/16/10	136.63	4440.72
					10/19/10	136.61	4440.74
					1/20/11	134.21	4443.14
					4/8/11	137.68	4439.67
ROGERS 750 ⁷	641750	600977.690	3468417.386	4579.02	2/7/08	129.85	4449.17
					7/29/08	131.86	4447.16
					10/22/08	132.08	4446.94
					2/10/09	130.62	4448.40
					4/29/09	131.33	4447.69
ROGERS E	216018	600449.648	3467636.029	4590.66	7/17/08	149.65	4441.01
					11/3/08	150.15	4440.51
					2/10/09	149.02	4441.64
					4/16/09	149.53	4441.13
					7/13/09	150.31	4440.35
					10/6/09	150.76	4439.90
					1/25/10	150.64	4440.02
					4/21/10	150.97	4439.69
					8/25/10	151.15	4439.51
					10/19/10	151.57	4439.09
RUIZ	531770	602857.357	3471424.219	4735.18	2/5/08	293.29	4441.89
					5/15/08	293.57	4441.61
					7/30/08	293.86	4441.32
					10/20/08	294.18	4441.00
					2/12/09	294.62	4440.56
					4/21/09	294.66	4440.52
					8/3/09	294.98	4440.20
					10/28/09	295.33	4439.85
					2/1/10	295.70	4439.48
4/26/10	295.96	4439.22					
4/8/11	297.20	4437.98					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
SCHWARTZ ⁸	210865	600811.014	3468269.622	4564.49	2/8/08	121.80	4442.69
					5/19/08	123.49	4441.00
					7/29/08	122.64	4441.85
					10/22/08	123.39	4441.10
					1/29/09	122.87	4441.62
					4/17/09	123.53	4440.96
					7/10/09	124.15	4440.34
					10/6/09	124.55	4439.94
					1/22/10	124.32	4440.17
					4/21/10	124.65	4439.84
					7/21/10	125.80	4438.69
					10/19/10	126.30	4438.19
					1/17/11	125.35	4439.14
4/11/11	127.50	4436.99					
STEPHENS	808560	606981.766	3469072.799	4651.22	5/13/08	44.94	4606.28
					8/5/08	46.61	4604.61
					10/16/08	46.60	4604.62
					1/21/09	47.19	4604.03
					4/8/09	48.45	4602.77
					7/7/09	49.41	4601.81
					10/7/09	50.33	4600.89
					1/26/10	51.13	4600.09
					4/20/10	51.24	4599.98
					7/14/10	51.91	4599.31
					1/18/11	52.98	4598.24
SUNBELT	201531	605998.250	3471735.149	4806.52	2/6/08	352.10	4454.42
					5/15/08	358.97	4447.55
					8/5/08	Dry	<4426
					10/16/08	347.00	4459.52
					1/21/09	344.78	4461.74
					4/10/09	349.64	4456.88
					7/8/09	356.99	4449.53
					10/5/09	Dry	<4426
					1/21/10	Dry	<4426
					4/19/10	Dry	<4426
					7/12/10	Dry	<4426
1/19/11	Dry	<4426					
SWAN	NR	607378.547	3470648.298	4716.59	2/13/08	26.50	4690.09
					5/14/08	30.69	4685.90
					7/24/08	32.06	4684.53
					10/16/08	27.53	4689.06
					1/20/09	29.77	4686.82
					4/7/09	31.47	4685.12
					7/8/09	33.61	4682.98
					10/5/09	35.12	4681.47
					1/21/10	36.64	4679.95
					4/21/10	38.06	4678.53
					7/19/10	39.67	4676.92
1/18/11	35.06	4681.53					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
TM-02A	522574	604152.059	3472008.794	4808.43	3/4/08	346.62	4461.81
					5/23/08	346.16	4462.27
					8/15/08	353.91	4454.52
					10/30/08	349.45	4458.98
					2/24/09	348.64	4459.79
					5/6/09	349.38	4459.05
					8/12/09	349.13	4459.30
					11/4/09	348.97	4459.46
					3/10/10	348.19	4460.24
					4/6/10	353.86	4454.57
					7/6/10	349.20	4459.23
2/10/11	347.60	4460.83					
TM-03	522575	606366.130	3473711.046	4897.85	3/12/08	127.14	4770.71
					5/20/08	127.40	4770.45
					8/6/08	128.02	4769.83
					11/12/08	128.00	4769.85
					2/26/09	126.94	4770.91
					5/13/09	113.86	4783.99
					8/18/09	128.80	4769.05
					11/10/09	125.38	4772.47
					3/2/10	128.02	4769.83
					4/14/10	130.56	4767.29
					7/7/10	131.25	4766.60
TM-06 MILLER	522695	606055.975	3468376.658	4707.88	2/26/08	158.78	4549.10
					5/20/08	158.76	4549.12
					8/4/08	158.80	4549.08
					10/29/08	158.85	4549.03
					2/16/09	159.28	4548.60
					5/13/09	158.81	4549.07
					8/18/09	158.91	4548.97
					11/12/09	158.96	4548.92
					3/8/10	158.99	4548.89
					4/14/10	159.02	4548.86
					7/2/10	159.13	4548.75
TM-16	522578	605588.075	3469842.199	4717.71	3/5/08	81.00	4636.71
					5/22/08	81.24	4636.47
					8/6/08	81.65	4636.06
					11/5/08	81.75	4635.96
					2/26/09	81.88	4635.83
					5/13/09	82.01	4635.70
					8/19/09	82.37	4635.34
					11/10/09	82.83	4634.88
					3/2/10	83.09	4634.62
					4/14/10	83.22	4634.49
					7/2/10	83.51	4634.20

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
TM-19A	522581	602458.710	3469197.426	4645.87	3/6/08	199.85	4446.02
					5/22/08	199.50	4446.37
					8/6/08	199.19	4446.68
					11/18/08	199.46	4446.41
					3/3/09	199.81	4446.06
					4/22/09	200.57	4445.30
					8/12/09	201.46	4444.41
					11/4/09	201.16	4444.71
					3/10/10	201.34	4444.53
					4/9/10	201.55	4444.32
					7/7/10	202.35	4443.52
2/14/11	203.00	4442.87					
TM-42	562554	603698.271	3469104.903	4666.67	3/5/08	211.04	4455.63
					5/22/08	210.98	4455.69
					8/6/08	211.55	4455.12
					11/6/08	207.05	4459.62
					2/18/09	212.31	4454.36
					5/7/09	212.37	4454.30
					8/18/09	212.77	4453.90
					11/3/09	213.05	4453.62
					2/24/10	213.36	4453.31
					4/19/10	213.51	4453.16
7/2/10	213.52	4453.15					
TVI 236	802236	600552.215	3467978.431	4561.98	5/7/08	123.30	4438.68
					7/15/08	121.55	4440.43
					10/15/08	122.35	4439.63
					2/11/09	121.28	4440.70
					4/17/09	122.73	4439.25
					7/21/09	123.96	4438.02
					10/19/09	123.88	4438.10
					2/2/10	122.26	4439.72
					4/23/10	122.70	4439.28
7/15/10	125.08	4436.90					
TVI 713	567713	600729.095	3468412.946	4567.22	5/7/08	127.10	4440.12
					7/14/08	126.30	4440.92
					10/15/08	130.00	4437.22
					2/11/09	149.87	4417.35
					4/17/09	126.73	4440.49
					7/21/09	127.36	4439.86
					10/19/09	127.79	4439.43
					2/2/10	126.71	4440.51
					4/23/10	127.53	4439.69
					7/15/10	129.14	4438.08
10/20/10	130.84	4436.38					
1/20/11	134.36	4432.86					
4/11/11	135.72	4431.50					

**Table 4
Compilation of Groundwater Elevation Data**

Well Name	ADWR 55 Registry No.	UTM East (meters)	UTM North (meters)	Measuring Point Elevation ¹ (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
WEISKOPF	641802	601154.951	3468658.855	4586.89	2/15/08	143.31	4443.58
					5/7/08	143.90	4442.99
					7/16/08	144.22	4442.67
					10/28/08	145.81	4441.08
					1/29/09	143.99	4442.90
					4/15/09	144.38	4442.51
					7/15/09	144.99	4441.90
					10/15/09	145.66	4441.23
					2/2/10	145.28	4441.61
					4/22/10	145.72	4441.17
					7/19/10	146.46	4440.43
					10/20/10	147.11	4439.78
					1/17/11	146.72	4440.17
4/11/11	146.31	4440.58					
ZANDER	205126	599678.880	3467998.486	4580.94	2/4/08	144.85	4436.09
					5/6/08	145.33	4435.61
					7/16/08	146.40	4434.54
					10/28/08	146.01	4434.93
					2/10/09	144.83	4436.11
					4/16/09	144.94	4436.00
					7/14/09	146.14	4434.80
					10/13/09	146.77	4434.17
					1/26/10	146.34	4434.60
					4/22/10	146.27	4434.67
					7/21/10	147.81	4433.13
					10/19/10	147.80	4433.14
					1/18/11	147.52	4433.42
4/6/11	147.84	4433.10					

ADWR = Arizona Department of Water Resources

UTM = Universal Transverse Mercator Zone 12, North American Datum 1983 (NAD83)

ft amsl = feet above mean sea level

NA = Not Applicable

NR = No Record

¹ Survey Source: Survey conducted by Gilbert Technical Service, Inc and Arizona Land Sepcialists, Inc.

² Measuring point elevation for third quarter 2008 changed to reflect well survey completed on September 18, 2008

³ Depth to Water measurement provided by Arizona Water Company

⁴ Measuring point elevation changed to reflect survey results September 10, 2010 and applied to all measurements collected


⁵ Depth to Water measurement provided by Naco Water Company

⁶ Measuring point elevation for second quarter 2009 changed to reflect well survey completed on April 27, 2009

⁷ Well previously identified as ROGERS 803


⁸ Measuring point elevation changed to reflect survey results September 10, 2010 and applied to all measurements collected

FIGURES



Legend

- POOL Well ID
- 114 Sulfate Concentration (mg/L)
- Sulfate Concentration Contour (mg/L)
- - - Faults (inferred)
- Co-located Wells
 - Well ID
 - Screen (ft bls): SO4 Concentration (mg/L)
- Screened Formation
 - Basin Fill
 - Basin Fill and Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group - Estimated
 - Undifferentiated Bisbee Group and Glance Conglomerate
 - Glance Conglomerate
 - Glance Conglomerate-Estimated
- Undifferentiated Bisbee Group: Cintura, Mural Limestone, and Morita Formations
- Notes: Sulfate concentration contours are based on third quarter 2010 data and adjusted based on current data.




Notes:

Projection: UTM Zone 12N NAD83

Date	5/6/11	File ID	055038-142
------	--------	---------	------------



Figure 2
Sulfate Concentrations in Groundwater
Second Quarter 2011




- Legend**
- BIMA Well ID
 - 4406.83 Groundwater Elevation (ft amsl)
 - Groundwater Elevation Contours (dashed where inferred)
 - Groundwater Depression
 - - - Faults (inferred)
 - CTSA Facility

- Co-located Wells
- Well ID
 - Screen (ft bgs): Water Elevation (ft amsl)

- Screened Formation
- Basin Fill
 - Basin Fill and Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group - Estimated
 - Undifferentiated Bisbee Group and Glance Conglomerate
 - Glance Conglomerate
 - Glance Conglomerate-Estimated
 - Undifferentiated Bisbee Group: Cintura, Mural Limestone, and Morita Formations


Notes: BIMA and BANKS 987 not used for contouring. Groundwater elevation contours are based on third quarter 2010 data and adjusted based on current data.





Notes:
Projection: UTM Zone
12N NAD83


Date	7/7/11	File ID	055038-143

Figure 3
Groundwater Elevations
Second Quarter 2011



	File ID
	Date 7/8/11
<p>Figure 4 Sulfate Concentration Over Time In Public Drinking Water Supply Wells</p>	





APPENDIX A
DATA VERIFICATION REPORT

APPENDIX A
DATA VERIFICATION REPORT
SECOND QUARTER 2011
GROUNDWATER MONITORING REPORT

Prepared for:

FREEMPORT-MCMORAN
COPPER QUEEN BRANCH
36 West Highway 92
Bisbee, Arizona 85603

Prepared by:

CLEAR CREEK ASSOCIATES, P.L.C.
221 North Court Avenue, Suite 101
Tucson, Arizona 85701

July 13, 2011

TABLE OF CONTENTS

1.	INTRODUCTION	1
2.	FIELD OPERATIONS	3
2.1	Water Level Monitoring	3
2.2	Groundwater Sampling	3
2.2.1	Pre-Sampling Field Activities	4
2.2.2	Well Purging, Field Measurements, and Sample Collection	4
2.2.3	Post-Sampling Field Activities	5
3.	SAMPLE HANDLING	6
4.	LABORATORY QUALITY CONTROL	7
4.1	Licensure	7
4.2	Analytical Method	7
4.3	Method Detection Limit (MDL) and Reporting Limit (RL)	7
4.4	Timeliness	7
4.5	Quality Control Measurements	8
4.5.1	Calibration Blanks, and Calibration Verification Standards	8
4.5.2	Analytical Spike	8
4.5.3	Laboratory Duplicate Samples	8
4.5.4	Sample Re-runs	9
4.5.5	Field Blank Samples	9
5.	DATA QUALITY INDICATORS	10
5.1	Precision	10
5.2	Bias	11
5.3	Accuracy	11
5.4	Representativeness	11
5.5	Comparability	11
5.6	Completeness	12
5.7	Sensitivity	12
6.	REFERENCES	13

1. INTRODUCTION

This report summarizes the data verification review of groundwater samples collected and analyzed during the second quarter 2011 by Clear Creek Associates (Clear Creek) and Freeport-McMoRan Corporation Copper Queen Branch (CQB) pursuant to Mitigation Order on Consent Docket No. P-121-07 (ADEQ, 2007). Clear Creek and CQB collected groundwater samples pursuant to the groundwater monitoring program approved by ADEQ in April 2010 (ADEQ, 2010). Analytical results for groundwater samples collected for this project during the second quarter 2011 were provided to Clear Creek by SVL Analytical, Inc. (SVL) for preparation of the second quarter 2011 Groundwater Monitoring Report.

Quality assurance (QA) and quality control (QC) procedures are specified in the *Quality Assurance Project Plan for Aquifer Characterization Plan* (QAPP) (Appendix F of HGC, 2008) for field sampling, chain-of-custody (COC) documentation, laboratory analysis, and reporting. This report reviews field sampling for samples collected by Clear Creek and CQB. Additionally, sample handling and laboratory QA/QC data are evaluated according to the data quality indicators (DQIs) given in the QAPP.

The laboratory reports for the second quarter 2011 samples including COC forms, laboratory correspondence, QC summaries, data qualifiers, internal QA/QC tests performed by SVL and any case narratives are presented with the laboratory reports included in Appendix B. Based on the results of laboratory control samples, matrix spike/recovery and blank spikes, SVL did not advise of any modifications that should be made regarding the usability and data validation status of the laboratory test results. The analytical results for all 59 samples collected by Clear Creek and CQB are contained in 6 reports having the SVL Project numbers identified in the following table.

Number of well samples collected: 50 Number of duplicate samples collected: 3 Number of field and equipment blanks collected: 6 Total number of samples collected: 59	
W1D0153	AWC-02, AWC-03, AWC-04, AWC-05, BANKS 986, BIMA, DODSON, DUP20110404, DUP20110405, DUP20110406, DURAZO, EAST, EB20110405, EB20110406, EPPELE641, FB20110405, FB20110406, FULTZ, GARNER 635, KEEFER
W1D0156	METZLER, MOORE, NOTEMAN, NWC-02, NWC-03, NWC-04, NWC-06, PALMER, PARRA, POOL, RAY, ZANDER
W1D0223	ANDERSON, BMO-2010-3B, BMO-2010-3M, CHAMBERS, COOPER, COOPER C, HOWARD, MCCONNELL 265, PIONKE, RAMIREZ, ROGERS 803, ROGERS E, RUIZ, SCHWARTZ, TVI 875, WEED, WEISKOPF
W1E0289	NWC-04
W1E0428	BMO-2008-6M, BMO-2008-6B, BMO-2008-5M, BMO-2008-5B, BMO-2010-1M, BMO-2010-2M
W1F0586	NWC-04, EB20110617, FB20110617

2. FIELD OPERATIONS

Field operations for this project consisted of the following for all monitoring wells sampled by Clear Creek and CQB:

- Static water level measurement,
- Well purging,
- Collection of water quality field parameters (pH in standard units [SU], specific conductance [SC] in microsiemens per centimeter [$\mu\text{S}/\text{cm}$], and temperature in degrees Celsius [$^{\circ}\text{C}$]),
- Collection of groundwater samples for water quality analysis,
- Collection of groundwater quality assurance and quality control samples, and
- Equipment decontamination.

Documentation of the field activities was evaluated for quality assurance and has been deemed to have met the documentation requirements stated in the QAPP.

2.1 Water Level Monitoring

Static water level measurements were attempted at each well that was sampled and at all wells where water level monitoring was conducted by Clear Creek and CQB. Water levels were measured while the well pump was off. However, it was not always possible to ascertain from the well owners how long the pump had been off. Before measuring the water level at each well, the battery on the water level indicator was checked and the sensitivity level was adjusted, if necessary. Each measurement was collected and verified by measuring the depth to water multiple times in order to obtain a consistent reading and accurate measurement.

2.2 Groundwater Sampling

During this monitoring period groundwater samples were collected from wells designated in the groundwater monitoring program approved by ADEQ (ADEQ, 2010). More detailed information regarding the wells sampled for water quality and water level measurements is listed in Tables 2, 3, and 4 of the main text.

2.2.1 Pre-Sampling Field Activities

On each day of sampling, the pH¹ and SC² multipurpose probe was calibrated. In addition, the water level indicator was checked for a signal which indicates a working meter and sufficient battery strength. On each day where sampling extended for more than half a day, a mid-day calibration check was performed on the pH and SC probe to ensure accurate measurement. In addition to calibrating the instruments each day, measures were taken to 1) properly decontaminate field equipment, 2) ensure the appropriate storage and transport temperature of the samples, and 3) document activities related to the collection of groundwater samples as part of this project. These objectives were met by 1) replenishing or obtaining supplies of deionized water and ice daily, 2) use of the proper preservative and sample collection containers, 3) properly packing the samples on ice during field activities, 4) using deionized water to properly decontaminate field equipment prior to the start of sampling each day and after sampling at each well, and 5) obtaining the appropriate field notebook in order to document field activities related to the groundwater monitoring program.

2.2.2 Well Purging, Field Measurements, and Sample Collection

Three wetted casing volumes were purged from each well prior to sampling, when possible. However, when three casing volumes could not be purged, this information was noted on the groundwater sampling form (Appendix D) at each well for which this was the case. Purge water was discharged to the ground surface.

Field measurements were collected at varying intervals during well purging at each well where a water quality sample was collected. If possible, field parameters were monitored until the measurements stabilized within 0.3 standard units for pH, 2 degrees Celsius for temperature and 100 microSiemen/centimeter for specific conductance as described in Section 4.2.1.2 of the QAPP.

During this monitoring period groundwater samples were collected for analysis from 48 wells. Groundwater samples were collected by filtering the sample into a 250 milliliter bottle using clean filtration apparatus and one disposable 0.45-micron filter. All bottles were provided by SVL and maintained in a clean and secure work area until used in the field.

¹ Field pH meter was calibrated using a three point calibration and pH buffers 4, 7, and 10

² Field SC meter was calibrated using a standard stock solution of 3900 $\mu\text{S}/\text{cm}$

2.2.3 Post-Sampling Field Activities

Post sampling field activities consisted of equipment decontamination, sample storage, and sample shipping. Field equipment that came into contact with the sample was decontaminated using a small amount of Alconox[®] detergent and deionized water. After washing, the equipment was rinsed with deionized water.

After sample collection, samples from each well were placed into a plastic bag and stored on ice until they could be packed securely for shipping to SVL. In addition, the sample collected from each well was individually bagged (without ice) to prevent the label from getting soaked with water and rubbing off or becoming illegible.

3. SAMPLE HANDLING

All samples collected by Clear Creek and CQB were shipped to SVL for analysis. COC documentation accompanied all samples submitted and included the sample name, collection date and time. COCs contained in laboratory reports included the date and time the samples were received by SVL. As noted on the analytical data reports from SVL, all of the sample bottles were received intact, properly preserved, and in good condition. The samples were shipped within one to four days of sample collection and the time between sample collection and receipt of samples by SVL was one to four days.

4. LABORATORY QUALITY CONTROL

As specified in the QAPP, laboratory QC was maintained for all analyses through proper licensure, the use of approved analytical methods, QC measurements, appropriate turn-around-time for analysis (timeliness), method detection limits (MDLs), and practical quantitation limits (PQLs). Each of these controls is discussed in the following subsections.

The review of laboratory QC included a review to identify any qualified data and an assessment to determine their significance. Additionally, the laboratory QC summaries were reviewed to verify that results met QA criteria.

4.1 Licensure

SVL is licensed with the Arizona Department of Health Services (license number AZ0538) and is accredited in accordance with the National Environmental Laboratory Accreditation Conference.

4.2 Analytical Method

United States Environmental Protection Agency (EPA) method 300.0 was used for sulfate analysis during this monitoring period.

4.3 Method Detection Limit (MDL) and Reporting Limit (RL)

The MDL and RL of the analytical method used by SVL are shown in the following table. The MDL for analyses of samples was equal to or less than the target MDL identified in the QAPP.

Method	MDL (mg/L)	RL (mg/L)	Target MDL ¹ (mg/L)
EPA 300.0	0.08	0.30	10

mg/L = milligrams per liter

¹ Target MDL from Table F.2 of QAPP

4.4 Timeliness

All samples submitted for sulfate analysis were analyzed within the twenty-eight day holding time specified by EPA Method 300.0.

4.5 Quality Control Measurements

The following QC samples were prepared and analyzed:

- Calibration blanks and calibration verification standards
- Analytical spike samples
- Laboratory duplicate samples
- Field blank samples

4.5.1 Calibration Blanks, and Calibration Verification Standards

Results from the analyses of the initial calibration blanks and initial calibration verification standards conducted by EPA Method 300.0 were reviewed. The results of each initial calibration blank analyzed showed no detections of the target analyte. All analytical results for the initial calibration verification standards and laboratory fortified blanks showed percent recoveries that were within the acceptance criteria specified by the SVL QA plan and the QAPP.

4.5.2 Analytical Spike

Analytical spike samples were analyzed for the EPA Method 300.0. The spike samples were prepared by adding a sulfate spike to randomly chosen samples. Spike recoveries for most analyses were between 90 and 110 percent. Instances in which analytical spike recoveries were unusable were qualified with an “M2” flag indicating that the matrix spike recovery was low. In the one case where an M2 qualifier was used the laboratory control sample recovery was acceptable and no corrective action was required per the SVL Quality Manual and QAPP. The laboratory control samples were prepared by adding a sulfate spike to de-ionized water.

4.5.3 Laboratory Duplicate Samples

Analyses of laboratory duplicate samples were reviewed as part of this quality data verification report. Field duplicate samples are discussed in Section 5.1. In all cases where the relative percent difference (RPD) could be calculated, the RPD was within 20 percent, which is the tolerance range set by the laboratory. The results met QA criteria and demonstrate an appropriate level of precision in laboratory analysis of these samples.

4.5.4 Sample Re-Analysis

During the second quarter 2011, no field samples were re-analyzed by SVL at the request of Clear Creek. Sample re-analysis is sometimes requested when sample results appear anomalous based on comparison to historical results.

4.5.5 Field Blank Samples

During the second quarter 2011, six field blank samples were collected, including three field blanks using unfiltered deionized water (FB20110405, FB20110406, and FB20110617) and three equipment blanks using filtered deionized water (EQB20110405, EB20110406, and EB20110617). Field blank samples were collected and submitted along with other samples to evaluate the potential for contaminant introduction under field conditions. As required by Section 4.2.1.5 of the QAPP, a minimum of one field blank and one equipment blank sample was collected for every twenty samples. Analytical results from field blank and equipment blank samples showed no detections.

5. DATA QUALITY INDICATORS

The QAPP provides several DQIs for assessing the overall quality of the data. These DQIs include the following:

- Precision
- Bias
- Accuracy
- Representativeness
- Comparability
- Completeness
- Sensitivity

Each of these DQIs is discussed below in relation to the second quarter 2011 groundwater sampling and analysis conducted by Clear Creek and CQB.

5.1 Precision

Precision indicates how well a measurement can be reproduced. Precision is quantified by calculating the RPD between duplicate samples. For the purposes of QA/QC, precision was quantified by calculating the RPDs between duplicates among the following groups of duplicate samples:

- Laboratory duplicate samples
- Field duplicate samples

As discussed in Section 4.5.3 there were no exceedances of RPD QA criteria for any laboratory duplicates. During this monitoring period three field filtered duplicate samples (DUP20110404, DUP20110405, and DUP20110406) were collected by Clear Creek and CQB for analysis. The collection of three duplicate samples meets the QA/QC goal of collecting one duplicate sample for every twenty groundwater samples collected, as stated in Section 4.2.1.5 of the QAPP.

Sulfate results for the three duplicate samples collected are provided in the table below. The range of RPD values was between 0.39 and 4.53 percent, all within the 20 percent acceptance criteria for field duplicates, as stated in Section 3.3.1 of the QAPP. Overall, the DQI for precision is deemed to be met.

SVL Project No.	Well ID	Duplicate ID	Sample (mg/l)	Duplicate (mg/l)	RPD
W1D0153	FULTZ	DUP20110405	49.5	51.7	4.35%
W1D0156	NOTEMAN	DUP20110404	276	279	1.08%
W1D0156	NWC-06	DUP20110406	7.76	7.73	0.39%

mg/L = milligrams per liter

RPD = Relative Percent Difference

5.2 Bias

Bias is a systematic distortion of measurements causing consistent errors in one direction. Bias is managed in this data set by the consistent application of standardized sample collection and analysis procedures.

5.3 Accuracy

Accuracy is a measure of the agreement of a measurement to a known value and is measured using the recoveries from laboratory control samples. As discussed in Sections 4.5.1, 4.5.2, and 4.5.3 there were no significant exceedances of the recovery QA criteria for any of the calibration standards, analytical spikes, or laboratory duplicates, respectively. Based on this information, the overall accuracy of the data is judged sufficient for the purpose of aquifer characterization.

5.4 Representativeness

All samples were taken from locations specified in the Work Plan (HGC, 2008) following sampling procedures specified in the QAPP. Therefore, the samples are judged to provide a good representation of groundwater quality at the sampled locations. The analytical data are judged to be representative of groundwater conditions because the analyses used standard procedures and methods that met QA/QC guidelines of the QAPP.

5.5 Comparability

All samples were collected using standardized procedures (HGC, 2008) and were analyzed by SVL using standardized methods. Insofar as standardized sample collection and analytical methods are adhered to, the sample results should be comparable.

5.6 Completeness

All samples collected and subsequently analyzed and reported by SVL are judged to satisfy the QA/QC criteria for this project and are deemed usable for aquifer characterization. Thus, the completeness of analytical results is 100 percent.

5.7 Sensitivity

The analytical method used to analyze the samples meet the MDL requirements specified in Table F.2 of the QAPP. Therefore, the analytical sensitivity is considered acceptable for use in aquifer characterization.

6. REFERENCES

- Arizona Department of Environmental Quality (ADEQ). 2007. Mitigation Order on Consent, Docket No. P-121-07, In the Matter of: Phelps Dodge Corporation, Copper Queen Branch, located at 36 West Highway 92, Bisbee, Arizona, ADEQ Identification Number 100531. November 14, 2007.
- ADEQ. 2010. Correspondence from Cynthia Campbell, ADEQ, to Rebecca Sawyer, CQB, Re: Request to Modify Groundwater Monitoring Program, Mitigation Order on Consent No. P-127-07, Your Letter dated January 25, 2010. April 22, 2010.
- Hydro Geo Chem, Inc. 2008. Revision 1, Work Plan to Characterize and Mitigate Sulfate with Respect to Drinking Water Supplies in the Vicinity of the Concentrator Tailing Storage Area, Cochise County, Arizona. July 3, 2008.

APPENDIX B
ANALYTICAL REPORTS



Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
AWC-02	W1D0153-01	Ground Water	07-Apr-11 09:00	BD	08-Apr-2011
AWC-03	W1D0153-02	Ground Water	07-Apr-11 08:48	BD	08-Apr-2011
AWC-04	W1D0153-03	Ground Water	07-Apr-11 09:10	BD	08-Apr-2011
AWC-05	W1D0153-04	Ground Water	07-Apr-11 08:40	BD	08-Apr-2011
BANKS 986	W1D0153-05	Ground Water	05-Apr-11 18:35	BD	08-Apr-2011
BIMA	W1D0153-06	Ground Water	04-Apr-11 14:20	BD	08-Apr-2011
DODSON	W1D0153-07	Ground Water	05-Apr-11 09:35	BD	08-Apr-2011
DUP 20110404	W1D0153-08	Ground Water	05-Apr-11 14:30	BD	08-Apr-2011
DUP 20110405	W1D0153-09	Ground Water	05-Apr-11 11:15	BD	08-Apr-2011
DUP 20110406	W1D0153-10	Ground Water	06-Apr-11 10:15	BD	08-Apr-2011
DURAZO	W1D0153-11	Ground Water	04-Apr-11 10:50	BD	08-Apr-2011
EAST	W1D0153-12	Ground Water	05-Apr-11 13:40	BD	08-Apr-2011
EB 20110406	W1D0153-13	Ground Water	06-Apr-11 11:25	BD	08-Apr-2011
EB 20110405	W1D0153-14	Ground Water	05-Apr-11 12:25	BD	08-Apr-2011
EPPELE 641	W1D0153-15	Ground Water	05-Apr-11 15:25	BD	08-Apr-2011
FB 20110406	W1D0153-16	Ground Water	06-Apr-11 11:28	BD	08-Apr-2011
FB 20110405	W1D0153-17	Ground Water	05-Apr-11 12:15	BD	08-Apr-2011
FULTZ	W1D0153-18	Ground Water	05-Apr-11 12:40	BD	08-Apr-2011
GARNER 635	W1D0153-19	Ground Water	06-Apr-11 10:35	BD	08-Apr-2011
KEEFER	W1D0153-20	Ground Water	06-Apr-11 17:10	BD	08-Apr-2011

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **AWC-02**

SVL Sample ID: **W1D0153-01 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 07-Apr-11 09:00

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	17.3	mg/L	0.30	0.05		W116183	FEH	04/18/11 11:41	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **AWC-03**

SVL Sample ID: **W1D0153-02 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 07-Apr-11 08:48

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	46.8	mg/L	0.30	0.05		W116183	FEH	04/18/11 12:14	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **AWC-04**

SVL Sample ID: **W1D0153-03 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 07-Apr-11 09:10

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	25.8	mg/L	0.30	0.05		W116183	FEH	04/18/11 12:25	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **AWC-05**

SVL Sample ID: **W1D0153-04 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 07-Apr-11 08:40

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	17.6	mg/L	0.30	0.05		W116183	FEH	04/18/11 12:36	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **BANKS 986**

SVL Sample ID: **W1D0153-05 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 05-Apr-11 18:35

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	64.5	mg/L	1.50	0.26	5	W116183	FEH	04/18/11 12:47	D2
-----------	----------------	------	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **BIMA**

SVL Sample ID: **W1D0153-06 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 04-Apr-11 14:20

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	282	mg/L	3.00	0.53	10	W116183	FEH	04/18/11 13:20	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **DODSON**

SVL Sample ID: **W1D0153-07 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 05-Apr-11 09:35

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	49.0	mg/L	1.50	0.26	5	W116183	FEH	04/18/11 13:31	D2
-----------	----------------	------	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **DUP 20110404**

SVL Sample ID: **W1D0153-08 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 05-Apr-11 14:30

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	279	mg/L	3.00	0.53	10	W116183	FEH	04/18/11 21:19	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **DUP 20110405**

SVL Sample ID: **W1D0153-09 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 05-Apr-11 11:15

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	51.7	mg/L	1.50	0.26	5	W116183	FEH	04/18/11 21:30	D2
-----------	----------------	------	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **DUP 20110406**

SVL Sample ID: **W1D0153-10 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 10:15

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	7.73	mg/L	0.30	0.05		W116183	FEH	04/18/11 14:05	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **DURAZO**

SVL Sample ID: **W1D0153-11 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 04-Apr-11 10:50

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	383	mg/L	3.00	0.53	10	W116183	FEH	04/18/11 14:16	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **EAST**

SVL Sample ID: **W1D0153-12 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 05-Apr-11 13:40

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	13.8	mg/L	0.30	0.05		W116183	FEH	04/18/11 14:27	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **EB 20110406**

SVL Sample ID: **W1D0153-13 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 11:25

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	< 0.30	mg/L	0.30	0.05		W116183	FEH	04/18/11 14:38	
-----------	----------------	--------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **EB 20110405**

SVL Sample ID: **W1D0153-14 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 05-Apr-11 12:25

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	< 0.30	mg/L	0.30	0.05		W116183	FEH	04/18/11 14:49	
-----------	----------------	--------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **EPPELE 641**

SVL Sample ID: **W1D0153-15 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 05-Apr-11 15:25

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	16.7	mg/L	0.30	0.05		W116183	FEH	04/18/11 15:00	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **FB 20110406**

SVL Sample ID: **W1D0153-16 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 11:28

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	< 0.30	mg/L	0.30	0.05		W116183	FEH	04/18/11 15:48	
-----------	----------------	--------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **FB 20110405**

SVL Sample ID: **W1D0153-17 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 05-Apr-11 12:15

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	< 0.30	mg/L	0.30	0.05		W116183	FEH	04/18/11 15:59	
-----------	----------------	--------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **FULTZ**

SVL Sample ID: **W1D0153-18 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 05-Apr-11 12:40

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	49.5	mg/L	1.50	0.26	5	W116183	FEH	04/18/11 16:10	D2
-----------	----------------	------	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **GARNER 635**

SVL Sample ID: **W1D0153-19 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 10:35

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	35.8	mg/L	0.30	0.05		W116183	FEH	04/18/11 16:21	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0153**

Reported: 22-Apr-11 08:46

Client Sample ID: **KEEFER**

SVL Sample ID: **W1D0153-20 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 17:10

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	8.04	mg/L	0.30	0.05		W116183	FEH	04/18/11 16:32	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
 36 West Highway 92
 Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order
 Work Order: **W1D0153**
 Reported: 22-Apr-11 08:46

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	<0.30	0.05	0.30	W116183	18-Apr-11	

Dissolved Anions by Ion Chromatography

EPA 300.0 Sulfate as SO4 mg/L <0.30 0.05 0.30 W116183 18-Apr-11

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	9.54	10.0	95.4	90 - 110	W116183	18-Apr-11	

Dissolved Anions by Ion Chromatography

EPA 300.0 Sulfate as SO4 mg/L 9.54 10.0 95.4 90 - 110 W116183 18-Apr-11

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	17.5	17.3	0.8	20	W116183	18-Apr-11	

Dissolved Anions by Ion Chromatography

EPA 300.0 Sulfate as SO4 mg/L 17.5 17.3 0.8 20 W116183 18-Apr-11

Quality Control - MATRIX SPIKE Data

Method	Analyte	Units	Spike Result	Sample Result (R)	Spike Level (S)	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	27.3	17.3	10.0	100	90 - 110	W116183	18-Apr-11	
EPA 300.0	Sulfate as SO4	mg/L	17.8	8.04	10.0	97.2	90 - 110	W116183	18-Apr-11	

Dissolved Anions by Ion Chromatography

EPA 300.0 Sulfate as SO4 mg/L 27.3 17.3 10.0 100 90 - 110 W116183 18-Apr-11
 EPA 300.0 Sulfate as SO4 mg/L 17.8 8.04 10.0 97.2 90 - 110 W116183 18-Apr-11

Notes and Definitions

- D2 Sample required dilution due to high concentration of target analyte.
- LCS Laboratory Control Sample (Blank Spike)
- RPD Relative Percent Difference
- UDL A result is less than the detection limit
- R > 4S % recovery not applicable, sample concentration more than four times greater than spike level
- <RL A result is less than the reporting limit
- MRL Method Reporting Limit
- MDL Method Detection Limit
- N/A Not Applicable



Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order
Work Order: **W1D0156**
Reported: 22-Apr-11 08:49

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
METZLER	W1D0156-01	Water	04-Apr-11 12:25	BD	08-Apr-2011
MOORE	W1D0156-02	Water	06-Apr-11 14:48	BD	08-Apr-2011
NOTEMAN	W1D0156-03	Water	04-Apr-11 15:20	BD	08-Apr-2011
NWC-02	W1D0156-04	Water	06-Apr-11 12:52	BD	08-Apr-2011
NWC-03	W1D0156-05	Water	06-Apr-11 12:05	BD	08-Apr-2011
NWC-04	W1D0156-06	Water	06-Apr-11 10:42	BD	08-Apr-2011
NWC-06	W1D0156-07	Water	06-Apr-11 12:30	BD	08-Apr-2011
PALMER	W1D0156-08	Water	05-Apr-11 10:15	BD	08-Apr-2011
PARRA	W1D0156-09	Water	04-Apr-11 13:00	BD	08-Apr-2011
POOL	W1D0156-10	Water	06-Apr-11 14:08	BD	08-Apr-2011
RAY	W1D0156-11	Water	05-Apr-11 16:10	BD	08-Apr-2011
ZANDER	W1D0156-12	Water	06-Apr-11 16:05	BD	08-Apr-2011

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **METZLER**

SVL Sample ID: **W1D0156-01 (Water)**

Sample Report Page 1 of 1

Sampled: 04-Apr-11 12:25

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	323	mg/L	3.00	0.53	10	W116184	FEH	04/18/11 18:11	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **MOORE**

SVL Sample ID: **W1D0156-02 (Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 14:48

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	6.70	mg/L	0.30	0.05		W116184	FEH	04/18/11 18:22	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **NOTEMAN**

SVL Sample ID: **W1D0156-03 (Water)**

Sample Report Page 1 of 1

Sampled: 04-Apr-11 15:20

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	276	mg/L	3.00	0.53	10	W116184	FEH	04/18/11 18:55	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **NWC-02**

SVL Sample ID: **W1D0156-04 (Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 12:52

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	6.40	mg/L	0.30	0.05		W116184	FEH	04/18/11 19:06	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **NWC-03**

SVL Sample ID: **W1D0156-05 (Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 12:05

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	361	mg/L	7.50	1.32	25	W116184	FEH	04/18/11 19:17	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **NWC-04**

SVL Sample ID: **W1D0156-06 (Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 10:42

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	196	mg/L	1.50	0.26	5	W116184	FEH	04/18/11 19:29	D2
-----------	----------------	-----	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **NWC-06**

SVL Sample ID: **W1D0156-07 (Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 12:30

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	7.76	mg/L	0.30	0.05		W116184	FEH	04/18/11 20:02	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **PALMER**

SVL Sample ID: **W1D0156-08 (Water)**

Sample Report Page 1 of 1

Sampled: 05-Apr-11 10:15

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	15.8	mg/L	0.30	0.05		W116184	FEH	04/18/11 20:13	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **PARRA**

SVL Sample ID: **W1D0156-09 (Water)**

Sample Report Page 1 of 1

Sampled: 04-Apr-11 13:00

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	382	mg/L	7.50	1.32	25	W116184	FEH	04/18/11 20:24	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **POOL**

SVL Sample ID: **W1D0156-10 (Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 14:08

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	114	mg/L	1.50	0.26	5	W116184	FEH	04/18/11 20:35	D2
-----------	----------------	-----	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **RAY**

SVL Sample ID: **W1D0156-11 (Water)**

Sample Report Page 1 of 1

Sampled: 05-Apr-11 16:10

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	132	mg/L	1.50	0.26	5	W116184	FEH	04/18/11 20:46	D2
-----------	----------------	-----	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0156**

Reported: 22-Apr-11 08:49

Client Sample ID: **ZANDER**

SVL Sample ID: **W1D0156-12 (Water)**

Sample Report Page 1 of 1

Sampled: 06-Apr-11 16:05

Received: 08-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	6.12	mg/L	0.30	0.05		W116184	FEH	04/18/11 20:57	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order
Work Order: **W1D0156**
Reported: 22-Apr-11 08:49

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	<0.30	0.05	0.30	W116184	18-Apr-11	

Dissolved Anions by Ion Chromatography

EPA 300.0 Sulfate as SO4 mg/L <0.30 0.05 0.30 W116184 18-Apr-11

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	9.49	10.0	94.9	90 - 110	W116184	18-Apr-11	

Dissolved Anions by Ion Chromatography

EPA 300.0 Sulfate as SO4 mg/L 9.49 10.0 94.9 90 - 110 W116184 18-Apr-11

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	6.67	6.70	0.5	20	W116184	18-Apr-11	

Dissolved Anions by Ion Chromatography

EPA 300.0 Sulfate as SO4 mg/L 6.67 6.70 0.5 20 W116184 18-Apr-11

Quality Control - MATRIX SPIKE Data

Method	Analyte	Units	Spike Result	Sample Result (R)	Spike Level (S)	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	16.7	6.70	10.0	100	90 - 110	W116184	18-Apr-11	
EPA 300.0	Sulfate as SO4	mg/L	16.1	6.12	10.0	99.6	90 - 110	W116184	18-Apr-11	

Dissolved Anions by Ion Chromatography

EPA 300.0 Sulfate as SO4 mg/L 16.7 6.70 10.0 100 90 - 110 W116184 18-Apr-11
EPA 300.0 Sulfate as SO4 mg/L 16.1 6.12 10.0 99.6 90 - 110 W116184 18-Apr-11

Notes and Definitions

- D2 Sample required dilution due to high concentration of target analyte.
- LCS Laboratory Control Sample (Blank Spike)
- RPD Relative Percent Difference
- UDL A result is less than the detection limit
- R > 4S % recovery not applicable, sample concentration more than four times greater than spike level
- <RL A result is less than the reporting limit
- MRL Method Reporting Limit
- MDL Method Detection Limit
- N/A Not Applicable



Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
ANDERSON	W1D0223-01	Ground Water	11-Apr-11 10:10	BD	13-Apr-2011
BMO-2010-3B	W1D0223-02	Ground Water	07-Apr-11 17:25	BD	13-Apr-2011
BMO-2010-3M	W1D0223-03	Ground Water	07-Apr-11 15:50	BD	13-Apr-2011
CHAMBERS	W1D0223-04	Ground Water	11-Apr-11 13:30	BD	13-Apr-2011
COOPER	W1D0223-05	Ground Water	11-Apr-11 09:34	BD	13-Apr-2011
COOPER C	W1D0223-06	Ground Water	11-Apr-11 17:18	BD	13-Apr-2011
HOWARD	W1D0223-07	Ground Water	11-Apr-11 10:55	BD	13-Apr-2011
MCCONNELL 265	W1D0223-08	Ground Water	08-Apr-11 09:10	BD	13-Apr-2011
PIONKE	W1D0223-09	Ground Water	08-Apr-11 11:55	BD	13-Apr-2011
RAMIREZ	W1D0223-10	Ground Water	11-Apr-11 13:22	BD	13-Apr-2011
ROGERS 803	W1D0223-11	Ground Water	08-Apr-11 08:23	BD	13-Apr-2011
ROGERS E	W1D0223-12	Ground Water	11-Apr-11 12:27	BD	13-Apr-2011
RUIZ	W1D0223-13	Ground Water	08-Apr-11 10:08	BD	13-Apr-2011
SCHWARTZ	W1D0223-14	Ground Water	11-Apr-11 15:07	BD	13-Apr-2011
TVI 875	W1D0223-15	Ground Water	11-Apr-11 11:22	BD	13-Apr-2011
WEED	W1D0223-16	Ground Water	11-Apr-11 16:32	BD	13-Apr-2011
WEISKOPF	W1D0223-17	Ground Water	11-Apr-11 15:47	BD	13-Apr-2011

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **ANDERSON**

SVL Sample ID: **W1D0223-01 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-Apr-11 10:10

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	609	mg/L	7.50	1.32	25	W116185	FEH	04/20/11 12:44	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **BMO-2010-3B**

SVL Sample ID: **W1D0223-02 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 07-Apr-11 17:25

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	14.9	mg/L	0.30	0.05		W116185	FEH	04/20/11 12:53	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **BMO-2010-3M**

SVL Sample ID: **W1D0223-03 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 07-Apr-11 15:50

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	12.3	mg/L	0.30	0.05		W116185	FEH	04/20/11 13:02	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **CHAMBERS**

SVL Sample ID: **W1D0223-04 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-Apr-11 13:30

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	7.74	mg/L	0.30	0.05		W116185	FEH	04/20/11 13:11	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **COOPER**

SVL Sample ID: **W1D0223-05 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-Apr-11 09:34

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	34.3	mg/L	0.30	0.05		W116185	FEH	04/20/11 13:38	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **COOPER C**

SVL Sample ID: **W1D0223-06 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-Apr-11 17:18

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	834	mg/L	7.50	1.32	25	W116185	FEH	04/20/11 14:05	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **HOWARD**

SVL Sample ID: **W1D0223-07 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-Apr-11 10:55

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	616	mg/L	7.50	1.32	25	W116185	FEH	04/20/11 14:14	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **MCCONNELL 265**

SVL Sample ID: **W1D0223-08 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 08-Apr-11 09:10

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	810	mg/L	7.50	1.32	25	W116185	FEH	04/20/11 14:23	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **PIONKE**

SVL Sample ID: **W1D0223-09 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 08-Apr-11 11:55

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	467	mg/L	7.50	1.32	25	W116185	FEH	04/20/11 14:32	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **RAMIREZ**

SVL Sample ID: **W1D0223-10 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-Apr-11 13:22

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	8.65	mg/L	0.30	0.05		W116185	FEH	04/20/11 14:40	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **ROGERS 803**

SVL Sample ID: **W1D0223-11 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 08-Apr-11 08:23

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	160	mg/L	3.00	0.53	10	W116185	FEH	04/20/11 14:58	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **ROGERS E**

SVL Sample ID: **W1D0223-12 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-Apr-11 12:27

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	6.13	mg/L	0.30	0.05		W116185	FEH	04/20/11 15:07	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **RUIZ**

SVL Sample ID: **W1D0223-13 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 08-Apr-11 10:08

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	236	mg/L	3.00	0.53	10	W116185	FEH	04/20/11 15:16	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **SCHWARTZ**

SVL Sample ID: **W1D0223-14 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-Apr-11 15:07

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	128	mg/L	3.00	0.53	10	W116185	FEH	04/20/11 15:25	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **TVI 875**

SVL Sample ID: **W1D0223-15 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-Apr-11 11:22

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	235	mg/L	3.00	0.53	10	W116185	FEH	04/20/11 15:52	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **WEED**

SVL Sample ID: **W1D0223-16 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-Apr-11 16:32

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	13.0	mg/L	0.30	0.05		W116185	FEH	04/20/11 16:01	
-----------	----------------	------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1D0223**

Reported: 27-Apr-11 14:37

Client Sample ID: **WEISKOPF**

SVL Sample ID: **W1D0223-17 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-Apr-11 15:47

Received: 13-Apr-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	557	mg/L	7.50	1.32	25	W116185	FEH	04/20/11 16:10	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



Freeport McMoRan - Copper Queen Branch
 36 West Highway 92
 Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order
 Work Order: **W1D0223**
 Reported: 27-Apr-11 14:37

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
--------	---------	-------	--------	-----	-----	----------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	mg/L	<0.30	0.05	0.30	W116185	20-Apr-11	
-----------	----------------	------	-------	------	------	---------	-----------	--

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
--------	---------	-------	------------	----------	--------	-------------------	----------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	mg/L	10.2	10.0	102	90 - 110	W116185	20-Apr-11	
-----------	----------------	------	------	------	-----	----------	---------	-----------	--

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
--------	---------	-------	------------------	---------------	-----	-----------	----------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	mg/L	7.77	7.74	0.5	20	W116185	20-Apr-11	
-----------	----------------	------	------	------	-----	----	---------	-----------	--

Quality Control - MATRIX SPIKE Data

Method	Analyte	Units	Spike Result	Sample Result (R)	Spike Level (S)	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
--------	---------	-------	--------------	-------------------	-----------------	--------	-------------------	----------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	mg/L	18.3	7.74	10.0	105	90 - 110	W116185	20-Apr-11	
EPA 300.0	Sulfate as SO4	mg/L	19.2	8.65	10.0	105	90 - 110	W116185	20-Apr-11	

Notes and Definitions

- D2 Sample required dilution due to high concentration of target analyte.
- LCS Laboratory Control Sample (Blank Spike)
- RPD Relative Percent Difference
- UDL A result is less than the detection limit
- R > 4S % recovery not applicable, sample concentration more than four times greater than spike level
- <RL A result is less than the reporting limit
- MRL Method Reporting Limit
- MDL Method Detection Limit
- N/A Not Applicable



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1E0289**

Reported: 25-May-11 11:51

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
NWC-04	W1E0289-01	Ground Water	11-May-11 09:41	BD	12-May-2011

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.

(Q6) SVL received the following containers outside of published EPA guidelines for preservation temperatures (0-6°C).

The guidelines do not pertain to nitric-preserved metals.

Default Cooler (Received Temperature: 13.8°C)

Labnumber	Container	Client ID
W1E0289-01 A	Filtered Raw HDPE	NWC-04



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1E0289**

Reported: 25-May-11 11:51

Client Sample ID: **NWC-04**

SVL Sample ID: **W1E0289-01 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 11-May-11 09:41

Received: 12-May-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	175	mg/L	1.50	0.26	5	W121049	FEH	05/23/11 21:41	D2
-----------	----------------	-----	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
 36 West Highway 92
 Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order
 Work Order: **W1E0289**
 Reported: 25-May-11 11:51

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	<0.30	0.05	0.30	W121049	23-May-11	

Dissolved Anions by Ion Chromatography

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	<0.30	0.05	0.30	W121049	23-May-11	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	9.05	10.0	90.5	90 - 110	W121049	23-May-11	

Dissolved Anions by Ion Chromatography

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	9.05	10.0	90.5	90 - 110	W121049	23-May-11	

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	10.1	10.5	3.3	20	W121049	23-May-11	

Dissolved Anions by Ion Chromatography

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	10.1	10.5	3.3	20	W121049	23-May-11	

Quality Control - MATRIX SPIKE Data

Method	Analyte	Units	Spike Result	Sample Result (R)	Spike Level (S)	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	19.3	10.5	10.0	87.8	90 - 110	W121049	23-May-11	M2

Dissolved Anions by Ion Chromatography

Method	Analyte	Units	Spike Result	Sample Result (R)	Spike Level (S)	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
EPA 300.0	Sulfate as SO4	mg/L	19.3	10.5	10.0	87.8	90 - 110	W121049	23-May-11	M2

Notes and Definitions

- D2 Sample required dilution due to high concentration of target analyte.
- M2 Matrix spike recovery was low, but the LCS recovery was acceptable.
- LCS Laboratory Control Sample (Blank Spike)
- RPD Relative Percent Difference
- UDL A result is less than the detection limit
- R > 4S % recovery not applicable, sample concentration more than four times greater than spike level
- <RL A result is less than the reporting limit
- MRL Method Reporting Limit
- MDL Method Detection Limit
- N/A Not Applicable



Freeport McMoRan - Bisbee
36 West Hwy 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1E0428**

Reported: 31-May-11 11:38

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
BMO-2008-6M	W1E0428-01	Ground Water	12-May-11 07:10	CLS	18-May-2011
BMO-2008-6B	W1E0428-02	Ground Water	12-May-11 08:10	CLS	18-May-2011
BMO-2008-5M	W1E0428-03	Ground Water	12-May-11 09:35	CLS	18-May-2011
BMO-2008-5B	W1E0428-04	Ground Water	12-May-11 10:20	CLS	18-May-2011
BMO-2008-1M	W1E0428-05	Ground Water	12-May-11 15:10	CLS	18-May-2011
BMO-2008-2M	W1E0428-06	Ground Water	13-May-11 07:15	CLS	18-May-2011

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Bisbee
36 West Hwy 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1E0428**

Reported: 31-May-11 11:38

Client Sample ID: **BMO-2008-6M**

SVL Sample ID: **W1E0428-01 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 12-May-11 07:10

Received: 18-May-11

Sampled By: CLS

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	189	mg/L	1.50	0.26	5	W122025	FEH	05/29/11 16:11	D2
-----------	----------------	-----	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Bisbee
36 West Hwy 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1E0428**

Reported: 31-May-11 11:38

Client Sample ID: **BMO-2008-6B**

SVL Sample ID: **W1E0428-02 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 12-May-11 08:10

Received: 18-May-11

Sampled By: CLS

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	35.0	mg/L	1.50	0.26	5	W122025	FEH	05/29/11 16:21	D2
-----------	----------------	------	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Bisbee
36 West Hwy 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1E0428**

Reported: 31-May-11 11:38

Client Sample ID: **BMO-2008-5M**

SVL Sample ID: **W1E0428-03 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 12-May-11 09:35

Received: 18-May-11

Sampled By: CLS

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	119	mg/L	1.50	0.26	5	W122025	FEH	05/29/11 16:31	D2
-----------	----------------	-----	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Bisbee
36 West Hwy 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1E0428**

Reported: 31-May-11 11:38

Client Sample ID: **BMO-2008-5B**

SVL Sample ID: **W1E0428-04 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 12-May-11 10:20

Received: 18-May-11

Sampled By: CLS

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	195	mg/L	1.50	0.26	5	W122025	FEH	05/29/11 16:41	D2
-----------	----------------	-----	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Bisbee
36 West Hwy 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1E0428**

Reported: 31-May-11 11:38

Client Sample ID: **BMO-2008-1M**

SVL Sample ID: **W1E0428-05 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 12-May-11 15:10

Received: 18-May-11

Sampled By: CLS

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	129	mg/L	1.50	0.26	5	W122025	FEH	05/29/11 16:51	D2
-----------	----------------	-----	------	------	------	---	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Bisbee
36 West Hwy 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1E0428**

Reported: 31-May-11 11:38

Client Sample ID: **BMO-2008-2M**

SVL Sample ID: **W1E0428-06 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 13-May-11 07:15

Received: 18-May-11

Sampled By: CLS

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	887	mg/L	7.50	1.32	25	W122025	FEH	05/29/11 17:22	D2
-----------	----------------	-----	------	------	------	----	---------	-----	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Bisbee
36 West Hwy 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1E0428**

Reported: 31-May-11 11:38

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
--------	---------	-------	--------	-----	-----	----------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	mg/L	<0.30	0.05	0.30	W122025	29-May-11	
-----------	----------------	------	-------	------	------	---------	-----------	--

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
--------	---------	-------	------------	----------	--------	-------------------	----------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	mg/L	9.47	10.0	94.7	90 - 110	W122025	29-May-11	
-----------	----------------	------	------	------	------	----------	---------	-----------	--

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
--------	---------	-------	------------------	---------------	-----	-----------	----------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	mg/L	7.16	7.22	0.9	20	W122025	29-May-11	
-----------	----------------	------	------	------	-----	----	---------	-----------	--

Quality Control - MATRIX SPIKE Data

Method	Analyte	Units	Spike Result	Sample Result (R)	Spike Level (S)	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
--------	---------	-------	--------------	-------------------	-----------------	--------	-------------------	----------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	mg/L	17.5	7.22	10.0	103	90 - 110	W122025	29-May-11	
-----------	----------------	------	------	------	------	-----	----------	---------	-----------	--

Notes and Definitions

- D2 Sample required dilution due to high concentration of target analyte.
- LCS Laboratory Control Sample (Blank Spike)
- RPD Relative Percent Difference
- UDL A result is less than the detection limit
- R > 4S % recovery not applicable, sample concentration more than four times greater than spike level
- <RL A result is less than the reporting limit
- MRL Method Reporting Limit
- MDL Method Detection Limit
- N/A Not Applicable



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order
Work Order: **W1F0586**
Reported: 07-Jul-11 16:45

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
EB20110617	W1F0586-01	Ground Water	17-Jun-11 08:55	BD	22-Jun-2011
NWC-04	W1F0586-02	Ground Water	17-Jun-11 08:50	BD	22-Jun-2011
EB20110617	W1F0586-03	Ground Water	17-Jun-11 08:50	BD	22-Jun-2011

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1F0586**

Reported: 07-Jul-11 16:45

Client Sample ID: **EB20110617**

SVL Sample ID: **W1F0586-01 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 17-Jun-11 08:55

Received: 22-Jun-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	< 0.30	mg/L	0.30	0.07		W126404	TBB/F	06/28/11 20:10	
-----------	----------------	--------	------	------	------	--	---------	-------	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Kirby Gray
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1F0586**

Reported: 07-Jul-11 16:45

Client Sample ID: **NWC-04**

SVL Sample ID: **W1F0586-02 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 17-Jun-11 08:50

Received: 22-Jun-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Dissolved Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	214	mg/L	3.00	0.74	10	W126404	TBB/F	06/28/11 20:17	D2
-----------	----------------	-----	------	------	------	----	---------	-------	----------------	----

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Kirby Gray
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1F0586**

Reported: 07-Jul-11 16:45

Client Sample ID: **EB20110617**

SVL Sample ID: **W1F0586-03 (Ground Water)**

Sample Report Page 1 of 1

Sampled: 17-Jun-11 08:50

Received: 22-Jun-11

Sampled By: BD

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Anions by Ion Chromatography

EPA 300.0	Sulfate as SO4	< 0.30	mg/L	0.30	0.07		W126403	FEH	06/28/11 18:41	
-----------	----------------	--------	------	------	------	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Kirby Gray
Technical Director



Freeport McMoRan - Copper Queen Branch
 36 West Highway 92
 Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order
 Work Order: **W1F0586**
 Reported: 07-Jul-11 16:45

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
Anions by Ion Chromatography								
EPA 300.0	Sulfate as SO4	mg/L	<0.30	0.07	0.30	W126403	28-Jun-11	
Dissolved Anions by Ion Chromatography								
EPA 300.0	Sulfate as SO4	mg/L	<0.30	0.07	0.30	W126404	28-Jun-11	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
Anions by Ion Chromatography									
EPA 300.0	Sulfate as SO4	mg/L	10.8	10.0	108	90 - 110	W126403	28-Jun-11	
Dissolved Anions by Ion Chromatography									
EPA 300.0	Sulfate as SO4	mg/L	10.6	10.0	106	90 - 110	W126404	28-Jun-11	

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
Anions by Ion Chromatography									
EPA 300.0	Sulfate as SO4	mg/L	33.2	33.2	0.2	20	W126403	28-Jun-11	
Dissolved Anions by Ion Chromatography									
EPA 300.0	Sulfate as SO4	mg/L	214	214	0.2	20	W126404	28-Jun-11	D2

Quality Control - MATRIX SPIKE Data

Method	Analyte	Units	Spike Result	Sample Result (R)	Spike Level (S)	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
Anions by Ion Chromatography										
EPA 300.0	Sulfate as SO4	mg/L	44.5	33.2	10.0	112	90 - 110	W126403	28-Jun-11	M1
EPA 300.0	Sulfate as SO4	mg/L	28.5	17.4	10.0	111	90 - 110	W126403	28-Jun-11	M1
Dissolved Anions by Ion Chromatography										
EPA 300.0	Sulfate as SO4	mg/L	223	214	10.0	R > 4S	90 - 110	W126404	28-Jun-11	D2,M3



Freeport McMoRan - Copper Queen Branch
36 West Highway 92
Bisbee, AZ 85603

Project Name: Copper Queen Branch Sulfate Mitigation Order

Work Order: **W1F0586**

Reported: 07-Jul-11 16:45

Notes and Definitions

D2	Sample required dilution due to high concentration of target analyte.
M1	Matrix spike recovery was high, but the LCS recovery was acceptable.
M3	The spike recovery value is unusable since the analyte concentration in the sample is disproportionate to spike level. The LCS was acceptable.
LCS	Laboratory Control Sample (Blank Spike)
RPD	Relative Percent Difference
UDL	A result is less than the detection limit
R > 4S	% recovery not applicable, sample concentration more than four times greater than spike level
<RL	A result is less than the reporting limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
N/A	Not Applicable

APPENDIX C
GROUNDWATER SAMPLING FORMS

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-11-11</u>
Well ID: <u>ANDERSON</u>	Weather: <u>SUNNY, 50's</u>
ADWR No:	Sampler: <u>RSD</u>

WELL DATA

Well Depth (ft bls): <u>285'</u>	Casing Capacity	
Casing Diameter (in): <u>8"</u>	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): <u>149.46</u>	2	0.16
Casing Volume (gals):	4	0.65
3 Casing Volumes (gals):	5	1.02
	6	1.47
	8	2.61
	10	4.08
	Casing Volume = gallons/foot * water column (feet)	

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>10:00</u>							
<u>10:05</u>	<u>5</u>	<u>3</u>	<u>15</u>	<u>6.86</u>	<u>15.1</u>	<u>1486</u>	
<u>10:08</u>	<u>8</u>	<u>3</u>	<u>24</u>	<u>6.92</u>	<u>15.1</u>	<u>1485</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>ANDERSON</u>	<u>10:10</u>	<u>Polz</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: Sample from tank. Did not purge.



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-7-11</u>
Well ID: <u>AWC-02</u>	Weather: <u>Sunny Windy 60's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>333</u> Casing Diameter (in): <u>20"</u> Static Water Level (ft bmp): _____ Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>9:00</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>7.27</u>	<u>20.3</u>	<u>488.5</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>AWC-02</u>	<u>9:00</u>	<u>Poly</u>	<u>250ml</u>	<u>2</u>	<u>300.0</u>	<u>∅</u>	<u>-</u>

Additional Comments: Collect split sample for AWC. No WL because well is running



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-7-11</u>
Well ID: <u>AWC-03</u>	Weather: <u>Sunny, Windy 60's</u>
ADWR No:	Sampler: <u>BTI</u>

WELL DATA

Well Depth (ft bls): <u>270</u> Casing Diameter (in): <u>16"</u> Static Water Level (ft bmp): <u>N/A</u> Casing Volume (gals): <u>N/A</u> 3 Casing Volumes (gals): <u>N/A</u>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>8:48</u>	—	—	—	<u>7.28</u>	<u>19.9</u>	<u>469.0</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>AWC-03</u>	<u>8:48</u>	<u>Poly</u>	<u>250mL</u>	<u>2</u>	<u>300.0</u>	<u>Ø</u>	—

Additional Comments: Collected split sample for AWC. No WL because well is running



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-7-11</u>
Well ID: <u>AWC-04</u>	Weather: <u>Sunny Windy 60's</u>
ADWR No: _____	Sampler: <u>B&S</u>

WELL DATA

Well Depth (ft bls): <u>337</u> Casing Diameter (in): <u>16"</u> Static Water Level (ft bmp): <u>—</u> Casing Volume (gals): <u>—</u> 3 Casing Volumes (gals): <u>—</u>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
9:10	9:10	—	—	7.00	20.4	637.2	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
AWC-04	9:10	Poly	250ml	2	300.0	E	—

Additional Comments: Collect split sample for AWC. No WL because well is running



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 4-7-11
Well ID: AWC-05	Weather: Breezy, Sunny 60F
ADWR No:	Sampler: BSD

WELL DATA

Well Depth (ft bls): 1000' Casing Diameter (in): 16" Static Water Level (ft bmp): Casing Volume (gals): 3 Casing Volumes (gals):	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
8:40				7.22	20.8	438.3	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
AWC-05	8:40	Poly	250ml	2	300.0	∅	→

Additional Comments: Collected Split sample for AWC. No WL because well is running



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 4-5-11
Well ID: Banks 986	Weather: Sunny 80°
ADWR No:	Sampler: R250

WELL DATA

Well Depth (ft bls): 445	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): 6"	2	0.16
Static Water Level (ft bmp): —	4	0.65
Casing Volume (gals):	5	1.02
3 Casing Volumes (gals): 800	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
16:30							
16:50	20	8	160	7.88	22.9	948.3	
17:10	40	8	320	7.73	22.0	953.7	
17:30	60	8	480	7.64	21.9	959.2	
17:50	80	8	640	7.65	21.6	956.8	
18:10	100	8	800	7.64	21.6	954.7	
18:30	120	8	960	7.66	21.5	965.0	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
BANKS 986	18:35	Poly	250	1	300.0	Ø	—

Additional Comments: ~ 900 gal = 3 casing volumes, based on WL at Banks 987. No WL due to no access to well head.

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-5-11</u>
Well ID: <u>BANKS 987</u>	Weather: <u>SUNNY 80's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>339</u> Casing Diameter (in): <u>6"</u> Static Water Level (ft bmp): <u>221.68</u> Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Casing Capacity</th> </tr> <tr> <th>Nominal Size (inches)</th> <th>Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td>2</td><td>0.16</td></tr> <tr><td>4</td><td>0.65</td></tr> <tr><td>5</td><td>1.02</td></tr> <tr><td>6</td><td>1.47</td></tr> <tr><td>8</td><td>2.61</td></tr> <tr><td>10</td><td>4.08</td></tr> </tbody> </table> <p style="text-align: center;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							

Additional Comments: WLO



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-4-11</u>
Well ID: <u>B1MA</u>	Weather: <u>Sunny 70's</u>
ADWR No:	Sampler: <u>350</u>

WELL DATA

Well Depth (ft bls): <u>465</u> Casing Diameter (in): <u>8" 4</u> Static Water Level (ft bmp): <u>395.22</u> Casing Volume (gals): <u>46</u> 3 Casing Volumes (gals): <u>138</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>13:35</u>							
<u>13:45</u>	<u>10</u>	<u>4</u>	<u>40</u>	<u>6.38</u>	<u>23.1</u>	<u>1617</u>	
<u>13:55</u>	<u>20</u>	<u>4</u>	<u>80</u>	<u>6.42</u>	<u>23.2</u>	<u>1636</u>	
<u>14:05</u>	<u>30</u>	<u>4</u>	<u>120</u>	<u>6.52</u>	<u>23.0</u>	<u>1644</u>	
<u>14:15</u>	<u>40</u>	<u>4</u>	<u>160</u>	<u>6.61</u>	<u>24.0</u>	<u>1643</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>B1MA</u>	<u>14:20</u>	<u>Poly</u>	<u>250ml</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: Run pump at 5gpm so that it does not dry out



Groundwater Sampling Form

Project No:		Client:	Freeport Copper Queen Branch
Task No:		Date:	5-12-11
Well ID:	BMO-2008-5B	Weather:	Sunny 72°
ADWR No:		Sampler:	Christopher L. Sherman

WELL DATA

Well Depth (ft bts):	285	Casing Capacity		
	Casing Diameter (in):	5 1/4	Nominal Size (inches)	
	Static Water Level (ft bmp):	148.04	Gallons per Linear Foot	
	Casing Volume (gals):	140	2	0.16
	3 Casing Volumes (gals):	420	4	0.65
		5	1.02	
		6	1.47	
		8	2.61	
		10	4.08	
		Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
0955							
1000	5	27	135	7.07	22.5	726	
1010	15	27	405	7.05	21.6	729	
1020	25	27	675	7.06	21.5	722	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
BMO-2008-5B	1020	plastic	250 ml	1	EPA 300.0	none	filtered

Additional Comments:

Groundwater Sampling Form

Project No: _____	Client: <u>Freeport Copper Queen Branch</u>
Task No: _____	Date: <u>5-12-11</u>
Well ID: <u>BMO-2008-5M</u>	Weather: <u>Sunny, 16°</u>
ADWR No: _____	Sampler: <u>Christopher L. Sherman</u>

WELL DATA

Well Depth (ft bbs): <u>450</u> Casing Diameter (in): <u>5 1/2</u> Static Water Level (ft bmp): <u>149.66</u> Casing Volume (gals): <u>306.3</u> 3 Casing Volumes (gals): <u>918.9</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>0840</u>							
<u>0845</u>	<u>5</u>	<u>18</u>	<u>90</u>	<u>7.12</u>	<u>23.1</u>	<u>550</u>	
<u>0905</u>	<u>25</u>	<u>18</u>	<u>450</u>	<u>7.14</u>	<u>23.9</u>	<u>553</u>	
<u>0925</u>	<u>45</u>	<u>18</u>	<u>810</u>	<u>7.14</u>	<u>23.1</u>	<u>557</u>	
<u>0935</u>	<u>55</u>	<u>18</u>	<u>990</u>	<u>7.16</u>	<u>23.0</u>	<u>558</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>BMO-2008-5M</u>	<u>0935</u>	<u>plastic</u>	<u>250 ml</u>	<u>1</u>	<u>EPA 300.0</u>	<u>none</u>	<u>filtered</u>

Additional Comments: _____

Groundwater Sampling Form

Project No: _____ Task No: _____ Well ID: <u>BMO-2008-6B</u> ADWR No: _____	Client: <u>Freeport Copper Queen Branch</u> Date: <u>5-12-11</u> Weather: <u>Sunny 63</u> Sampler: <u>Christopher L. Sherman</u>
--	---

WELL DATA

Well Depth (ft bis): <u>265'</u> Casing Diameter (in): <u>5"</u> Static Water Level (ft bmp): <u>192.7'</u> Casing Volume (gals): <u>74</u> 3 Casing Volumes (gals): <u>222</u>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.85</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.85	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.85																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>0725</u>							
<u>0730</u>	<u>5</u>	<u>5.1</u>	<u>25</u>	<u>7.29</u>	<u>21.4</u>	<u>376</u>	
<u>0740</u>	<u>15</u>	<u>5.1</u>	<u>75</u>	<u>7.31</u>	<u>21.6</u>	<u>375</u>	
<u>0755</u>	<u>30</u>	<u>5.1</u>	<u>150</u>	<u>7.32</u>	<u>21.4</u>	<u>378</u>	
<u>0810</u>	<u>45</u>	<u>5.1</u>	<u>225</u>	<u>7.32</u>	<u>21.5</u>	<u>380</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>BMO-2008-6B</u>	<u>0810</u>	<u>plastic</u>	<u>250 ml</u>	<u>1</u>	<u>EPA 300.D</u>	<u>none</u>	<u>filtered</u>

Additional Comments: _____

Groundwater Sampling Form

Project No: _____	Client: Freeport Copper Queen Branch
Task No: _____	Date: <u>5-12-11</u>
Well ID: <u>BMO-2008-6M</u>	Weather: <u>Sunny - 59</u>
ADWR No: _____	Sampler: <u>Christopher L. Sharma</u>

WELL DATA

Well Depth (ft bls): <u>450</u> Casing Diameter (in): <u>5"</u> Static Water Level (ft bmp): <u>193.68</u> Casing Volume (gals): <u>261.4</u> 3 Casing Volumes (gals): <u>784.2</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.85
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>0630</u>							
<u>0640</u>	<u>10</u>	<u>21</u>	<u>210</u>	<u>7.05</u>	<u>21.4</u>	<u>210</u>	
<u>0650</u>	<u>20</u>	<u>21</u>	<u>420</u>	<u>7.10</u>	<u>21.8</u>	<u>214</u>	
<u>0700</u>	<u>30</u>	<u>21</u>	<u>630</u>	<u>7.10</u>	<u>21.9</u>	<u>215</u>	
<u>0710</u>	<u>40</u>	<u>21</u>	<u>840</u>	<u>7.12</u>	<u>21.9</u>	<u>209</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>BMO-2008-6M</u>	<u>0710</u>	<u>plastic</u>	<u>250 ml</u>	<u>1</u>	<u>EPA 300.0</u>	<u>none</u>	<u>filtered</u>

Additional Comments: _____

Groundwater Sampling Form

Project No: _____	Client: Freeport Copper Queen Branch
Task No: _____	Date: 5-13-11
Well ID: BMO-2008-8B	Weather: Sunny, 74°
ADWR No: _____	Sampler: Christopher L. Sturmon

WELL DATA

Well Depth (ft bis): _____ Casing Diameter (in): _____ Static Water Level (ft bmp): 299.70 Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
0915							

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
		plastic	250 ml	1	EPA 300.0	none	filtered

Additional Comments:

Groundwater Sampling Form

Project No: _____	Client: Freeport Copper Queen Branch
Task No: _____	Date: <u>5-13-11</u>
Well ID: <u>BMC-2008-8M</u>	Weather: <u>Sunny 74</u>
ADWR No: _____	Sampler: <u>Christopher L Sherman</u>

WELL DATA

Well Depth (ft b/s): _____	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): _____	2	0.16
Static Water Level (ft bmp): <u>301.00</u>	4	0.65
Casing Volume (gals): _____	6	1.02
3 Casing Volumes (gals): _____	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>0840</u>							

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
		plastic	250 ml	1	EPA 300.0	none	filtered

Additional Comments: _____

Groundwater Sampling Form

Project No: _____ Task No: _____ Well ID: <u>BMD-2008-13B</u> ADWR No: _____	Client: <u>Freeport Copper Queen Branch</u> Date: <u>5-13-11</u> Weather: <u>Sunny 74</u> Sampler: <u>Christopher L. Sloman</u>
---	--

WELL DATA

Well Depth (ft bbs): _____ Casing Diameter (in): _____ Static Water Level (ft bmp): <u>208.95</u> Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	Casing Capacity	
	Nominal Size (Inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.81
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>1015</u>							

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
		plastic	250 ml	1	EPA 300.0	none	filtered

Additional Comments: _____

Groundwater Sampling Form

Project No: _____ Task No: _____ Well ID: <u>BMA-2008-13M</u> ADWR No: _____	Client: <u>Fresport Copper Queen Branch</u> Date: <u>5-13-11</u> Weather: <u>Sunny - 74</u> Sampler: <u>Christopher L. Stevens</u>
---	---

WELL DATA

Well Depth (ft bbs): _____ Casing Diameter (In): _____ Static Water Level (ft bmp): <u>210.5'</u> Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.01
	10	4.08
	Casing Volume = gallons/foot * water column (feet)	

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>1000</u>							

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
		plastic	250 ml	1	EPA 300.0	none	filtered

Additional Comments: _____

Groundwater Sampling Form

Project No: _____	Client: <u>Freeport Copper Queen Branch</u>
Task No: _____	Date: <u>5-12-11</u>
Well ID: <u>BMO-2010-1M</u>	Weather: <u>Sunny - 78°</u>
ADWR No: _____	Sampler: <u>Christopher L. Slawson</u>

WELL DATA

Well Depth (ft bls): <u>550</u> Casing Diameter (in): <u>5"</u> Static Water Level (ft bmp): <u>223.08</u> Casing Volume (gals): <u>333.5</u> 3 Casing Volumes (gals): <u>1000.5</u>	Casing Capacity	
	Nominal Size (Inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>1225</u>							
<u>1235</u>	<u>10</u>	<u>10</u>	<u>100</u>	<u>7.69</u>	<u>23.0</u>	<u>710</u>	
<u>1240</u>	<u>15</u>	<u>10</u>	<u>150</u>	<u>7.70</u>	<u>22.9</u>	<u>708</u>	
<u>1355</u>	<u>90</u>	<u>1.25-10</u>		<u>7.72</u>	<u>22.9</u>	<u>705</u>	
<u>1425</u>	<u>120</u>	<u>1.25-10</u>		<u>7.70</u>	<u>23.0</u>	<u>710</u>	
	150	1.25-10	1005	<u>7.74</u>	<u>23.0</u>	<u>708</u>	
<u>1510</u>	<u>165</u>	<u>1.25-10</u>	<u>1005</u>	<u>7.74</u>	<u>23.0</u>	<u>710</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>BMO-2010-1M</u>	<u>1510</u>	<u>plastic</u>	<u>250 ml</u>	<u>1</u>	<u>EPA 300.D</u>	<u>none</u>	<u>filtered</u>

Additional Comments: Well surging 1.25 GPM to 10 GPM
Surging of well - 6 GPM approx the same / min of 1.25 and then
down of 10 GPM

Groundwater Sampling Form

Project No: _____	Client: Freeport Copper Queen Branch
Task No: _____	Date: <u>5-13-11</u>
Well ID: <u>BMD-2010-2M</u>	Weather: <u>Sunny 68°</u>
ADWR No: _____	Sampler: <u>Christopher J. Glavin</u>

WELL DATA

Well Depth (ft bbs): <u>380</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): <u>5"</u>	2	0.16
Static Water Level (ft bmp): <u>266.97</u>	4	0.65
Casing Volume (gals): <u>115.3</u>	5	1.02
3 Casing Volumes (gals): 339.7 <u>345.9</u>	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>0645</u>							
<u>0650</u>	<u>5</u>	<u>12</u>	<u>60</u>	<u>6.55</u>	<u>21.0</u>	<u>2.15</u>	
<u>0655</u>	<u>10</u>	<u>12</u>	<u>120</u>	<u>6.50</u>	<u>20.8</u>	<u>2.11</u>	
<u>0705</u>	<u>20</u>	<u>12</u>	<u>240</u>	<u>6.54</u>	<u>21.0</u>	<u>2.15</u>	
<u>0715</u>	<u>30</u>	<u>12</u>	<u>360</u>	<u>6.54</u>	<u>26.1</u>	<u>2.16</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>BMD-2010-2M</u>	<u>0715</u>	<u>plastic</u>	<u>250 ml</u>	<u>1</u>	<u>EPA 300.0</u>	<u>none</u>	<u>filtered</u>

Additional Comments: _____

113.1

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-7-11</u>
Well ID: <u>BMO-2010-3B</u>	Weather: <u>Sunny 70s</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bis): <u>330</u>	Casing Capacity	
Casing Diameter (in): <u>5"</u>	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): <u>116.11</u>	2	0.16
Casing Volume (gals): <u>220</u>	4	0.65
3 Casing Volumes (gals): <u>660</u>	5	1.02
	6	1.47
	8	2.61
	10	4.08
	Casing Volume = gallons/foot * water column (feet)	

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>16:00</u>							
<u>16:20</u>	<u>20</u>	<u>8</u>	<u>160</u>	<u>7.28</u>	<u>21.2</u>	<u>419.9</u>	
<u>16:40</u>	<u>40</u>	<u>8</u>	<u>320</u>	<u>7.38</u>	<u>20.3</u>	<u>421.7</u>	
<u>17:00</u>	<u>60</u>	<u>8</u>	<u>480</u>	<u>7.41</u>	<u>19.7</u>	<u>422.0</u>	
<u>17:20</u>	<u>80</u>	<u>8</u>	<u>640</u>	<u>7.38</u>	<u>20.1</u>	<u>424.6</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>BMO-2010-3B</u>	<u>17:25</u>	<u>poly 250</u>	<u>750</u>	<u>1</u>	<u>300-0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: At 17:25 purged volume = 680 gal.



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-7-11</u>
Well ID: <u>Bmo-2010-3M</u>	Weather: <u>Sunny 70s</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>531</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): <u>5"</u>	2	0.16
Static Water Level (ft bmp): <u>119.09</u>	4	0.65
Casing Volume (gals): <u>420</u>	5	1.02
3 Casing Volumes (gals): <u>1260</u>	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>9:45</u>		<u>8</u>					
<u>10:15</u>		<u>8</u>					
<u>10:45</u>	<u>60</u>	<u>8</u>	<u>480</u>	<u>7.60</u>	<u>21.6</u>	<u>375.6</u>	
<u>11:10</u>							<u>Generator out of gas</u>
<u>13:15</u>		<u>8</u>					
<u>13:45</u>	<u>30</u>	<u>8</u>	<u>240</u>	<u>7.57</u>	<u>22.9</u>	<u>376.4</u>	
<u>14:15</u>	<u>60</u>	<u>8</u>	<u>480</u>	<u>7.59</u>	<u>22.2</u>	<u>381.3</u>	
<u>14:45</u>	<u>90</u>	<u>8</u>	<u>720</u>	<u>7.38</u>	<u>23.6</u>	<u>376.5</u>	
<u>15:15</u>	<u>120</u>	<u>8</u>	<u>960</u>	<u>7.30</u>	<u>23.7</u>	<u>373.9</u>	
<u>15:45</u>	<u>150</u>	<u>8</u>	<u>1200</u>	<u>7.38</u>	<u>23.5</u>	<u>376.5</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>Bmo-2010-3M</u>	<u>15:50</u>	<u>Poly</u>	<u>250 mL</u>	<u>1</u>	<u>300-0</u>	<u>Ø</u>	<u>—</u>

Additional Comments:

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-11-11</u>
Well ID: <u>CHAMBERS</u>	Weather: <u>SUNNY 60'S</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>245</u> Casing Diameter (in): <u>6"</u> Static Water Level (ft bmp): _____ Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>13:30</u>							
<u>13:32</u>	<u>2</u>	<u>8</u>	<u>16</u>	<u>7.34</u>	<u>21.1</u>	<u>420.5</u>	
<u>13:34</u>	<u>4</u>	<u>8</u>	<u>32</u>	<u>7.15</u>	<u>21.4</u>	<u>425.0</u>	
<u>13:36</u>	<u>6</u>	<u>8</u>	<u>48</u>	<u>7.18</u>	<u>22.0</u>	<u>427.3</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>CHAMBERS</u>	<u>13:38</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: Purge until stable. Taking readings close together to avoid flooding yard. No WL due to no access to wellhead



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4.11.11</u>
Well ID: <u>COOPER</u>	Weather: <u>SUNNY 50's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>325</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): <u>6"</u>	2	0.16
Static Water Level (ft bmp): <u>N/A</u>	4	0.65
Casing Volume (gals): <u>N/A</u>	5	1.02
3 Casing Volumes (gals): <u>N/A</u>	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>9:10</u>							
<u>9:15</u>	<u>5</u>	<u>6</u>	<u>30</u>	<u>7.34</u>	<u>20.4</u>	<u>444.1</u>	
<u>9:20</u>	<u>10</u>	<u>6</u>	<u>60</u>	<u>7.47</u>	<u>21.1</u>	<u>442.5</u>	
<u>9:25</u>	<u>15</u>	<u>6</u>	<u>90</u>	<u>7.65</u>	<u>20.9</u>	<u>442.9</u>	
<u>9:30</u>	<u>20</u>	<u>6</u>	<u>120</u>	<u>7.65</u>	<u>21.0</u>	<u>442.6</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>COOPER</u>	<u>9:34</u>	<u>Poly</u>	<u>250mL</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: No WL because no access to well head. Purge until stable.



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-11-11</u>
Well ID: <u>COOPER C</u>	Weather: <u>SUNNY 70's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>220</u>	Casing Capacity	
Casing Diameter (in): <u>6</u>	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): <u>158.74</u>	2	0.16
Casing Volume (gals): <u>91</u>	4	0.65
3 Casing Volumes (gals): <u>273</u>	5	1.02
	6	1.47
	8	2.61
	10	4.08
	Casing Volume = gallons/foot * water column (feet)	

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>16:50</u>							
<u>17:00</u>	<u>10</u>	<u>10</u>	<u>100</u>	<u>6.76</u>	<u>21.0</u>	<u>1948</u>	
<u>17:10</u>	<u>20</u>	<u>10</u>	<u>200</u>	<u>6.74</u>	<u>18.3</u>	<u>1911</u>	
<u>17:15</u>	<u>25</u>	<u>10</u>	<u>250</u>	<u>6.82</u>	<u>21.0</u>	<u>1942</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>COOPER C</u>	<u>17:18</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u> </u>	<u> </u>

Additional Comments: At 17:18 purge volume = 280 gal.

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-5-11</u>
Well ID: <u>Dodson</u>	Weather: <u>Sunny 60's</u>
ADWR No:	Sampler: <u>B55</u>

WELL DATA

Well Depth (ft bls): <u>200</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): <u>6"</u>	2	0.16
Static Water Level (ft bmp): <u>91.05</u>	4	0.65
Casing Volume (gals): <u>160</u>	5	1.02
3 Casing Volumes (gals): <u>480</u>	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>8:40</u>							
<u>8:50</u>	<u>10</u>	<u>10</u>	<u>100</u>	<u>6.95</u>	<u>21.1</u>	<u>1296</u>	
<u>9:00</u>	<u>20</u>	<u>10</u>	<u>200</u>	<u>7.04</u>	<u>21.2</u>	<u>1286</u>	
<u>9:10</u>	<u>30</u>	<u>10</u>	<u>300</u>	<u>7.00</u>	<u>21.9</u>	<u>1284</u>	
<u>9:20</u>	<u>40</u>	<u>10</u>	<u>400</u>	<u>7.00</u>	<u>21.2</u>	<u>1292</u>	
<u>9:30</u>	<u>50</u>	<u>10</u>	<u>500</u>	<u>7.03</u>	<u>20.9</u>	<u>1300</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>DODSON</u>	<u>9:35</u>	<u>Poly</u>	<u>250mL</u>	<u>1</u>	<u>300.0</u>	<u>∅</u>	<u>—</u>

Additional Comments:

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-4-11</u>
Well ID: <u>DURAZO</u>	Weather: <u>SUNNY 60's</u>
ADWR No:	Sampler: <u>BJD</u>

WELL DATA

Well Depth (ft bls): <u>N/A</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): <u>6"</u>	2	0.16
Static Water Level (ft bmp): <u>N/A</u>	4	0.65
	5	1.02
Casing Volume (gals): <u>—</u>	6	1.47
3 Casing Volumes (gals): <u>—</u>	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>10:15</u>							
<u>10:25</u>	<u>10</u>	<u>6</u>	<u>60</u>	<u>7.11</u>	<u>21.3</u>	<u>1130</u>	
<u>10:35</u>	<u>20</u>	<u>6</u>	<u>120</u>	<u>7.19</u>	<u>21.8</u>	<u>1121</u>	
<u>10:45</u>	<u>30</u>	<u>6</u>	<u>180</u>	<u>7.20</u>	<u>21.9</u>	<u>1119</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>DURAZO</u>	<u>10:50</u>	<u>Poly</u>	<u>250mL</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: No access to port for Wk. Purge until stable



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-5-11</u>
Well ID: <u>East</u>	Weather: <u>SUNNY 80's</u>
ADWR No:	Sampler: <u>BJD</u>

WELL DATA

Well Depth (ft bls): <u>125</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): <u>6"</u>	2	0.16
Static Water Level (ft bmp): <u>59.73</u>	4	0.65
	5	1.02
Casing Volume (gals): <u>96</u>	6	1.47
	8	2.61
3 Casing Volumes (gals): <u>288</u>	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>13:10</u>							
<u>13:20</u>	<u>10</u>	<u>12</u>	<u>120</u>	<u>6.99</u>	<u>22.3</u>	<u>609.4</u>	
<u>13:30</u>	<u>20</u>	<u>12</u>	<u>240</u>	<u>7.16</u>	<u>21.3</u>	<u>612.2</u>	
<u>13:35</u>	<u>25</u>	<u>12</u>	<u>300</u>	<u>7.19</u>	<u>20.8</u>	<u>612.5</u>	

SAMPLE INFORMATION


Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>EAST</u>	<u>13:40</u>	<u>Poly</u>	<u>250mL</u>	<u>1</u>	<u>300.0</u>	<u>⊕</u>	<u>-</u>


Additional Comments:



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-6-11</u>
Well ID: <u>EB20110406</u>	Weather: <u>SUNNY 70's</u>
ADWR No:	Sampler: <u>B50</u>

WELL DATA																		
Well Depth (ft bls): _____ Casing Diameter (in): _____ Static Water Level (ft bmp): _____ Casing Volume (gals): _____ 3 Casing Volumes (gals): _____		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; margin-top: 5px;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																		
Nominal Size (inches)	Gallons per Linear Foot																	
2	0.16																	
4	0.65																	
5	1.02																	
6	1.47																	
8	2.61																	
10	4.08																	

FIELD SAMPLING DATA							
Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
							


SAMPLE INFORMATION							
Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>EB20110406</u>	<u>11:25</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: Equipment blank taken using hand pump and beaker to filter deionized water


Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 4-5-11
Well ID: EB20110405	Weather: Sunny 70's
ADWR No:	Sampler: BSB

WELL DATA

Well Depth (ft bls): Casing Diameter (in): Static Water Level (ft bmp): Casing Volume (gals): 3 Casing Volumes (gals):		Casing Capacity	
		Nominal Size (inches)	Gallons per Linear Foot
		2	0.16
		4	0.65
		5	1.02
		6	1.47
		8	2.61
		10	4.08
		Casing Volume = gallons/foot * water column (feet)	

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
							

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
EB20110405	12:05	Poly	250	1	300.0	☑	→

Additional Comments: Poured through sampling tube. Not filtered
 deionized water



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 10	Date: 6-17-11
Well ID: EB 2011 EB20110617	Weather: Sunny 80's
ADWR No:	Sampler: BSB

WELL DATA

Well Depth (ft bis): _____ Casing Diameter (in): _____ Static Water Level (ft bmp): _____ Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
EB20110617	8:55	Poly	250	1	300.0	Ø	—

Additional Comments:

Equipment Blank

Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 4-5-11
Well ID: Eppeler 641	Weather: Sunny 80's
ADWR No:	Sampler: B50

WELL DATA

Well Depth (ft bls): 765	Casing Capacity	
Casing Diameter (in): 8"	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): 53.81	2	0.16
Casing Volume (gals): 550	4	0.65
3 Casing Volumes (gals): 1650	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
14:00							
14:15	15	8	120	7.26	23.3	561.8	
14:30	30	8	240	7.32	21.7	569.6	
14:45	45	8	360	7.29	21.7	574.5	
15:00	60	8	480	7.30	21.7	578.2	
15:15	75	8	600	7.43	21.5	569.2	
15:20							DRY

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
EPPELE 641	15:25	Poly 250	250	1	300.0	∅	—

Additional Comments: Well usually dries out at ~600 gal with Q = 10 gpm will dry out once and sample.

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: _____	Date: <u>4-5-11</u>
Well ID: <u>FBZ0110405</u>	Weather: <u>Sunny 70k</u>
ADWR No: _____	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): _____ Casing Diameter (in): _____ Static Water Level (ft bmp): _____ Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
 							

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>FBZ0110405</u>	<u>12:15</u>	<u>Poly</u>	<u>280 mL</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: Field Blank - unfiltered deionized water



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 4.0	Date: 6-17-11
Well ID: FB 20110617	Weather: SUNNY 80's
ADWR No:	Sampler: BTD

WELL DATA

Well Depth (ft bls): _____ Casing Diameter (in): _____ Static Water Level (ft bmp): _____ Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
/							

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
FB20110617	08:50	Poly	250	1	300.0	Ø	

Additional Comments: Field Blank



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 4-5-11
Well ID: Fultze	Weather: Sunny 70's
ADWR No:	Sampler: BTD

WELL DATA

Well Depth (ft bls): 300	Casing Capacity	
Casing Diameter (in): 6"	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): N/A	2	0.16
Casing Volume (gals):	4	0.65
3 Casing Volumes (gals): 5 1050	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
11:00				7.04			
11:20	20	10	200	7.05	23.0	1059	
11:40	40	10	400	7.01	21.6	1060	
12:00	60	10	600	7.04	21.6	1075	
12:20	80	10	800	7.06	21.7	1082	
12:40	100	10	1000	7.08	22.1	1082	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
Fultze	12:50	Poly	250 mL	1	300.0	Ø	—
DUP20110405	11:15	Poly	250 mL	1	300.0	Ø	—

Additional Comments: No WL due to obstruction. Last WL = 63.82'
 Purge Volume = 1100 gal

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-6-11</u>
Well ID: <u>GARNER 537</u>	Weather: _____
ADWR No: _____	Sampler: _____

WELL DATA

Well Depth (ft bls): <u>300'</u> Casing Diameter (in): <u>6"</u> Static Water Level (ft bmp): <u>194.86</u> Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments

Additional Comments: WLO ^{GARNER 535} ~~of The well~~ has not been run at more than household volumes for several days



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-6-11</u>
Well ID: <u>Garner 635</u>	Weather: <u>Sunny 60s</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bis): <u>680</u> Casing Diameter (in): <u>5"</u> Static Water Level (ft bmp): <u>197.40</u> Casing Volume (gals): <u>500</u> 3 Casing Volumes (gals): <u>1500</u>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>8:30</u>							
<u>8:50</u>	<u>20</u>	<u>13</u>	<u>260</u>	<u>6.94</u>	<u>23.4</u>	<u>472.4</u>	
<u>9:10</u>	<u>40</u>	<u>13</u>	<u>520</u>	<u>7.45</u>	<u>23.3</u>	<u>465.2</u>	
<u>9:30</u>	<u>60</u>	<u>13</u>	<u>780</u>	<u>7.60</u>	<u>23.3</u>	<u>471.0</u>	
<u>9:50</u>	<u>80</u>	<u>13</u>	<u>1040</u>	<u>7.70</u>	<u>22.7</u>	<u>467.7</u>	
<u>10:10</u>	<u>100</u>	<u>13</u>	<u>1300</u>	<u>7.76</u>	<u>23.9</u>	<u>467.4</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>GARNER 635</u>	<u>10:35</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>B</u>	<u>-</u>

Additional Comments: Well has only been used for household over the last several days.



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-11-11</u>
Well ID: <u>HOWARD</u>	Weather: <u>SUNNY SO'S</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>200</u> Casing Diameter (in): <u>6"</u> Static Water Level (ft bmp): <u>154.24</u> Casing Volume (gals): <u>68</u> 3 Casing Volumes (gals): <u>204</u>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>10:30</u>							
<u>10:35</u>	<u>5</u>	<u>10</u>	<u>50</u>	<u>7.39</u>	<u>20.2</u>	<u>1427</u>	
<u>10:45</u>	<u>15</u>	<u>10</u>	<u>150</u>	<u>7.21</u>	<u>20.5</u>	<u>1489</u>	
<u>10:50</u>	<u>20</u>	<u>10</u>	<u>200</u>	<u>7.20</u>	<u>20.6</u>	<u>1489</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>Howard</u>	<u>10:55</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: Total purged volume = 250 gal



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-6-11</u>
Well ID: <u>KEEFER</u>	Weather: <u>Cloudy 70's</u>
ADWR No:	Sampler: <u>RSTO</u>

WELL DATA

Well Depth (ft bls): <u>245</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): <u>6"</u>	2	0.16
Static Water Level (ft bmp): <u>137.91</u>	4	0.65
Casing Volume (gals): <u>160</u>	5	1.02
3 Casing Volumes (gals): <u>480</u>	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>16:30</u>							
<u>16:40</u>	<u>10</u>	<u>12</u>	<u>120</u>	<u>7.39</u>	<u>19.9</u>	<u>523.4</u>	
<u>16:50</u>	<u>20</u>	<u>12</u>	<u>240</u>	<u>7.62</u>	<u>19.4</u>	<u>539.1</u>	
<u>17:00</u>	<u>30</u>	<u>12</u>	<u>360</u>	<u>7.43</u>	<u>18.9</u>	<u>545.8</u>	
<u>17:10</u>	<u>40</u>	<u>12</u>	<u>480</u>	<u>7.48</u>	<u>19.1</u>	<u>546.2</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>KEEFER</u>	<u>17:15</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u> </u>	<u> </u>

Additional Comments:



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-8-11</u>
Well ID: <u>MCCONNELL 265</u>	Weather: <u>Cloudy 60's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>216</u> Casing Diameter (in): <u>6"</u> Static Water Level (ft bmp): <u>159.10</u> Casing Volume (gals): <u>85</u> 3 Casing Volumes (gals): <u>255</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>8:45</u>							
<u>8:50</u>	<u>5</u>	<u>12</u>	<u>60</u>	<u>6.87</u>	<u>20.1</u>	<u>1807</u>	
<u>8:55</u>	<u>5</u>	<u>12</u>	<u>120</u>	<u>6.97</u>	<u>19.9</u>	<u>1783</u>	
<u>9:00</u>	<u>5</u>	<u>12</u>	<u>180</u>	<u>6.95</u>	<u>19.8</u>	<u>1797</u>	
<u>9:05</u>	<u>5</u>	<u>12</u>	<u>240</u>	<u>7.04</u>	<u>19.8</u>	<u>1775</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>MCCONNELL 265</u>	<u>9:10</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>-</u>

Additional Comments:

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-4-11</u>
Well ID: <u>Metzler</u>	Weather: <u>Sunny 70's</u>
ADWR No:	Sampler: <u>BJD</u>

WELL DATA

Well Depth (ft bls): <u>351</u> Casing Diameter (in): <u>6"</u> Static Water Level (ft bmp): <u>289.87</u> Casing Volume (gals): <u>90</u> 3 Casing Volumes (gals): <u>270</u>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>11:05</u>							
<u>11:20</u>	<u>15</u>	<u>4</u>	<u>60</u>	<u>6.85</u>	<u>24.0</u>	<u>1015</u>	
<u>11:35</u>	<u>30</u>	<u>4</u>	<u>120</u>	<u>6.83</u>	<u>23.1</u>	<u>1013</u>	
<u>11:50</u>	<u>45</u>	<u>4</u>	<u>180</u>	<u>7.04</u>	<u>23.1</u>	<u>1015</u>	
<u>12:05</u>	<u>60</u>	<u>4</u>	<u>240</u>	<u>7.02</u>	<u>22.5</u>	<u>1025</u>	
<u>12:20</u>	<u>75</u>	<u>4</u>	<u>300</u>	<u>7.03</u>	<u>23.3</u>	<u>1018</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>METZLER</u>	<u>12:25</u>	<u>Poly</u>	<u>250ml</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments:

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>L.O</u>	Date: <u>4-6-11</u>
Well ID: <u>Moore</u>	Weather: <u>Cloudy 80's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>220'</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): <u>6"</u>	2	0.16
Static Water Level (ft bmp): <u>N/A</u>	4	0.65
Casing Volume (gals):	5	1.02
3 Casing Volumes (gals):	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>14:30</u>							
<u>14:35</u>	<u>5</u>	<u>10</u>	<u>50</u>	<u>7.35</u>	<u>22.7</u>	<u>419.6</u>	
<u>14:40</u>	<u>10</u>	<u>10</u>	<u>100</u>	<u>7.30</u>	<u>21.7</u>	<u>421.2</u>	
<u>14:45</u>	<u>15</u>	<u>10</u>	<u>150</u>	<u>7.39</u>	<u>21.4</u>	<u>426.3</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>MOORE</u>	<u>14:48</u>	<u>250 Poly</u>	<u>280mL</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>✓</u>

Additional Comments: No WL. No access to well head. Purge, WPT, stable



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 4-9-11
Well ID: Noteman	Weather: Sunny 70's
ADWR No:	Sampler: BSD

WELL DATA

Well Depth (ft bls): 470	Casing Capacity	
Casing Diameter (in): 5"	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): N/A	2	0.16
Casing Volume (gals):	4	0.65
3 Casing Volumes (gals): 5435	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
14:35							
14:45	10	11 ⁰⁰	110	6.63	24.4	1421	
14:55	20	11	220	6.66	23.3	1437	
15:05	30	11	330	6.73	23.1	1445	
15:15	40	11	440	6.72	22.9	1446	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
NOTEMAN	16:20	Poly	250	1	300.0	Ø	
DUR20110404	14:30	Poly	250	1	300.0	Ø	

Additional Comments: No access to well head. Last available
 LWC = 37.54

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>6-17-11</u>
Well ID: <u>NSD-02</u>	Weather: <u>Sunny 80's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): _____ Casing Diameter (in): _____ Static Water Level (ft bmp): _____ <u>109.29</u> Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
 							

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
 							

Additional Comments:

WLO

Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 6-17-11
Well ID: NSD-03	Weather: Sunny 80s
ADWR No:	Sampler: BSD

WELL DATA

Well Depth (ft bls): _____ Casing Diameter (in): _____ Static Water Level (ft bmp): 88.76 Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments

Additional Comments: WLO

Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 4-6-11
Well ID: NWC-062	Weather: Sunny 80's
ADWR No:	Sampler: BJD

WELL DATA

Well Depth (ft bls): 312 Casing Diameter (in): 6" Static Water Level (ft bmp): Casing Volume (gals): 3 Casing Volumes (gals):	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Casing Capacity</th> </tr> <tr> <th>Nominal Size (inches)</th> <th>Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td>2</td><td>0.16</td></tr> <tr><td>4</td><td>0.65</td></tr> <tr><td>5</td><td>1.02</td></tr> <tr><td>6</td><td>1.47</td></tr> <tr><td>8</td><td>2.61</td></tr> <tr><td>10</td><td>4.08</td></tr> </tbody> </table> <p style="text-align: center;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
12:40		110		7.34	23.1	409.2	
12:44		110		7.29	22.8	416.3	
12:48		110		7.27	22.9	413.5	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
NWC-0602	12:52	Poly	250	1	300.0	☒	✓

Additional Comments: No WL because well is running. Well running 730min
 Flow meter is non-operational due to freezing this winter



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-6-11</u>
Well ID: <u>NWC-03</u>	Weather: _____
ADWR No: _____	Sampler: <u>B50</u>

WELL DATA

Well Depth (ft bls): <u>312</u> Casing Diameter (in): <u>6ⁿ</u> Static Water Level (ft bmp): <u>N/A</u> Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>11:53</u>		<u>50</u>		<u>7.15</u>	<u>22.2</u>	<u>1153</u>	
<u>11:58</u>		<u>50</u>		<u>7.14</u>	<u>21.6</u>	<u>1148</u>	
<u>12:03</u>		<u>50</u>		<u>7.19</u>	<u>21.7</u>	<u>1114</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>NWC-03</u>	<u>12:05</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	

Additional Comments: Well has been running >30 mins No WL. too
Flowmeter was broken during freezes over the winter



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-5-11</u>
Well ID: <u>NWC-09</u>	Weather: <u>Sunny 70's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>462</u> Casing Diameter (in): <u>8"</u> Static Water Level (ft bmp): _____ Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>11:10</u>				<u>7.08</u>	<u>24.1</u>	<u>888.9</u>	
<u>11:20</u>				<u>7.29</u>	<u>23.8</u>	<u>835.4</u>	
<u>11:30</u>				<u>7.31</u>	<u>23.2</u>	<u>829.2</u>	
<u>11:40</u>				<u>7.32</u>	<u>23.4</u>	<u>878.7</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>NWC-09</u>	<u>10:42</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: No WL because of old sandbar in the well. Flow meter was broken during freezes last winter. Well has been running on and off today



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>5-11-11</u>
Well ID: <u>NWC-09</u>	Weather: <u>Sunny 60s</u>
ADWR No:	Sampler: <u>BJD</u>

WELL DATA

Well Depth (ft bls): _____ Casing Diameter (in): _____ Static Water Level (ft bmp): _____ Casing Volume (gals): _____ 3 Casing Volumes (gals): _____	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
8	2.61	
10	4.08	
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>9:26</u>				<u>7.32</u>	<u>21.6</u>	<u>889.5</u>	
<u>9:31</u>				<u>7.40</u>	<u>22.9</u>	<u>876.8</u>	
<u>9:36</u>				<u>7.32</u>	<u>23.1</u>	<u>868.1</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>NWC-04</u>	<u>9:46</u>	<u>Pol</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	


Additional Comments: Flowmeter is broken. No discharge rate. Well has been running for approximately 1 hr. No WL sounder is stuck in the well



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 6-17-11
Well ID: NWC-04	Weather: Sunny 80's
ADWR No:	Sampler: BJD

WELL DATA

Well Depth (ft bls): _____ Casing Diameter (in): _____ Static Water Level (ft bmp): _____ Casing Volume (gals): _____ 3 Casing Volumes (gals): _____		Casing Capacity <table border="1" style="margin: auto; border-collapse: collapse;"> <thead> <tr> <th>Nominal Size (inches)</th> <th>Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td>2</td><td>0.16</td></tr> <tr><td>4</td><td>0.65</td></tr> <tr><td>5</td><td>1.02</td></tr> <tr><td>6</td><td>1.47</td></tr> <tr><td>8</td><td>2.61</td></tr> <tr><td>10</td><td>4.08</td></tr> </tbody> </table>	Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08	Casing Volume = gallons/foot * water column (feet)
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
08:50				7.12	23.7	860.9	
08:55	5			7.25	23.7	859.7	
09:00	10			7.27	23.5	858.2	
09:05	15			7.28	23.7	856.3	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
NWC-04	9:07	Poly	250ml	1	300.0	0	—

Additional Comments: Flowmeter is not working.
 No WL because of obstruction
 well has been running 730 min



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-6-11</u>
Well ID: <u>NWLC-0746</u>	Weather: <u>SUNNY 80'</u>
ADWR No: _____	Sampler: _____

WELL DATA

Well Depth (ft bls): <u>340'</u> Casing Diameter (in): <u>8"</u> Static Water Level (ft bmp): <u>—</u> Casing Volume (gals): <u>—</u> 3 Casing Volumes (gals): <u>—</u>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>12:18</u>				<u>7.41</u>	<u>23.4</u>	<u>386.6</u>	
<u>12:22</u>				<u>7.41</u>	<u>22.9</u>	<u>387.0</u>	
<u>12:26</u>				<u>7.42</u>	<u>23.1</u>	<u>388.3</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>NWLC-0746</u>	<u>12:30</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>⊖</u>	<u>+</u>
<u>DUP20110406</u>	<u>10:15</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>⊖</u>	<u>+</u>

Additional Comments: Flowmeter is broken. No WL because well is running well has been on for 730 min



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 4-5-11
Well ID: Palmer	Weather: Sunny 70's
ADWR No:	Sampler: BSI

WELL DATA

Well Depth (ft bls): 260' Casing Diameter (in): 6" Static Water Level (ft bmp): Casing Volume (gals): 3 Casing Volumes (gals): 	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
10:15	—	—	—	8.04	19.0	499.2	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
PALMER	10:15	poly	250ml	1	300.0	∅	—

Additional Comments: No access to well head. Sample is from tank. New place to sample is spigot inside fence. Old sample spigot was damaged over the winter.



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 4-4-11
Well ID: Parra	Weather: Sunny 70's
ADWR No:	Sampler: BSD

WELL DATA		
Well Depth (ft bls): 355'	Casing Capacity	
Casing Diameter (in): 6"	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): X	2	0.16
Casing Volume (gals):	4	0.65
3 Casing Volumes (gals):	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA							
Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
12:35							
12:45	10	8	80	6.90	23.9	1201	
12:50	15	8	120	6.81	22.7	1204	
12:55	20	8	160	6.90	22.6	1207	

SAMPLE INFORMATION							
Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
PARRA	13:00	Poly	250	1	300.0	Ø	—

Additional Comments: No WL due to obstruction in well. Purge until stable

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-8-11</u>
Well ID: <u>PIONKE</u>	Weather: <u>SUNNY 60°</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>300</u> Casing Diameter (in): <u>6"</u> Static Water Level (ft bmp): <u>153.04</u> Casing Volume (gals): <u>216</u> 3 Casing Volumes (gals): <u>648</u>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>10:30</u>							
<u>10:50</u>	<u>20</u>	<u>8</u>	<u>160</u>	<u>7.09</u>	<u>20.0</u>	<u>1197</u>	
<u>11:10</u>	<u>40</u>	<u>8</u>	<u>320</u>	<u>7.13</u>	<u>19.3</u>	<u>1223</u>	
<u>11:30</u>	<u>60</u>	<u>8</u>	<u>480</u>	<u>7.15</u>	<u>19.8</u>	<u>1223</u>	
<u>11:50</u>	<u>80</u>	<u>8</u>	<u>640</u>	<u>7.13</u>	<u>19.2</u>	<u>1232</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>PIONKE</u>	<u>11:55</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>⊗</u>	<u>/</u>

Additional Comments: Total purge volume = 680 gals.



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 4-6-11
Well ID: POOL	Weather:
ADWR No:	Sampler: B50

WELL DATA

Well Depth (ft bls): 300' Casing Diameter (in): 6" Static Water Level (ft bmp): Casing Volume (gals): 3 Casing Volumes (gals): -470	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
13:30							
13:40	10	13	130	7.31	23.6	563.1	
13:50	20	13	260	7.27	22.9	565.7	
14:00	30	13	390	7.32	21.6	566.9	
14:05	35	13	455	7.37	21.6	567.4	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
POOL	14:08	Poly	250	1	300-0	☒	—

Additional Comments: No WL due to no access at well head



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-11-11</u>
Well ID: <u>RAMIREZ</u>	Weather: <u>SUNNY 60'S</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bis): <u>300</u> Casing Diameter (in): <u>6"</u> Static Water Level (ft bmp): <u>161.48</u> Casing Volume (gals): <u>205</u> 3 Casing Volumes (gals): <u>615</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>12:45</u>							
<u>12:55</u>	<u>10</u>	<u>18</u>	<u>180</u>	<u>7.20</u>	<u>23.8</u>	<u>406.2</u>	
<u>13:05</u>	<u>20</u>	<u>18</u>	<u>360</u>	<u>7.16</u>	<u>23.4</u>	<u>407.7</u>	
<u>13:15</u>	<u>30</u>	<u>18</u>	<u>540</u>	<u>7.24</u>	<u>23.2</u>	<u>408.5</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>RAMIREZ</u>	<u>13:22</u>	<u>Poly</u>	<u>250ml</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments:

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-5-11</u>
Well ID: <u>Ray</u>	Weather: <u>SUNNY 80's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>100</u>	Casing Capacity	
Casing Diameter (in): <u>6"</u>	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): <u>51.84</u>	2	0.16
Casing Volume (gals): <u>71</u>	4	0.65
3 Casing Volumes (gals): <u>215</u>	5	1.02
	6	1.47
	8	2.61
	10	4.08
	Casing Volume = gallons/foot * water column (feet)	

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>15:35</u>							
<u>15:45</u>	<u>10</u>	<u>7</u>	<u>70</u>	<u>7.07</u>	<u>21.5</u>	<u>1415</u>	
<u>15:55</u>	<u>20</u>	<u>7</u>	<u>140</u>	<u>7.00</u>	<u>21.9</u>	<u>1431</u>	
<u>16:05</u>	<u>30</u>	<u>7</u>	<u>210</u>	<u>7.03</u>	<u>20.8</u>	<u>1387</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>RAY</u>	<u>16:10</u>	<u>Poly</u>	<u>250ml</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	

Additional Comments:



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-8-11</u>
Well ID: <u>Rogers 596</u>	Weather: <u>Cloudy 50's</u>
ADWR No:	Sampler: <u>RJD</u>

WELL DATA

Well Depth (ft b/s): <u>290</u>	Casing Capacity	
Casing Diameter (in): <u>6"</u>	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): <u>137.68</u>	2	0.16
Casing Volume (gals): <u>—</u>	4	0.65
3 Casing Volumes (gals): <u>—</u>	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							

Additional Comments: Water household is connected to ROGERS 803
ROGERS 596 is off - LWLO

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-8-11</u> ³⁰⁴⁻⁸⁻¹¹
Well ID: <u>ROGERS 803</u>	Weather: <u>Cloudy 50's</u>
ADWR No:	Sampler: <u>35D</u>

WELL DATA

Well Depth (ft bls): <u>140</u>	Casing Capacity	
Casing Diameter (in): <u>6"</u>	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): <u>137.68 (Rogers 596)</u>	2	0.16
Casing Volume (gals):	4	0.65
3 Casing Volumes (gals):	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>8:10</u>							
<u>8:15</u>	<u>5</u>	<u>8</u>	<u>40</u>	<u>7.26</u>	<u>18.5</u>	<u>660.5</u>	
<u>8:17</u>	<u>7</u>	<u>8</u>	<u>56</u>	<u>7.27</u>	<u>19.9</u>	<u>658.2</u>	
<u>8:20</u>	<u>10</u>	<u>8</u>	<u>80</u>	<u>7.30</u>	<u>20.2</u>	<u>658.2</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>ROGERS 803</u>	<u>8:23</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>3000</u>	<u>Ø</u>	<u>-</u>

Additional Comments: Confirmed with David Rogers that house is currently connected to 803 and 596 is off. Purge until stable



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-11-11</u>
Well ID: <u>ROGERS E</u>	Weather: <u>SUNNY 60'S</u>
ADWR No:	Sampler: <u>BJD</u>

WELL DATA

Well Depth (ft bls): <u>290</u>	Casing Capacity	
Casing Diameter (in): <u>6"</u>	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): <u>—</u>	2	0.16
Casing Volume (gals): <u>—</u>	4	0.65
3 Casing Volumes (gals): <u>~600</u>	5	1.02
	6	1.47
	8	2.61
	10	4.08
	Casing Volume = gallons/foot * water column (feet)	

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>11:35</u>							
<u>11:45</u>	<u>10</u>	<u>13</u>	<u>130</u>	<u>7.23</u>	<u>21.9</u>	<u>431.7</u>	
<u>12:05</u>	<u>30</u>	<u>13</u>	<u>390</u>	<u>7.21</u>	<u>22.8</u>	<u>427.5</u>	
<u>12:15</u>	<u>40</u>	<u>13</u>	<u>520</u>	<u>7.10</u>	<u>22.6</u>	<u>428.0</u>	
<u>12:25</u>	<u>50</u>	<u>13</u>	<u>650</u>	<u>7.19</u>	<u>22.7</u>	<u>427.2</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>ROGERS E</u>	<u>12:27</u>	<u>Poly</u>	<u>250ml</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: Could not get sounder down last available purge volume using WL = 600 gal

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-8-11</u>
Well ID: <u>RUIZ</u>	Weather: <u>Partly Cloudy 50's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>312</u>	Casing Capacity	
Casing Diameter (in): <u>6"</u>	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): <u>297.20</u>	2	0.16
Casing Volume (gals): <u>22</u>	4	0.65
3 Casing Volumes (gals): <u>66</u>	5	1.02
	6	1.47
	8	2.61
	10	4.08
	Casing Volume = gallons/foot * water column (feet)	

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
9:50							
9:55	5	6	30	6.99	19.2	936.2	
10:00	10	6	60	7.11	19.4	912.5	
10:05	15	6	90	7.09	19.8	923.3	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>RUIZ</u>	<u>10:08</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>306.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments:

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-11-11</u>
Well ID: <u>Schwartz</u>	Weather: <u>Sunny 60's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>305</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): <u>6"</u>	2	0.16
Static Water Level (ft bmp): <u>127.50</u>	4	0.65
Casing Volume (gals): <u>261</u>	5	1.02
3 Casing Volumes (gals): <u>783</u>	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>13:55</u>							
<u>14:10</u>	<u>15</u>	<u>11</u>	<u>165</u>	<u>7.08</u>	<u>22.7</u>	<u>622.2</u>	
<u>14:25</u>	<u>30</u>	<u>11</u>	<u>330</u>	<u>7.18</u>	<u>22.0</u>	<u>628.1</u>	
<u>14:40</u>	<u>45</u>	<u>11</u>	<u>495</u>	<u>7.14</u>	<u>21.5</u>	<u>637.3</u>	
<u>14:55</u>	<u>60</u>	<u>11</u>	<u>660</u>	<u>7.19</u>	<u>21.7</u>	<u>651.2</u>	
<u>15:05</u>	<u>70</u>	<u>11</u>	<u>770</u>	<u>7.20</u>	<u>21.5</u>	<u>656.9</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>SCHWARTZ</u>	<u>13:07</u> <u>15:07</u>	<u>Poly</u>	<u>2.50mL</u>	<u>1</u>	<u>3000</u>	<u>Ø</u>	

Additional Comments:



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: L.O	Date: 4-11-11
Well ID: TW1713	Weather: _____
ADWR No: _____	Sampler: _____

WELL DATA		
Well Depth (ft bis): <u>N/A</u>	Casing Capacity	
Casing Diameter (in): _____	Nominal Size (inches)	Gallons per Linear Foot
Static Water Level (ft bmp): <u>135.72</u>	2	0.16
Casing Volume (gals): _____	4	0.65
3 Casing Volumes (gals): _____	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA							
Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							
 							

SAMPLE INFORMATION							
Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments

Additional Comments: WLO

Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 1.0	Date: 4-11-11
Well ID: TV1 875	Weather: Sunny 60's
ADWR No:	Sampler: BTD

WELL DATA

Well Depth (ft bls): 330	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): 6 1/4	2	0.16
Static Water Level (ft bmp):	4	0.65
Casing Volume (gals):	5	1.02
	6	1.47
	8	2.61
	10	4.08
3 Casing Volumes (gals):	Casing Volume = gallons/foot * water column (feet)	

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
11:14				7.14	21.1	821.6	
11:17				7.20	20.9	824.5	
11:20				7.20	21.1	870.6	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
TV1-875	11:22	Poly	250	1	300.0	Ø	—

Additional Comments: Well is already on



Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-11-11</u>
Well ID: <u>WEED</u>	Weather: <u>SUNNY 70's</u>
ADWR No:	Sampler: <u>BSP</u>

WELL DATA

Well Depth (ft bls): <u>320</u> Casing Diameter (in): <u>N/A</u> Static Water Level (ft bmp): <u>↓</u> Casing Volume (gals): <u>↓</u> 3 Casing Volumes (gals):	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Casing Capacity</th> </tr> <tr> <th style="text-align: center;">Nominal Size (inches)</th> <th style="text-align: center;">Gallons per Linear Foot</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">2</td><td style="text-align: center;">0.16</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">0.65</td></tr> <tr><td style="text-align: center;">5</td><td style="text-align: center;">1.02</td></tr> <tr><td style="text-align: center;">6</td><td style="text-align: center;">1.47</td></tr> <tr><td style="text-align: center;">8</td><td style="text-align: center;">2.61</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">4.08</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">Casing Volume = gallons/foot * water column (feet)</p>	Casing Capacity		Nominal Size (inches)	Gallons per Linear Foot	2	0.16	4	0.65	5	1.02	6	1.47	8	2.61	10	4.08
Casing Capacity																	
Nominal Size (inches)	Gallons per Linear Foot																
2	0.16																
4	0.65																
5	1.02																
6	1.47																
8	2.61																
10	4.08																

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>16:20</u>							
<u>16:23</u>	<u>3</u>	<u>12</u>	<u>24</u>	<u>7.51</u>	<u>21.4</u>	<u>386.7</u>	
<u>16:27</u>	<u>7</u>	<u>12</u>	<u>84</u>	<u>7.43</u>	<u>21.4</u>	<u>385.6</u>	
<u>16:30</u>	<u>10</u>	<u>12</u>	<u>120</u>	<u>7.44</u>	<u>21.5</u>	<u>386.6</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>WEED</u>	<u>16:32</u>	<u>Poly</u>	<u>250</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments: No WL. No access to port for WL



Groundwater Sampling Form

Project No: 055038	Client: Freeport Copper Queen Branch
Task No: 10	Date: 4-11-11
Well ID: WEISKOPF	Weather: SUNNY 70S
ADWR No:	Sampler: BSD

WELL DATA

Well Depth (ft bls): 200	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
Casing Diameter (in): 6"	2	0.16
Static Water Level (ft bmp): 146.31	4	0.65
Casing Volume (gals): 80	5	1.02
3 Casing Volumes (gals): 240	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
15:25							
15:30	10	10	100	6.92	22.0	1317	
15:40	20	10	200	6.91	22.3	1360	
15:45	25	10	250	6.88	22.4	1365	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
WEISKOPF	15:47	Poly	250	1	300.0	Ø	

Additional Comments: ~~No GLE sounder is not working~~ ^{BD}

Groundwater Sampling Form

Project No: <u>055038</u>	Client: <u>Freeport Copper Queen Branch</u>
Task No: <u>1.0</u>	Date: <u>4-6-11</u>
Well ID: <u>Zander</u>	Weather: <u>Cloudy, 80's</u>
ADWR No:	Sampler: <u>BSD</u>

WELL DATA

Well Depth (ft bls): <u>280</u> Casing Diameter (in): <u>6"</u> Static Water Level (ft bmp): <u>147.84</u> Casing Volume (gals): <u>194</u> 3 Casing Volumes (gals): <u>582</u>	Casing Capacity	
	Nominal Size (inches)	Gallons per Linear Foot
	2	0.16
	4	0.65
	5	1.02
	6	1.47
	8	2.61
	10	4.08
Casing Volume = gallons/foot * water column (feet)		

FIELD SAMPLING DATA

Time	Elapsed Time (min)	Discharge Rate (gpm)	Total Discharge (gallons)	pH (SU)	Temp (°C)	Specific Conductance (µS/cm)	Comments
<u>15:10</u>							
<u>15:20</u>	<u>10</u>	<u>12</u>	<u>120</u>	<u>7.49</u>	<u>20.6</u>	<u>419.7</u>	
<u>15:30</u>	<u>20</u>	<u>12</u>	<u>240</u>	<u>7.62</u>	<u>20.1</u>	<u>417.1</u>	
<u>15:40</u>	<u>30</u>	<u>12</u>	<u>360</u>	<u>7.23</u>	<u>20.3</u>	<u>418.5</u>	
<u>15:50</u>	<u>40</u>	<u>12</u>	<u>480</u>	<u>7.30</u>	<u>19.9</u>	<u>421.0</u>	
<u>16:00</u>	<u>50</u>	<u>12</u>	<u>600</u>	<u>7.20</u>	<u>19.7</u>	<u>425.6</u>	

SAMPLE INFORMATION

Sample ID	Time	Container Type	Volume	No. of Containers	Analysis Method	Preservative	Comments
<u>ZANDER</u>	<u>16:05</u>	<u>Poly</u>	<u>250mL</u>	<u>1</u>	<u>300.0</u>	<u>Ø</u>	<u>—</u>

Additional Comments:

