

MITIGATION PERFORMANCE REVIEW FOR 2015

MITIGATION ORDER ON CONSENT DOCKET NO. P-121-07



Prepared for:

FREEPORT MINERALS CORPORATION
COPPER QUEEN BRANCH
36 West Highway 92
Bisbee, Arizona 85603

Prepared by:

CLEAR CREEK ASSOCIATES, P.L.C.
221 North Court Avenue, Suite 101
Tucson, Arizona 85701

April 15, 2016

**MITIGATION PERFORMANCE REVIEW FOR 2015
MITIGATION ORDER ON CONSENT DOCKET NO. P-121-07**

Prepared for:

**FREEPORT MINERALS CORPORATION
COPPER QUEEN BRANCH**
36 West Highway 92
Bisbee, Arizona 85603

Approved by:  

James R. Norris
Arizona Registered Geologist No. 30842

April 15, 2016

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
1.1	Background.....	1
1.2	Mitigation Action Objective.....	2
1.3	Role and Scope of the Mitigation Performance Review.....	3
2.0	REVIEW OF MITIGATION PLAN ACTIONS IN 2015.....	4
2.1	Expanded Groundwater Monitoring.....	4
2.2	Long Term Plume Monitoring.....	5
2.3	Water Supply Study.....	6
2.4	Annual ADWR Well Registry Records Review.....	7
2.5	Contingent Mitigation of Drinking Water Supplies.....	8
3.0	ANALYSIS OF GROUNDWATER MONITORING DATA.....	9
3.1	Hydrogeologic Setting.....	9
3.2	Sulfate Concentration Data.....	10
3.2.1	Contour Map of Sulfate Concentrations.....	10
3.2.2	Time Series Graphs of Sulfate Concentration at Public Drinking Water Supply Wells.....	11
3.2.3	Time Series Graphs of Sulfate Concentration at Monitoring Wells.....	11
3.2.3.1	Lateral Plume Edge Monitoring Wells.....	11
3.2.3.2	Plume Edge Monitoring Wells Below the Plume.....	12
3.2.3.3	Regional Monitoring Wells in the Plume.....	12
3.3	Groundwater Elevation Data.....	13
3.3.1	Contour Map of Groundwater Elevations.....	13
3.3.2	Hydrographs.....	13
3.4	Assessment of Plume Migration.....	14
4.0	ASSESSMENT OF MITIGATION ACTION PERFORMANCE.....	16
4.1	Mitigation Action Objective.....	16
4.2	Groundwater Monitoring Programs.....	16
4.2.1	Expanded Groundwater Monitoring.....	16
4.2.2	Long Term Plume Monitoring.....	17
4.3	Water Supply Study.....	17
4.4	Assessment of Mitigation Performance.....	17
5.0	REFERENCES.....	18

TABLES

- 1 Mitigation Plan Schedule for Long Term Plume Monitoring

FIGURES

- 1 Project Location Map
- 2 Groundwater Monitoring Locations
- 3 Naco Area Well Sites
- 4 Long Term Plume Monitoring Locations
- 5 Water Supply Study Areas
- 6 Geologic Map with Monitoring Locations
- 7 Sulfate Concentrations in Site-Wide Groundwater Samples for Third Quarter 2015
- 8 Sulfate Concentrations at the West Edge of the Plume for Third Quarter 2015
- 9 Sulfate Concentrations in Site-Wide Groundwater Samples for Third Quarter 2008
- 10 Sulfate Concentration in Public Drinking Water Supply Wells
- 11 Sulfate Concentration in Lateral Plume Edge Wells North, South, and East of the Plume
- 12 Sulfate Concentration in Lateral Plume Edge Wells West of the Plume
- 13 Sulfate Concentration in Plume Edge Wells in Basin Fill West of the Plume
- 14 Sulfate Concentration in Plume Edge Wells Below the Plume
- 15 Sulfate Concentration in Regional Monitor Wells in the Plume
- 16 Site-Wide Groundwater Elevations for Third Quarter 2015
- 17 Site-Wide Groundwater Elevations for Third Quarter 2008
- 18 Basin Fill Groundwater Elevations at the West Edge of the Plume for Third Quarter 2015
- 19 Hydrographs for Selected BMO Monitor Wells in Basin Fill
- 20 Hydrographs for BMO Monitor Wells in Basin Fill for Expanded Groundwater Monitoring Program
- 21 Hydrographs for BMO Monitor Wells in Bedrock

APPENDICES

- A Sulfate Data
- B Water Elevation Data

1.0 INTRODUCTION

This mitigation performance review is a requirement of the Mitigation Plan (Clear Creek Associates, 2015b) submitted to Arizona Department of Environmental Quality (ADEQ) in March 2015. The Mitigation Plan was submitted pursuant to the Mitigation Order on Consent Docket No. P-121-07 (ADEQ, 2007) between ADEQ and Freeport Minerals Corporation Copper Queen Branch (CQB) (previously known as Freeport-McMoRan Corporation).

The mitigation performance review reports an evaluation of the effectiveness of the groundwater mitigation action conducted by CQB to address a groundwater plume of sulfate in the vicinity of the Concentrator Tailing Storage Area (CTSA) near Naco, south of Bisbee, Arizona (Figure 1). The objective of the mitigation action is to prevent sulfate concentrations at drinking water supply wells from exceeding 250 milligrams per liter (mg/L) at the point of use, if the sulfate originated at the CTSA. The mitigation action consists of groundwater monitoring and contingency mitigation planning. Groundwater monitoring tracks the location of the plume and documents sulfate concentrations in drinking water supply wells in the vicinity of the plume. Contingency mitigation action planning will establish action levels for sulfate, evaluate potential alternate sources of drinking water supply, and develop preliminary engineering designs for actions that could be used to mitigate public drinking water supplies near Naco, if mitigation is needed.

This mitigation performance review evaluates the effectiveness of the mitigation action based on the results of groundwater monitoring data collected during 2015 and the progress of its component actions. This is the second mitigation performance review under the Mitigation Plan. ADEQ agreed to a conditional approval of the annual groundwater monitoring reporting and groundwater monitoring provisions of the Mitigation Plan while the plan is in review (ADEQ, 2015).

1.1 Background

The Mitigation Plan describes the process to be followed to implement the mitigation action¹ for

¹ The term mitigation action encompasses all actions implemented under the Mitigation Plan. If a contingent mitigation measure is implemented or implemented measures are changed due to adaptive management, then the term mitigation action encompasses the contingency or change.

sulfate in groundwater that may affect² existing drinking water supplies. Drinking water supplies in the vicinity of the CTSA do not exceed the sulfate action level of 250 mg/L at this time because CQB mitigated previously affected supplies (CQB, 2013) under a separate plan (Clear Creek Associates, 2012) approved by ADEQ (ADEQ, 2012).

The mitigation action being implemented by CQB is Alternative 1C, which was the recommended alternative of the Feasibility Study (Clear Creek Associates, 2014) submitted to and approved by ADEQ (ADEQ, 2014). The mitigation action contains the following components:

- expanded groundwater monitoring to track plume migration in the vicinity of Arizona Water Company (AWC) wellfield and Naco Water Company (NWC) public water supplies near Naco, and to monitor the sulfate concentration at the leading edge of the plume for the purposes of establishing sentinel wells with action levels that, if exceeded, would trigger a contingent mitigation action at a public supply, if needed,
- long term plume monitoring to monitor sulfate at public and private drinking water supplies and to describe the large scale geometry of the plume over time,
- a water supply study to identify a potential alternate groundwater source for mitigation of a public water supply, if needed, and
- annual review of Arizona Department of Water Resources (ADWR) well registry records for wells within a mile of the plume edge to identify new drinking water supply wells for sampling.

1.2 Mitigation Action Objective

The mitigation action objective defined in the Mitigation Order and described in the Feasibility Study is to “practically and cost effectively provide a drinking water supply that meets applicable standards and with sulfate concentrations less than 250 mg/L to the owner(s)/operator(s) of existing drinking water supplies determined...to have an average sulfate concentration in excess of 250 mg/L...as a result of the sulfate plume originating from the PDCTSA”.

² The terms “affect” and “affected”, with reference to a drinking water supply, are defined for the purpose of the Mitigation Plan as indicating a water supply with an average sulfate concentration exceeding 250 milligrams per liter due to sulfate originating from the Concentrator Tailing Storage Area.

1.3 Role and Scope of the Mitigation Performance Review

The Mitigation Plan specifies that mitigation performance reviews will assess whether the Mitigation Plan actions are performing as expected with respect to the mitigation action objective. The performance reviews evaluate whether the Mitigation Plan actions need modification to meet the mitigation action objective or can be terminated.

The mitigation performance review evaluates the data CQB collects under the expanded groundwater monitoring and long term plume monitoring programs. The monitoring data are used to evaluate sulfate trends at monitoring and drinking water supply wells. Water level data are used to evaluate the apparent groundwater flow direction and velocity in the vicinity of the plume.

The performance review may recommend modifications to the expanded groundwater monitoring and long term groundwater monitoring programs, if warranted based on prevailing conditions. As described in the Mitigation Plan, adaptive management would be used to evaluate and modify the mitigation actions in the event that conditions assumed for the Mitigation Plan change or the performance review analysis determines that the plume is migrating in a way that is significantly different from previous predictions.

Per the Mitigation Plan, mitigation performance reviews will be conducted and submitted to ADEQ annually for the first five years of the Mitigation Plan actions and every five years thereafter. The frequency of mitigation performance reviews would revert back to annual if a trigger level established pursuant to the expanded groundwater monitoring program is exceeded at a time when mitigation performance reviews are submitted every five years. The annual reporting frequency would continue until a contingency action is taken or sulfate consistently drops below the trigger level, after which the frequency for mitigation performance reviews would return to every five years.

2.0 REVIEW OF MITIGATION PLAN ACTIONS IN 2015

The expanded groundwater monitoring and long term groundwater monitoring programs gather information on sulfate concentrations and groundwater levels using a network of groundwater monitoring and private wells in the vicinity of the plume. Figure 2 and 3 show the locations of wells monitored under the Mitigation Plan and discussed in this report.

2.1 Expanded Groundwater Monitoring

The expanded groundwater monitoring program monitors the position of the plume in the immediate vicinity of the existing AWC and NWC public water supplies near Naco. An objective of the expanded groundwater monitoring program is to identify sentinel well locations for the public water supplies and sentinel well action levels that would, if exceeded, initiate contingent mitigation actions.

CQB initiated the expanded groundwater monitoring program in 2014. Drilling, well construction, well development, and well testing began in September 2014 pursuant to a work plan submitted to ADEQ (Clear Creek Associates 2015c). The installation, hydraulic testing, and initial sampling of new monitoring wells placed between the plume and the AWC and NWC wellfields near Naco were completed in March 2015. The results of well installation, hydraulic testing, water level measurement, and water quality analyses of sulfate through the second quarter of 2015 were reported to ADEQ in August 2015 (Clear Creek Associates, 2015d). Subsequent sulfate and water level data are reported in the annual groundwater monitoring report (Clear Creek Associates, 2016b). Figure 3 shows the locations of monitoring wells installed for the expanded groundwater monitoring program.

Two wells were installed at each location to monitor different depth intervals of the aquifer. The groundwater monitoring data collected at new and existing wells will be used to track plume movements and sulfate concentration trends for assessment of the potential for sulfate to affect a drinking water supply. The data will be also used to identify sentinel well locations and to develop sulfate action levels for the sentinel wells. Pursuant to the Mitigation Plan, the expanded groundwater monitoring wells are being sampled for eight (8) quarters to determine baseline conditions. The results of groundwater monitoring conducted in 2015 are reported in the annual groundwater monitoring report submitted to ADEQ (Clear Creek Associates, 2016b).

The expanded groundwater monitoring program has the following schedule of activities:

- install and test new monitoring wells by October 1, 2015, and complete eight quarters of sampling and analysis for sulfate by October 1, 2017,
- in consultation with AWC, develop a conceptual design and critical path analysis to identify the implementation timeframe for an alternate water supply by July 1, 2017. If an alternate supply is determined to be infeasible, the conceptual design and critical path analysis will be developed for a large scale RO treatment system by July 1, 2017, and
- submit a report to ADEQ describing action levels and sentinel well recommendations by April 1, 2018.

The expanded groundwater monitoring program is on track to meet the schedule of activities. Well installation and testing were completed in March 2015 and eight (8) quarters of baseline monitoring at the new wells will be completed ahead of schedule in the fourth quarter of 2016. As discussed in Section 2.3, the water supply study identified a potentially feasible alternate water supply in the basin fill south of the AWC wellfield. Therefore, an implementation timeframe will be developed for an alternate water supply. CQB will begin development of the conceptual design and critical path analysis to meet the July 2017 submittal date. Sentinel well locations and action levels will be developed once the baseline monitoring and implementation timeframe for an alternate supply are completed.

2.2 Long Term Plume Monitoring

The long term plume monitoring program collects information on the distribution of sulfate and water level conditions in and around the plume. Public and private drinking water supplies are monitored to determine their sulfate concentration with respect to the 250 mg/L mitigation action objective. Water level and sulfate measurements are collected at monitoring wells throughout the plume to track the large scale geometry and concentration of the plume over time. The objectives of long term plume monitoring are:

- determination of the sulfate concentration in drinking water supplies within a one-mile radius of the outer edge of the sulfate plume (i.e., the 250 mg/L sulfate concentration contour),
- identification of the plume margin for ongoing delineation of the plume extent and assessment of plume migration (plume edge monitoring),
- documentation of the sulfate concentrations in the plume and areas distal to the plume to monitor long term concentration trends (regional monitoring), and
- measurement of water levels in the vicinity of the plume to document potentiometric conditions.

The long term plume monitoring program was implemented in 2015 pursuant to the Mitigation Plan and replaces the ADEQ-approved groundwater monitoring plan (ADEQ, 2010) that was used through 2014. Table 1 lists the groundwater monitoring schedule in place during 2015 for long term plume monitoring. Figure 4 shows well locations and sampling frequencies for long term plume monitoring. The results of groundwater monitoring in 2015 were reported to ADEQ in the annual groundwater monitoring report (Clear Creek Associates, 2016b) submitted to ADEQ in March 2016 per the reporting schedule in the Mitigation Plan. The long term plume monitoring program is conducted in conjunction with the expanded groundwater monitoring program (Section 2.1), which has similar objectives, but focuses on public water supplies near Naco.

2.3 Water Supply Study

The water supply study was conducted to identify and evaluate potential new sources of water for water supply mitigation of public supplies near Naco, if needed. The water supply study tested exploration targets in the basin fill aquifer south of the AWC wellfield and in bedrock on CQB property north of San Jose (Figure 5) (Clear Creek Associates, 2016a).

The basin fill exploration well, LADD 635, was installed south of the AWC wellfield in an area outside the path of the plume. The saturated thickness of basin fill at LADD 635 is approximately 322 feet. Ladd 635 was pumped at a rate of 232 gallons per minute for four (4) days with 17.7 feet of drawdown and a specific capacity of 13.1 gallons per minute per foot; indicating the basin fill in this area is capable of producing at pumping rates similar to the AWC wellfield. A water quality sample collected after pumping LADD 635 for 3.25 days was tested for the large suite of analytes required by the ADEQ New Source Approval Form for new drinking water supplies. The sample results met Arizona Aquifer Water Quality Standards (Arizona Administrative Code R18-11-406) and U.S. Environmental Protection Agency primary drinking water Maximum Contaminant Levels (Environmental Protection Agency, 2012) for the organic, inorganic, and radiological constituents monitored by ADEQ for a new drinking water supply; indicating the groundwater is suitable as a potable supply. The basin fill aquifer south of the AWC wellfield has good potential as an alternate water supply based on the hydraulic and water quality testing results.

An exploration boring was installed in bedrock north of San Jose and a 20-day pumping test was conducted at a pre-existing bedrock monitor well. Hydraulic testing during drilling of the exploration borehole and development of the two piezometers installed in the borehole indicates that the bedrock permeability is low. The pumping test results at the pre-existing monitor well indicate that although the bedrock monitor well could be pumped continuously at about 39

gallons per minute with 7.6 feet of drawdown, the water level only recovered approximately 50 percent after pumping. The incomplete recovery is indicative of a spatially bounded aquifer that would be dewatered with continuous pumping. Water quality testing at the pre-existing monitor well indicated that the groundwater is suitable for a potable supply. However, the bedrock aquifer is interpreted to have poor potential as source for an alternate water supply based on its low permeability and bounded nature.

The intent of the water supply study is to determine the feasibility and schedule of developing an alternate public supply prior to an indication of its need. The water supply study results indicate that an alternate drinking water supply could be developed in the basin fill aquifer south of the AWC wellfield. The basin fill near exploration well LADD 635 should not be affected by the plume, which is expected to remain north of Greenbush Draw. Pursuant to the Mitigation Plan, CQB will work with AWC to prepare a preliminary implementation schedule for the engineering design, permitting, procurement, and construction tasks needed to develop the supply.

The Mitigation Plan schedule calls for completing the water supply study by July 1, 2016. The water supply study was completed in 2015 and reported to ADEQ ahead of schedule in February 2016 (Clear Creek Associates, 2016a).

2.4 Annual ADWR Well Registry Records Review

Groundwater wells installed in Arizona are required to be registered with ADWR. Under the Mitigation Plan, the ADWR well registry records are reviewed annually to identify new existing wells installed within one mile of the edge of the plume. The water use at new wells is determined from the ADWR registry record and inquiry with the well owner. CQB offers to sample a new drinking water supply well within a mile of the plume and adds the well to the long term plume monitoring schedule. The ability to sample any new wells is dependent on permission from the well owner to access the well.

The results of the well registry review for 2015 are reported in the annual groundwater monitoring report for 2015 (Clear Creek Associates, 2016b). The well registry review identified three private drinking water supply wells installed since the last well registry review in April 2012: POWER 639, BOOTH, and OLMOS. POWER 639 is receiving bottled water for potable uses and has been offered connection to AWC supply as a mitigation action, but had not currently accepted. BOOTH and OLMOS are outside the plume and have been offered water quality sampling consistent with the Mitigation Plan. BOOTH declined sampling, whereas OLMOS agreed to sampling.

2.5 Contingent Mitigation of Drinking Water Supplies

Section III.E of the Mitigation Order indicates that drinking water supply mitigation applies to existing drinking water supplies that are determined to be affected based on water sampling and analysis. Contingent mitigation of drinking water supplies, if needed, is used to provide a drinking water supply meeting the mitigation action objective of 250 mg/L sulfate. As described in the FS and the Mitigation Plan, the term “contingent” is used because it is uncertain whether a drinking water supply will be affected in the future. CQB monitors public and private drinking water supplies under the long term plume monitoring program (Section 2.2) and would mitigate a drinking water supply that monitoring data indicates warrants a mitigation action.

In 2014, one drinking water supply well, POWER 639, was determined to have an average sulfate concentration greater than 250 mg/L. Pursuant to the Mitigation Order, CQB provided bottled drinking water to the well owner and submitted an interim action report to ADEQ (CQB, 2014). In 2015, the owner of POWER 639 was offered connection to AWC water supply as a final mitigation action, but has not currently accepted.

3.0 ANALYSIS OF GROUNDWATER MONITORING DATA

The results of groundwater monitoring in 2015 are evaluated to characterize the extent and migration of the plume, including results from the expanded groundwater monitoring program.

3.1 Hydrogeologic Setting

The hydrogeology in the vicinity of the plume is described in detail in the Aquifer Characterization Report (ACR) (Clear Creek Associates, 2010) prepared for the Mitigation Order. The following summary is provided to describe the general hydrogeologic framework in which the mitigation actions are conducted.

The CTSA is in the northeastern portion of the Bisbee-Naco physiographic basin south of the Mule Mountains (Figure 1). The Mule Mountains, Cerro La Muela, and Sierra San Jose form the northern, eastern, and southern margins of the basin, respectively. Approximately one-half of the physiographic basin lies in Mexico. The mountains surrounding the basin are composed of bedrock materials, and the basin area consists of clastic sediment, called basin fill, which is underlain by bedrock. Surface runoff from the Bisbee-Naco watershed drains into Greenbush Draw, which flows west to the Upper San Pedro River.

Groundwater occurs in two hydrostratigraphic units in the vicinity of the sulfate plume: basin fill and bedrock of the Bisbee Group. Figure 6 is a map of the surface geology of the area in the vicinity of the sulfate plume based on Hayes and Landis (1964). Basin fill is relatively permeable and consists of poorly to moderately cemented sand and gravel deposits formed by alluvial fans emanating from the mountains. The thickness of the basin fill increases from zero at the mountain fronts to approximately 635 feet in the central portion of the basin north of Naco. Bedrock of the Bisbee Group underlies the basin fill and consists of (from younger to older) the Cintura Formation, Mural Limestone, Morita Formation, and Glance Conglomerate. The bedrock has a low to moderate permeability compared to the basin fill, although massively bedded portions of the Mural Limestone may be relatively impermeable.

The sulfate plume extends southwest and south from the former evaporation pond to the vicinity of Naco and Bisbee Junction. West of the Black Gap fault, the sulfate plume is contained primarily within the basin fill, although elevated sulfate concentrations do extend into the underlying undifferentiated Bisbee Group in the central and northern portions of the plume. East of the Black Gap fault the sulfate plume is entirely within bedrock as the basin fill is unsaturated. On an area-wide basis, approximately half of the plume is contained in bedrock.

3.2 Sulfate Concentration Data

The sulfate data were used to create concentration contour maps and time series graphs for evaluation of the plume extent and sulfate concentration trends over time. The sulfate data are collected for both the monitoring of drinking water supplies and for plume characterization. The determination of sulfate concentration at public and private drinking water supplies measures attainment of the mitigation action objective. Sulfate data for plume characterization are collected at wells differentiated according to three monitoring purposes: lateral plume edge monitoring, plume edge monitoring beneath the plume, and regional monitoring, as identified in Table 1. Plume edge monitoring tracks the migration of the plume edge. Regional monitoring provides data for describing the long term evolution of the plume. The sulfate data used for this performance review are in Appendix A.

3.2.1 Contour Map of Sulfate Concentrations

Figures 7 and 8 are maps of inferred sulfate concentration contours for the third quarter of 2015. Figure 7 shows the site-wide distribution of sulfate whereas Figure 8 focuses on the western, downgradient edge of the plume. The third quarter data are used to describe the distribution of sulfate because it is the quarter with the largest geographic coverage of sulfate measurements and the numeric values are representative of results from the other quarters of 2015. Sulfate concentration contour maps for the site-wide distribution of sulfate in the first quarter of 2015 and of the west edge of the plume in the first, second and fourth quarters of 2015 are provided in the annual groundwater monitoring report (Clear Creek Associates, 2016b).

The extent of the sulfate plume is defined to be the 250 mg/L sulfate concentration contour based on previous reporting for the Mitigation Order (e.g., Clear Creek Associates, 2010, 2014, and 2015a). Figure 9 shows the sulfate concentration contour map reported for the third quarter of 2008 for comparison with the maps for the third quarter of 2015. The overall extent of the plume in 2015 is similar to that in 2008. Sulfate concentration data collected from the close-spaced wells installed for the expanded groundwater monitoring program provide more definition to the 250 mg/L sulfate concentration contour at the leading edge of the plume. The new data show the west edge of the plume to be more irregular than previously interpreted.

As discussed in the ACR (Clear Creek Associates, 2010) the plume has a vertical dimension. The vertical extent of the plume is determined from plume edge monitoring wells in and beneath the footprint of the plume. These wells are evidenced on Figures 7, 8, and 9, as wells within the 250 mg/L sulfate concentration contour that have sulfate concentrations less than 250 mg/L.

3.2.2 Time Series Graphs of Sulfate Concentration at Public Drinking Water Supply Wells

Time series graphs of sulfate concentrations were prepared for public drinking water supply wells to compare concentrations to the mitigation action objective. Time series plots for sulfate were not made for private drinking water supply wells because they are assessed individually on a sample-by-sample basis each time they are sampled.

The sulfate data for public drinking water supply wells indicate that sulfate concentrations are less than 250 mg/L in all wells and that the mitigation action objective is being met. Figure 10 shows sulfate concentrations since 2008 at public drinking water supply wells. The sulfate concentration at the AWC wells were all less than 78 mg/L in 2015, and less than the 150 mg/L temporary sulfate action level set in the Mitigation Plan for the AWC wellfield. The NWC wells NWC-02 and NWC-06 had sulfate concentrations less than 10 mg/L in 2015. Sulfate concentrations have been relatively stable over time at AWC-02, AWC-04, AWC-05, NWC-02, and NWC-06. The sulfate concentration at AWC-03 increased from 41 mg/L to 77.1 mg/L between 2008 and January 2015, and was 56 mg/L in July 2015. Sulfate concentrations at NWC-04, near Bisbee Junction, which is believed to be at the receding edge of the plume, ranged between 177 and 230 mg/L in 2015. The sulfate concentrations at NWC-04 increased in 2015 compared to concentrations in 2014, but are in the historical range of concentrations for the well. The sulfate concentration in NWC-04 in January 2016 was 190 mg/L.

3.2.3 Time Series Graphs of Sulfate Concentration at Monitoring Wells

The monitoring purpose of monitoring wells across the site is listed on Table 1. Time series graphs for plume edge monitoring wells illustrate sulfate trends in wells outside of and proximal to the plume, whereas plots for selected regional monitoring wells illustrate sulfate trends at locations within the plume.

3.2.3.1 Lateral Plume Edge Monitoring Wells

Sulfate concentrations over time for lateral plume edge monitoring wells on the north, south, and east of the plume are shown on Figure 11. Lateral plume edge monitoring wells on the west side of the plume, excluding wells installed for the expanded groundwater monitoring program, are shown on Figure 12. The lateral plume edge wells in Figures 11 and 12 are screened in both the basin fill and the bedrock aquifers. Figure 13 displays sulfate concentrations in lateral plume edge monitoring wells in basin fill on the west edge of the plume, including the expanded groundwater monitoring program wells.

The data from lateral plume edge wells north, south, and east of the plume demonstrate that sulfate concentrations have remained relatively steady over the period of record, although concentrations in BMO-2008-3B and COB WL have declined since 2013. Sulfate concentrations are not expected to increase in these wells because the plume is believed to be migrating primarily to the west based on groundwater flow directions inferred from measured hydraulic gradients (Section 3.3).

Wells BMO-2008-5B, BMO-2008-5M, and BMO-2008-6M are the only lateral plume edge wells west of the plume that display increasing concentrations over the period of record. Linear trend lines through the sulfate data for these wells indicate average rates of increase ranging from 4.6 mg/L per year at BMO-2008-6M to 8.7 mg/L per year at BMO-2008-5B. The west edge of the plume is the advancing front of the plume so an increasing trend in the sulfate concentrations of some wells on the west edge of the plume is expected. The purpose of the expanded groundwater monitoring program is to document concentration trends and plume migration in detail along the west edge of the plume.

3.2.3.2 Plume Edge Monitoring Wells Below the Plume

Sulfate concentrations over time for plume edge monitoring wells below the plume are shown on Figure 14. Five BMO monitoring wells are used to monitor sulfate concentrations below the plume. Sulfate concentrations in BMO-2008-4B, BMO-2008-7M, and BMO-2008-8M, west of the Black Gap fault, have been steady or decreasing over time. Sulfate concentrations in BMO-2008-9M and BMO-2010-1M, east of the Black Gap fault, have increased. Linear trend lines through the sulfate data for these wells indicate rates of increase ranging from 5.1 mg/L per year at BMO-2008-9M to 8.8 mg/L per year at BMO-2010-1M.

3.2.3.3 Regional Monitoring Wells in the Plume

Sulfate concentrations over time for selected regional monitor wells in the plume are shown on Figure 15. The wells depicted in this figure are distributed along the axis of the plume from the vicinity of the CTSA to the downgradient edge of the plume. The concentration data show that sulfate declined in BMO-2008-8B and BMO-2008-10GU for a year after their installation and has been relatively steady since 2010. The sulfate concentrations in well BMO-2008-10GL have declined continuously over the period of record. The wells exhibiting declines are in the upgradient portion of the plume with the highest sulfate concentrations. The declining concentrations in the upgradient area may be indicative of ongoing reductions in loading from historical sources. Sulfate concentrations in wells, BMO-2008-13B, and -13M and WEISKOPF 803, which are farther downgradient from the CTSA, have not changed significantly between 2008 and 2015.

3.3 Groundwater Elevation Data

The groundwater elevation data are calculated from measurements of depth to water from surveyed measuring points at wells. The measurements of depth to water are made under static (non-pumping) conditions whenever possible. Water levels measured at wells that have been pumping, such as drinking water supply wells, may have a component of residual drawdown even though they were inactive when the water level was measured. Residual drawdown occurs when the water level in a well has not yet returned to its static level after pumping stops. In practice, the water level recovery in a well after pumping is a site-specific characteristic depending on the hydraulic properties of the aquifer and the well. Some degree of residual drawdown may be possible in measurements made at both the public and private drinking water supply wells. Appendix B is a compilation of the water elevation data.

3.3.1 Contour Map of Groundwater Elevations

A site-wide water elevation contour map for the third quarter of 2015 is shown by Figure 16. Figure 17 is the water elevation map for the third quarter of 2008 for comparison with the 2015 map. The overall pattern of water elevation contours in the third quarter of 2014 is similar to the pattern observed by groundwater monitoring since 2008. In general, the groundwater elevation decreases from east to west, indicating groundwater flow to the west. The lateral hydraulic gradient, or change in water elevation per unit distance, is higher east of the Black Gap fault where the basin fill is unsaturated and groundwater is in bedrock. The lateral hydraulic gradient decreases west of the Black Gap fault where saturated basin fill overlies the bedrock.

Figure 18 shows water elevations in basin fill at the west edge of the plume in the third quarter 2015. The basin fill provides the majority of the water pumped for the public water supplies near Naco. The migration of the plume in the basin fill is being studied by the expanded groundwater monitoring program. Maps of site-wide groundwater elevations in the first quarter of 2015 and elevations at the west edge of the plume in the first, second, and fourth quarters of 2015 are in the annual groundwater monitoring report (Clear Creek Associates, 2016b).

3.3.2 Hydrographs

Figure 19 shows hydrographs for selected BMO monitoring wells in basin fill. Groundwater elevations in BMO monitor wells screened in basin fill decreased from 2008 to 2013 and have been relatively steady since then. A seasonal pattern characterized by summer low and winter high water levels is evident at some wells. The separation between hydrographs for the MO wells

in basin fill is uniform over time, indicating that the relative elevation difference and hydraulic gradient between the wells remains the same over time.

Hydrographs for wells installed for the expanded groundwater monitoring program are shown on Figure 20. Water elevation data since April 2015 are consistent between the wells. Water elevations for BMO-2008-5B and BMO-2010-3B are shown for comparison to the expanded groundwater monitoring program wells.

Hydrographs for BMO series monitoring wells in bedrock are shown by Figure 21. Groundwater elevations in bedrock wells BMO-2008-1G, BMO-2008-5M, BMO-2008-6M, BMO-2008-7M, BMO-2008-8M, BMO-2008-9M, BMO-2008-13M, and BMO-2010-3M declined until 2013, similar to the basin fill wells, and have been relatively steady since then. The groundwater elevations in bedrock wells BMO-2008-10GL, BMO-2008-10GU, BMO-2008-11G, BMO-2010-1M, BMO-2010-2M, and BMO-2012-1M have increasing trends.

The cause of the decline in water elevations in the basin fill wells and the bedrock wells beneath basin fill is interpreted to be the long term drought condition that has reduced the amount of natural recharge to the aquifers. As explained in the ACR, bedrock wells displaying increasing groundwater elevations are interpreted to be completed in a different aquifer unit than the bedrock wells with declining water levels.

3.4 Assessment of Plume Migration

Sulfate concentration maps for 2015 and 2008 do not show significant differences in the site-wide extent of the 250 mg/L sulfate concentration contour; although data collected from the additional wells installed as part of the expanded groundwater monitoring network indicate a more irregular front than was previously evident (Figures 7 and 8). Sulfate concentrations at some of the plume edge wells indicate gradual increases in sulfate over time rather than rapid increases that would indicate a sharp concentration front (Figure 12). Water level data indicate that the site-wide hydraulic gradient has not changed significantly between 2008 and 2015 (Figure 16 and 17).

The direction and rate of movement of the plume are important factors for contingency mitigation planning. The sulfate plume is expected to migrate to the west at the average groundwater flow velocity because sulfate acts as a soluble salt that is readily transported in groundwater and does not adsorb or precipitate in the basin fill aquifer. Previously, the migration rate of the plume front was estimated to be approximately 50 to 100 feet per year based on hydraulic gradients in 2010 and 2011, an average hydraulic conductivity of 28.1 feet

per day for basin fill at the front of the plume, and a porosity of 25% (Clear Creek Associates, 2014).

The purpose of the expanded groundwater monitoring program (Section 2.1) is to use sulfate concentration data to directly measure the plume migration between sets of wells placed laterally between the plume and public water supplies near Naco. However, sulfate concentration data to date are insufficient to calculate plume velocity because the plume front has not yet been observed arriving at wells sequentially along a flow path. Therefore, there are no clear trends in the data collected to date (Figure 13) and additional monitoring is needed to identify trends.

Additional analysis of plume migration rates and an update of the numerical model for groundwater flow and sulfate transport (Clear Creek Associates, 2010 and 2014) will be conducted following the eight quarters of baseline monitoring at wells installed for the expanded groundwater monitoring program and in conjunction with the development of sentinel well and action level recommendations. Recommendations for sentinel wells and action levels are to be reported to ADEQ by April 1, 2018.

4.0 ASSESSMENT OF MITIGATION ACTION PERFORMANCE

The performance of the mitigation action is assessed based on the mitigation action objective and the implementation progress of the groundwater monitoring programs and alternate water supply study.

4.1 Mitigation Action Objective

The mitigation action objective was met at public and private drinking water supply wells in 2015. As discussed in Section 2.5, one private well is receiving an interim action of bottled water while awaiting connection to AWC water supply as a final mitigation action. Groundwater monitoring data do not show evidence of plume migration that would present an imminent risk to either public or private drinking water supplies. The groundwater monitoring programs needed to assess attainment of the mitigation action objective at drinking water supplies are in place and ongoing. A program for contingent mitigation planning is in place to assess potential future actions that could be used to meet the mitigation action objective, if needed.

4.2 Groundwater Monitoring Programs

The groundwater monitoring programs collect and report sulfate concentration and water level data needed to evaluate the sulfate concentrations of drinking water supplies and to understand and predict plume migration.

4.2.1 Expanded Groundwater Monitoring

The expanded groundwater monitoring program installed and tested new monitor wells at the leading edge of the plume as part of an ongoing program to quantify the rate of plume migration and hydrogeologic conditions in the vicinity of Naco area public water supplies. The data developed by the expanded groundwater monitoring program will be used along with the findings of the alternate water supply study and contingency mitigation planning to identify sentinel well locations and set action levels for sulfate that could trigger mitigation actions for the Naco area public water supplies, if needed.

Well installation and testing were initiated in 2014 and completed in March 2015. Groundwater samples will be collected quarterly from each new well for at least eight quarters to establish baseline conditions for the wells. The expanded groundwater monitoring program met the

Mitigation Plan deadline of completing well installation and testing by October 1, 2015 and will complete eight quarters of baseline sampling ahead of schedule in the fourth quarter of 2016. The conceptual design and critical path analysis for drinking water supply mitigation will be conducted in time to meet the July 2017 deadline. Locations for sentinel wells and sulfate action levels will be evaluated following completion of the baseline sampling and the implementation timeframe for drinking water supply mitigation. The recommendations for sentinel wells and sulfate action levels are due to ADEQ by April 1, 2018.

4.2.2 Long Term Plume Monitoring

The groundwater monitoring program collects and reports sulfate concentrations in drinking water supplies, and sulfate concentration and water level data for plume evaluation. The groundwater monitoring program in 2015 met its objectives (Section 2.2) of documenting sulfate concentrations in drinking water supply wells and providing the data used to evaluate sulfate concentration and water elevations for the mitigation action (Sections 3.2 and 3.3).

4.3 Water Supply Study

Exploration well installation, testing, and reporting for the water supply study were completed in 2015, ahead of the July 2016 deadline of the Mitigation Plan. The results of the water supply study indicate that the basin fill aquifer near Naco is potentially capable of producing water of a quality appropriate for potable use at rates similar to those of the public drinking water supplies.

4.4 Assessment of Mitigation Performance

The mitigation action is meeting the mitigation action objective and is judged to be performing as expected based on the results of groundwater monitoring and the progress to date of the expanded groundwater monitoring program and the water supply study. Work is ongoing to implement the mitigation actions needed to develop safeguards and contingency plans for public drinking water supplies according to the Mitigation Plan schedule. Based on the currently available data, there is no need to modify the mitigation action at this time.

5.0 REFERENCES

- Arizona Department of Environmental Quality (ADEQ). 2007. Mitigation Order on Consent Docket No. P-121-07, In the Matter of: Phelps Dodge Corporation, Copper Queen Branch, located at 36 West Highway 92, Bisbee, Arizona, ADEQ Identification Number 100531. November 14, 2007.
- ADEQ. 2010. Correspondence from Cynthia Campbell, ADEQ, to Rebecca Sawyer, CQB, Re: Request to Modify Groundwater Monitoring Program, Mitigation Order on Consent No. P-127-07, Your Letter dated January 25, 2010. April 22, 2010.
- ADEQ. 2012. Correspondence from Mindi Cross, ADEQ, to Rebecca Sawyer, CQB, Re: Seventeenth Status Report for Mitigation Order on Consent No. P-121-07; Freeport-McMoRan Corporation, Copper Queen Branch August 17, 2012 response letter for travel time analysis for the sulfate plume and proposed schedule for the Feasibility Study and Mitigation Plan; and Feasibility Study and Mitigation Plan for Drinking Water Supplies Affected By Sulfate Mitigation on Consent Docket No. 121-07, prepared by Clear Creek Associates, P.L.C., dated March 28, 2012. October 10, 2012.
- ADEQ. 2014. Correspondence from Mindi Cross, ADEQ, to Stuart Brown, Freeport-McMoRan Copper & Gold, Re: Review of Feasibility Study Report, Mitigation Order on Consent Docket No. P-121-07, Arizona, dated July 30, 2013, prepared by Clear Creek Associates, P.L.C. April 2, 2014.
- ADEQ. 2015. Email correspondence from Madeline Keller, ADEQ, to William Hart, CQB. Re: Mitigation Order on Consent No. P-127-07. March 11, 2015.
- Clear Creek Associates. 2010. Revision I Aquifer Characterization Report, Task 4.0 of Aquifer Characterization Plan, Mitigation Order on Consent Docket No. P-121-07, Cochise County, Arizona, Volumes I and II. December 15, 2010.
- Clear Creek Associates. 2012. Feasibility Study and Mitigation Plan for Drinking Water Supplies Affected by Sulfate, Mitigation Order on Consent Docket No. P-121-07. March 28, 2012.
- Clear Creek Associates. 2014. Feasibility Study for Drinking Water Supplies that may be Affected by Sulfate in the Future, Mitigation Order on Consent Docket No. P-121-07. May 28, 2014.
- Clear Creek Associates. 2015a. Fourth Quarter 2014 Groundwater Monitoring Report, Tasks 1.0 and 2.2 of Aquifer Characterization Plan Mitigation Order on Consent Docket No. P-121-07, Cochise County, Arizona. January 27, 2015.
- Clear Creek Associates. 2015b. Mitigation Plan for Sulfate with Respect to Drinking Water Supplies, Revision 1, Mitigation Order on Consent Docket No. P-121-07. March 6, 2015.

- Clear Creek Associates. 2015c. Field Work Plan for Monitor Well Installation for Expanded Groundwater Monitoring, Mitigation Order on Consent Docket No. P-121-07. March 6, 2015.
- Clear Creek Associates. 2015d. Results of Well Installation and Groundwater Monitoring Through the Second Quarter of 2015 for the Expanded Groundwater Monitoring Program, Monitoring, Mitigation Order on Consent Docket No. P-121-07. August 19, 2015.
- Clear Creek Associates. 2016a. Exploration Drilling and Hydraulic Testing for Water Supply Study, Mitigation Order on Consent Docket No. P-121-07. February 5, 2016.
- Clear Creek Associates. 2016b. Annual Groundwater Monitoring Report for 2015, Mitigation Order on Consent Docket No. P-121-07. March 1, 2016.
- Copper Queen Branch (CQB). 2013. Correspondence from Rebecca A. Sawyer, CQB, to Mindi Cross, ADEQ, Re: Mitigation Order on Consent No. P-121-07, Private Well Mitigation. March 7, 2013.
- CQB. 2014. Correspondence from Robert Quintanar, CQB, to Mindi Cross, ADEQ, Subject: Interim Action Report for Power Well, Mitigation Order on Consent No. P-121-07. March 24, 2014.
- Hayes, P.T. and E.R. Landis. 1964. Geologic Map of the Southern Part of the Mule Mountains, Arizona. United States Geological Survey Miscellaneous Geologic Investigations Map-418.
- U.S. Environmental Protection Agency. 2012. 2012 Edition of Drinking Water Standards and Health Advisories, EPA 822-S-12-001. April 2012.

TABLES

TABLE 1
Mitigation Plan Schedule for Long Term Plume Monitoring

Well Name	ADWR 55 Registry Number	Well Use	Monitoring Purpose	Semiannual Sampling First Quarter	Annual Sampling Third Quarter	Biennial Sampling Third Quarter
ANDERSON 396	613396	PNDW	RM	WLO	WLO	✓
ANDERSON 458	221458	PDWS	DWS (Mit)		✓	
ASLD 435	616435	STOCK	RM	WLO	WLO	
AWC-02	616586	PWS	DWS (>2000)	✓	✓	
AWC-03	616585	PWS	DWS (>2000)	✓	✓	
AWC-04	616584	PWS	DWS (>2000)	✓	✓	
AWC-05	590620	PWS	DWS (>2000)	✓	✓	
BANKS 986	647986	PDWS	DWS (>2000)		✓	
BANKS 987	647987	PNDW	RM	WLO	WLO	
BARTON 919	644919	PNDW	RM	WLO	WLO	
BIMA	577927	PNDW	RM			✓
BMO-2008-1G	909474	MW	PE (Lateral)	✓	✓	
BMO-2008-3B	909147	MW	PE (Lateral)	✓	✓	
BMO-2008-4B	910096	IRR	PE (Below)	WLO	✓	
BMO-2008-5B	909653	PDWS	DWS (<2000)	✓	✓	
BMO-2008-5M	909552	MW	PE (Lateral)	✓	✓	
BMO-2008-6B	909146	MW	PE (Lateral)	✓	✓	
BMO-2008-6M	909019	MW	PE (Lateral)	✓	✓	
BMO-2008-7M	908794	MW	PE (Below)	WLO	✓	
BMO-2008-8B	910097	MW	RM	WLO	WLO	✓
BMO-2008-8M	909711	MW	PE (Below)	WLO	✓	
BMO-2008-9M	909255	MW	PE (Below)	WLO	✓	
BMO-2008-10GL	909435	MW	RM	WLO	WLO	✓
BMO-2008-10GU	909272	MW	RM	WLO	WLO	✓
BMO-2008-11G	909434	MW	PE (Lateral)	✓	✓	
BMO-2008-13B	909551	MW	RM	WLO	WLO	✓
BMO-2008-13M	909760	MW	RM	WLO	WLO	✓
BMO-2010-1M	219957	MW	PE (Below)	WLO	✓	
BMO-2010-2M	219958	MW	RM	WLO	WLO	✓
BMO-2010-3B	219970	MW	PE (Lateral)	✓	✓	
BMO-2010-3M	219969	MW	PE (Lateral)	✓	✓	
BMO-2012-1M	221388	MW	PE (Lateral)	✓	✓	
BMO-2014-1BL	917393	MW	PE (Lateral)		Quarterly thru 4Q16	
BMO-2014-1BU	917394	MW	PE (Lateral)		Quarterly thru 4Q16	
BMO-2014-2BL	917452	MW	PE (Lateral)		Quarterly thru 4Q16	
BMO-2014-2BU	917453	MW	PE (Lateral)		Quarterly thru 4Q16	
BMO-2014-3BL	917527	MW	PE (Lateral)		Quarterly thru 4Q16	
BMO-2014-3BU	917494	MW	PE (Lateral)		Quarterly thru 4Q16	
BMO-2014-4B	917620	MW	PE (Lateral)		Quarterly thru 1Q17	
BMO-2014-4BL	917619	MW	PE (Lateral)		Quarterly thru 1Q17	
BMO-2015-1B	917622	MW	PE (Lateral)		Quarterly thru 1Q17	
BMO-2015-1BL	917621	MW	PE (Lateral)		Quarterly thru 1Q17	
BMO-2015-2B	917827	MW	PE (Lateral)		Quarterly thru 1Q17	
BMO-2015-2BL	917828	MW	PE (Lateral)		Quarterly thru 1Q17	
BOOTH	914931	PDWS	DWS (<2000)	✓	✓	
BURKE	212268	PDWS	DWS (>2000)		✓	
CHAMBERS	629807	PDWS	DWS (>2000)		✓	
COB MW-1	903992	MW	RM	WLO	WLO	✓
COB MW-2	903984	MW	PE (Lateral)	✓	✓	
COB MW-3	906823	MW	RM	WLO	✓	
COB WL	593116	MW	PE (Lateral)	✓	✓	
COOPER	623564	PDWS	DWS (<2000)	✓	✓	
COOPER C	637069	MW	RM		✓	

TABLE 1
Mitigation Plan Schedule for Long Term Plume Monitoring

Well Name	ADWR 55 Registry Number	Well Use	Monitoring Purpose	Semiannual Sampling First Quarter	Annual Sampling Third Quarter	Biennial Sampling Third Quarter
DODSON	644927	PDWS	DWS (<2000)	✓	✓	
DOUGLASS 791	592791	PNDW	RM		WLO	
DOUGLASS 792	592792	PNDW	RM		WLO	
EAST	599796	PDWS	DWS (>2000)		✓	
ECHAVE	219449	PDWS	DWS (>2000)		✓	
EPPELE 641	805641	PDWS	DWS (>2000)		✓	
FRANCO 383	221383	PDWS	DWS (Mit)		✓	
FULTZ	212447	PDWS	RM		✓	
GARNER 557	558557	PNDW	RM	WLO	WLO	
GARNER 635	587635	PDWS	DWS (Mit)		✓	
GOAR RANCH	610695	PNDW	RM	WLO	WLO	
HOBAN	805290	MW	RM	WLO	✓	
HOWARD NR	NR	PNDW	RM	WLO	WLO	✓
HOWARD 312	221312	PDWS	DWS (Mit)		✓	
KEEFER	209744	PDWS	DWS (>2000)		✓	
LADD 251	520251	PNDW	RM	WLO	WLO	
LADD 538	505538	PNDW	RM	WLO	WLO	
LADD 635	224635	STOCK	RM	Quarterly WLO through 1Q17		
LADD 837	519837	PNDW	RM	WLO	WLO	
LADD 977	642977	STOCK	RM	WLO	WLO	
MARCELL	NR	PNDW	RM			✓
MCCONNELL 265	539265	PNDW	RM	WLO	WLO	✓
MCCONNELL 459	221459	PDWS	DWS (Mit)		✓	
METZLER	35-71891	PNDW	RM	WLO	WLO	
MOORE	538847	PDWS	DWS (>2000)		✓	
NESS	509127	PDWS	DWS (>2000)		✓	
NOTEMAN	212483	PNDW	RM			✓
NSD-02	527587	MW	RM	WLO	WLO	
NSD-03	527586	MW	RM	WLO	WLO	
NWC-02	562944	PWS	DWS (>2000)	✓	✓	
NWC-03 CAP	627684	PNDW	RM	WLO	WLO	
NWC-04	551849	PWS	DWS (<2000)		Quarterly	
NWC-06	575700	PWS	DWS (>2000)	✓	✓	
OLMOS (added 2016)	224745	PDWS	DWS	WLO	✓	
OSBORN	643436	PDWS	DWS (>2000)		✓	
PALMER	578819	PDWS	DWS (>2000)		✓	
PANAGAKOS	35-76413	PDWS	PE (Lateral)	✓	✓	
PARRA	576415	PNDW	RM			✓
PIONKE 395	613395	PNDW	RM	WLO	WLO	✓
PIONKE 517	221517	PDWS	DWS (Mit)		✓	
POOL	509518	PDWS	DWS (>2000)		✓	
POWER 639	222639	PDWS	DWS (<2000)	✓	✓	
RAMIREZ	216425	PDWS	DWS (>2000)	WLO	✓	
RAY	803772	PDWS	DWS (>2000)		✓	
ROGERS 596	573596	PNDW	RM	WLO	WLO	
ROGERS 803	641803	PDWS	DWS (<2000)	✓	✓	
ROGERS E (as of 2016)	216018	PDWS	DWS (<2000)	✓	✓	
RUIZ	531770	PDWS	DWS (<2000)	✓	✓	
SCHWARTZ	210865	PDWS	DWS (<2000)	✓	✓	
STEPHENS	808560	PNDW	RM	WLO	WLO	
SWAN	NR	PDWS	DWS (>2000)		✓	
THOMPSON 151	612151	PNDW	RM	WLO	WLO	
THOMPSON 341	218341	PDWS	DWS (>2000)		✓	

TABLE 1
Mitigation Plan Schedule for Long Term Plume Monitoring

Well Name	ADWR 55 Registry Number	Well Use	Monitoring Purpose	Semiannual Sampling First Quarter	Annual Sampling Third Quarter	Biennial Sampling Third Quarter
TM-02A	522574	MW	RM	WLO	WLO	✓
TM-06 MILLER	522695	MW	RM	WLO	WLO	✓
TM-07	522576	MW	PE (Lateral)	✓	✓	
TM-10 USBP	522696	MW	RM	✓	✓	
TM-15 MILLER	522699	MW	RM		✓	
TM-16	522578	MW	RM	WLO	WLO	✓
TM-19A	522580	MW	RM		✓	
TM-42	562554	MW	RM	WLO	WLO	✓
TVI 236	802236	IRR	PE (Lateral)	✓	✓	
TVI 713	567713	PNDW	RM	WLO	WLO	
TVI 875	568875	IRR	RM		✓	
WEED	544535	PDWS	DWS (<2000)	✓	✓	
WEISKOPF 802	641802	PNDW	RM	WLO	WLO	✓
WEISKOPF 897	220897	PDWS	DWS (Mit)		✓	
ZANDER	205126	PDWS	DWS	WLO	✓	

Notes:

35-71891 ADWR 35 Database
ADWR Arizona Department of Water Resources
NR No Record


Well Use

PWS Public Water Supply
PDWS Private Drinking Water Supply
PNDW Private Non-Drinking Water
IRR Irrigation
MW Monitoring Well
STOCK Stock-Wildlife Watering


Monitoring Purpose

DWS (<2000) Drinking Water Supply, Greater than 2000 feet from the plume
DWS (>2000) Drinking Water Supply, Less than 2000 feet from the plume
DWS (Mit) Drinking Water Supply, Mitigation well installed below plume
PE (Lateral) Plume Edge Monitoring, Lateral to plume
PE (Below) Plume Edge Monitoring, Below plume
RM Regional Monitoring
WLO Water Level Only

FIGURES




- LEGEND**
- CTSA FACILITY
 - FACILITY DISCUSSED IN TEXT
 - 250 mg/L SULFATE CONCENTRATION CONTOUR



Date 03/18/2016 File ID 055038-239C


FIGURE 1
Project Location Map



Copyright:© 2013 National Geographic Society, i-cubed

Legend


- Monitoring Location
- ▭ Former Evaporation Ponds
- ▭ CTSA Facility
- Fault



Projection: UTM Zone
12N NAD83

Date	3/22/16	File ID	055038-414a

FIGURE 2
Groundwater Monitoring
Locations



Legend

- Existing Well
- ▲ Expanded Groundwater Monitoring Well



File ID	055038-413A
Date	3/22/16





FIGURE 3
Naco Area
Well Sites




Copyright:© 2013 National Geographic Society, i-cubed

Legend

Monitoring Frequency

- Quarterly Sampling (NWC-04 Only)
- ▲ Semiannual Sampling (First and Third Quarter)
- Annual Sampling (Third Quarter)
- Biennial Sampling (Third Quarter)
- Water Level Only (Semiannual, Annual, or Biennial)


- 2000 feet from Q3 2015 estimated 250 mg/L sulfate contour
- - - Faults (dashed where inferred)
- CTSA Facility
- 3Q15 250 mg/L SO4 Contour



Projection: UTM Zone 12N NAD83

Date	3/24/16	File ID	055038-419

FIGURE 4
Long Term Plume
Monitoring Locations



Legend

- Groundwater Exploration Zone
- CQB Property Boundary
- Road
- LADD 635



File ID	055038-468
Date	3/22/16






FIGURE 5
Water Supply
Study Areas



Legend <ul style="list-style-type: none"> ● Monitoring Location --- Fault Former Evaporation Ponds 	Basin Fill <ul style="list-style-type: none"> Qal - Quaternary Alluvium Qg - Quaternary Gravel QTs - Quaternary Tertiary sediment Ti - Tertiary Intrusive 	Bisbee Group <ul style="list-style-type: none"> Kc - Cintura Formation (not shown) Kmu - Upper Mural Limestone Kml - Lower Mural Limestone Km - Morita Formation Kg - Glance Conglomerate 	Geologic Unit - Hayes and Landis (1964) <ul style="list-style-type: none"> Pc - Colina Limestone PPe - Earp Formation Phu, Phm, Phi - Horquilla Limestone Me - Escabrosa Limestone Dm - Martin Limestone Ca - Abrigo Limestone 	Paleozoic Sedimentary Formations <ul style="list-style-type: none"> Me - Escabrosa Limestone Dm - Martin Limestone Ca - Abrigo Limestone 	Scale (Feet) 0 3,000 6,000	Date: 3/22/16 File ID: 055038-358E
	See Figure 2 for Monitor Location Names					Projection: UTM Zone 12N NAD83 Geology reprinted from Hayes and Landis (1964) USGS Miscellaneous Geologic Investigations I-418

FIGURE 6
 Geologic Map
 with Monitoring Locations




Copyright: © 2013 National Geographic Society

- Legend**
- AWC-02 Well ID
 - 20 SO4 Concentration (mg/L)
Duplicate results separated by "/"
 - SO4 Concentration Contours
(dashed where inferred)
 - Faults (dashed where inferred)
 - CTSA Facility
 - Co-located Wells
 - Well ID
 - Screen (ft bls): Sulfate Levels (mg/L)

- Screened Formation**
- Basin Fill
 - Basin Fill and Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group - Estimated
 - Undifferentiated Bisbee Group and Glance Conglomerate
 - Glance Conglomerate
 - Glance Conglomerate - Estimated
 - Undifferentiated Bisbee Group: Cintura, Mural Limestone, and Morita Formations

NSQ = Not Scheduled for Quarter
 NPA = No Property Access
 WIO = Well Inoperable
 mg/L = milligrams per liter
 ft bls = feet below land surface
 Sulfate contours are based on represented and historical data.



Notes:


1. Sulfate exceeds 250 mg/L over 40-foot screen interval of BMO-2015-1BL, but not the depth average sample of the basin fill aquifer as represented by BMO-2015-1B.

Projection: UTM Zone, 12N NAD83

Date 3/22/16 File ID 055038-450A



FIGURE 7
 Sulfate Concentrations in Site-Wide Groundwater Samples for Third Quarter 2015




Copyright: © 2013 National Geographic Society

Legend

- NWC-02 Well ID
- 6.3 Sulfate Concentration (mg/L)
Duplicate results separated by "/"
- Sulfate Concentration (dashed where inferred)
- - - Fault (Inferred)
- Co-located Wells
- Well ID
- Screen (ft bls): Sulfate Levels (mg/L)

- Screened Formation**
- Basin Fill
 - Basin Fill and Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group - Estimated
 - Undifferentiated Bisbee Group and Glance Conglomerate
 - Glance Conglomerate
 - Glance Conglomerate - Estimated
- Undifferentiated Bisbee Group: Cintura, Mural Limestone, and Morita Formations


NSQ = Not Scheduled for Quarter
 NPA = No Property Access
 WIO = Well Inoperable
 mg/L = milligrams per liter
 ft bls = feet below land surface
 Sulfate contours are based on represented and historical data.



Notes:
 1. Sulfate exceeds 250 mg/L over 40-foot screen interval of BMO-2015-1BL, but not the depth average sample of the basin fill aquifer as represented by BMO-2015-1B.
 Projection: UTM Zone, 12N NAD83

Date	3/22/16	File ID	055038-449A

FIGURE 8
 Sulfate Concentrations at the West Edge of the Plume for Third Quarter 2015



Copyright: © 2013 National Geographic Society

Legend

- TM-19A Well ID
- 55.3 Sulfate Concentration (mg/L)
(Duplicate results separated by "/")
- 250— Sulfate Concentration Line (mg/L)
- - - Faults (inferred)
- Co-located Wells
- Well ID
- Screen (ft bls): Sulfate Levels (mg/L)

Screened Formation

- Basin Fill
- Basin Fill and Undifferentiated Bisbee Group
- Undifferentiated Bisbee Group
- Undifferentiated Bisbee Group - Estimated
- Glance Conglomerate
- Glance Conglomerate-Estimated
- Undifferentiated Bisbee Group: Cintura, Mural Limestone, and Morita Formations

mg/L = milligrams per Liter
 ft bls = feet below land surface
 Sulfate contours are based on sampling conducted during the 3rd Quarter 2008
 Sulfate results for Naco Water Company (NWC) from March 2008


Scale

PROJECTION:
 UTM Zone 12N NAD83

Source: HydroGeoChem, 2009


Date	3/9/16	File ID	055038-085A


FIGURE 9
 Sulfate Concentrations
 in Site-Wide Groundwater Samples
 for Third Quarter 2008




	File ID
	Date 1/27/2016


FIGURE 10
Sulfate Concentration in Public
Drinking Water Supply Wells



	File ID
	Date 3/4/16
FIGURE 11 Sulfate Concentration in Lateral Plume Edge Wells North, South, and East of the Plume	




	File ID
	Date 3/4/16
FIGURE 12 Sulfate Concentration in Lateral Plume Edge Wells West of the Plume	





CLEAR CREEK ASSOCIATES

File ID	
Date	3/4/16

FIGURE 13
Sulfate Concentration in Plume Edge Wells in Basin Fill West of the Plume





	File ID
	Date 3/4/16
FIGURE 14 Sulfate Concentration in Plume Edge Wells Below the Plume	



▲ BMO-2008-8B ● BMO-2008-10GL ■ BMO-2008-10GU
 ◆ BMO-2008-13B ■ BMO-2008-13M ● WEISKOPF 802

mg/L = milligrams per Liter

	File ID
	Date 3/3/16
FIGURE 15 Sulfate Concentration in Regional Monitor Wells in the Plume	




Copyright:© 2013 National Geographic Society, i-cubed

Legend

- AWC-02 Well ID
- 4418.56 Groundwater Elevation (ft amsl)
- Groundwater Elevation Contours (10 ft)
- Groundwater Elevation Contours (50 ft) (dashed where inferred)
- Faults (dashed where inferred)
- CTSA Facility
- Co-located Wells
 - Well ID
 - Screen (ft bls): Water Elevation (ft amsl)

- Screened Formation
 - Basin Fill
 - Basin Fill and Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group - Estimated
 - Undifferentiated Bisbee Group and Glance Conglomerate
 - Glance Conglomerate
 - Glance Conglomerate-Estimated


IWL = Inaccessible for Water Level
 NPA = No Property Access
 NSQ = Not Scheduled for Quarter
 ft amsl = feet above mean sea level
 ft bls = feet below land surface



Date	3/7/16	File ID	055038-446A

Projection: UTM Zone 12N NAD83

FIGURE 16
 Site-Wide
 Groundwater Elevations
 for Third Quarter 2015




Copyright: © 2013 National Geographic Society

- Legend**
- TVI-713 Well ID
 - 4440.92 Groundwater Elevation (ft amsl)
 - Co-located Wells
 - Well ID
 - Screen (ft bls): Water Elevation (ft amsl)
 - Groundwater Elevation Contours (dashed where inferred)
 - Groundwater Depression
 - - - Faults (inferred)
 - CTSA Facility

- Screened Formation**
- Basin Fill
 - Basin Fill and Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group
 - Undifferentiated Bisbee Group - Estimated
 - Glance Conglomerate
 - Glance Conglomerate-Estimated
 - Undifferentiated Bisbee Group: Cintura, Mural Limestone, and Morita Formations

ft bls = feet below land surface
ft amsl = feet above mean sea level




Projection: UTM Zone 12N NAD83

Source: HydroGeoChem, 2009

Date	3/9/16	File ID	055038-059A

FIGURE 17
Site-Wide Groundwater Elevations for Third Quarter 2008




Copyright: © 2013 National Geographic Society, i-cubed

Legend

- AWC-02 Well ID
- 4418.56 Groundwater Elevation (ft amsl)
- Groundwater Elevation Contour (ft amsl)
- Groundwater Depression Contour (ft amsl) (dashed where inferred)
- - - - Faults (Inferred)
- Co-located Wells
 - Well ID
 - Screen (ft bls): Water Elevation (ft amsl)

- Screened Formation
- Basin Fill
- Basin Fill and Undifferentiated Bisbee Group
- Undifferentiated Bisbee Group
- Undifferentiated Bisbee Group - Estimated
- Undifferentiated Bisbee Group and Glance Conglomerate
- Glance Conglomerate
- Glance Conglomerate-Estimated


IWL = Inaccessible for Water Level
 NPA = No Property Access
 NSQ = Not Scheduled for Quarter
 ft amsl = feet above mean sea level
 ft bls = feet below land surface



Projection: UTM Zone 12N NAD83


Date	3/7/16	File ID	055038-448A


FIGURE 18
 Basin Fill Groundwater Elevations
 at the West Edge of Plume
 for Third Quarter 2015






Note: ft amsl = feet above mean sea level

- BMO-2008-3B
- ▲ BMO-2008-4B
- × BMO-2008-5B
- ✱ BMO-2008-6B
- ◆ BMO-2008-8B
- BMO-2008-13B
- BMO-2010-3B

	File ID
	Date 1/28/2016
FIGURE 19 Hydrographs for Selected BMO Monitor Wells in Basin FIII	





- BMO-2008-1G
- ▲ BMO-2008-5M
- × BMO-2008-6M
- * BMO-2008-7M
- ◆ BMO-2008-8M
- BMO-2008-9M
- BMO-2008-10GU
- BMO-2008-10GL
- ◆ BMO-2008-11G
- + BMO-2008-13M
- BMO-2010-1M
- ▲ BMO-2010-2M
- BMO-2010-3M
- ◆ BMO-2012-1M

Note: ft amsl = feet above mean sea level



File ID	
Date	2/9/2016

FIGURE 21
Hydrographs for BMO Monitor Wells in Bedrock

APPENDIX A
SULFATE DATA

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
ANDERSON 396	613396	3/20/08	7.25	21.1	1176	431
		5/5/08	7.03	21.8	1231	452
		7/14/08	7.11	21.6	1260	472
		10/15/08	7.10	21.3	1252	475
		1/27/09	7.27	21.0	965	488
		4/14/09	7.12	21.8	1229	534
		7/14/09	7.03	22.2	1372	550
		10/12/09	6.98	21.5	1375	510
		1/27/10	7.93	20.1	1449	523
		4/21/10	7.40	20.7	1439	627
		7/19/10	6.93	24.1	1420	648
		10/19/10	7.03	20.6	1229	416
		1/17/11	7.02	20.6	1334	562
		4/11/11	6.92	15.1	1485	609
		7/14/11	7.23	24.4	1451	678
		10/11/11	6.65	21.2	1230	543
		2/1/12	7.28	11.8	1360	551
		4/25/12	7.10	23.9	1380	657
		7/12/12	6.89	24.9	1520	667
		10/10/12	7.40	24.0	1414	574
4/7/14	7.06	17.4	1057	175		
7/11/14	7.35	21.4	1033	272		
10/6/14	7.13	27.5	974	99.0		
10/6/14 DUP	7.13	27.5	974	102.0		
ANDERSON 458	221458	9/9/12	8.34	25.9	406.3	31
		10/10/12	8.13	23.8	412.3	30.3
		1/17/13	8.06	23.7	416.0	30.9
		4/15/13	8.19	23.5	402.7	32.3
		7/18/13	8.18	24.3	401.9	23
		10/16/13	8.10	23.8	400.1	25.2
		1/9/14	8.15	22.9	399.3	26.2
		1/9/14 DUP	8.15	22.9	399.3	26.2
		4/7/14	8.16	24.0	401.6	27.5
		7/11/14	8.13	24.5	396.7	25.3
		10/6/14	8.06	25.6	384.0	26.0
		7/22/15	8.17	25.2	397.3	25

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
AWC-02	616586	1/7/08	ND	ND	ND	14
		3/3/08	ND	ND	ND	16
		5/5/08	ND	ND	ND	13.3
		8/12/08	7.01	22.3	630	14.3
		10/23/08	7.31	23.1	464	15.9
		3/11/09	7.19	21.8	420	15.5
		4/22/09	7.17	22.6	430	14.7
		7/22/09	7.24	22.7	444	14.2
		10/21/09	7.19	21.3	468	16.8
		2/3/10	7.44	19.7	449	18.6
		4/23/10	7.56	19.7	526	18.3
		7/20/10	7.27	23.9	450	18.2
		11/4/10	7.72	21.3	465.9	18.8
		1/19/11	7.84	19.0	500	18.4
		4/7/11	7.27	20.3	488.5	17.3
		7/13/11	5.93	23.9	431.5	12.9
		10/13/11	6.72	25.1	464.6	17.4
		10/13/11 DUP	6.72	25.1	464.6	17.4
		2/2/12	7.20	20.8	479.5	19.4
		4/24/12	7.23	23.0	430	15.5
		7/5/12	7.25	22.1	437.1	10.1
		10/18/12	7.48	21.6	473.6	13.0
		2/5/13	7.54	19.3	448.9	18.0
		4/11/13	7.53	22.1	471.3	17.2
		7/25/13	7.35	22.1	460.5	14.7
		10/9/13	7.53	21.2	476.4	15.5
		1/7/14	7.45	20.3	503.7	18.9
		1/7/14 DUP	7.45	20.3	503.7	18.9
5/14/14	7.34	21.0	508.4	19.2		
7/16/14	7.54	21.8	499.5	19.2		
10/15/14	7.26	23.2	520	18.9		
1/29/15	7.44	21.4	511	20.5		
7/21/15	7.62	22.5	506.7	20		
AWC-03	616585	1/7/08	ND	ND	ND	41
		3/3/08	ND	ND	ND	38
		5/5/08	ND	ND	ND	37.3
		8/12/08	7.28	22.4	469	38.8
		10/23/08	7.48	21.0	462	41.8
		3/11/09	7.25	21.2	445	64.2
		4/22/09	7.30	21.4	452	42.4
		7/22/09	7.39	22.6	456	41.8
		10/21/09	7.48	21.3	540	50.5
		2/3/10	7.44	19.7	449	42.0
		4/23/10	7.57	19.7	468	44.4
		7/20/10	7.29	23.8	460	46.7
		11/4/10	7.80	20.8	452.3	46.3
		1/19/11	7.07	19.6	560	49
		4/7/11	7.28	19.9	469.8	46.8
		7/13/11	6.33	23.1	458.8	47.6
		7/13/11 DUP	6.33	23.1	458.8	46.2
		10/13/11	6.69	23.8	463.6	48.8
		2/2/12	7.39	20.7	504.8	47.7
		4/24/12	7.28	22.1	450	51.8
		7/5/12	7.32	21.7	474.3	50.7
		10/18/12	7.44	21.3	477.4	51.3
		2/5/13	7.73	19.2	481.2	55
		4/11/13	7.51	22.2	486.4	66.1
		7/16/13	7.61	21.5	489.6	63.6
		10/9/13	7.57	20.5	485.8	49.4
		10/9/13 DUP	7.57	20.5	485.8	51
		1/7/14	7.62	20.4	486.3	56.6
5/14/14	7.64	20.5	493.0	61.1		
7/16/14	7.68	21.4	506.9	69.1		
10/15/14	7.38	22.2	506.0	63.4		
1/29/15	7.59	21.2	495	77.1		
7/21/15	7.63	21.6	493.5	56		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
AWC-04	616584	2/4/08	ND	ND	ND	18
		4/7/08	ND	ND	ND	18
		6/2/08	ND	ND	ND	14.3
		8/12/08	7.08	22.5	458	21.6
		10/23/08	6.91	22.2	616	24
		3/11/09	7.02	21.3	539	27.2
		4/22/09	6.93	22.1	560	26.1
		7/22/09	7.13	22.5	587	26.2
		10/21/09	7.00	21.2	607	25.7
		2/3/10	7.35	19.3	438	16.3
		4/23/10	7.14	19.2	625	27.4
		7/20/10	7.02	24.1	600	26.6
		11/4/10	7.41	20.3	593.2	24
		1/19/11	8.15	20.5	690	26.2
		4/7/11	7.00	20.4	637.2	25.8
		7/13/11	6.88	20.4	610.1	25.7
		10/13/11	6.38	24.0	619.7	27.6
		2/2/12	6.97	20.1	637.6	27.2
		4/24/12	7.10	22.1	570	25.2
		7/5/12	7.03	21.6	568.0	28.2
		7/5/12 DUP	7.03	21.6	568.0	28.1
		10/18/12	7.20	20.8	606.7	26.6
		2/5/13	7.29	19.7	616.8	26.9
		4/11/13	7.38	21.7	595.4	26.2
		7/16/13	7.30	21.0	585.7	27.0
		10/9/13	7.36	20.4	588.6	24.6
		1/7/14	7.36	19.7	651.4	23.7
		5/14/14	7.38	19.8	674.2	22.7
7/16/14	7.32	20.7	632.2	24.1		
7/16/14 DUP	7.32	20.7	632.2	22.9		
10/15/14	7.01	21.9	688	21.4		
1/29/15	7.20	21.0	687	22.9		
7/21/15	7.38	21.2	619.6	23		
AWC-05	590620	2/4/08	ND	ND	ND	13
		4/7/08	ND	ND	ND	14
		6/2/08	ND	ND	ND	14.3
		8/12/08	6.74	23.3	425	14.9
		10/23/08	7.45	21.0	422	15.4
		3/11/09	7.31	22.1	398	16.5
		6/3/09	7.33	22.0	418	12.1
		7/22/09	7.49	24.4	423	14.1
		10/21/09	7.37	21.1	433	16.5
		2/3/10	7.35	19.3	438	16.3
		4/23/10	7.62	18.9	443	17.6
		7/20/10	7.62	24.2	440	19.1
		11/4/10	7.92	20.7	427.1	18.4
		1/19/11	7.64	20.3	420	17
		4/7/11	7.22	20.8	438.3	17.6
		7/13/11	6.52	22.9	419.8	17.9
		10/13/11	6.82	26.0	427.5	19
		2/2/12	7.35	21.4	427.9	19.5
		4/24/12	7.18	21.4	430	15.4
		7/5/12	7.24	22.6	432.1	19.1
		10/18/12	7.66	22.6	436.1	20.1
		2/5/13	7.57	20.2	437.7	20.1
		4/11/13	7.54	21.2	444.5	20.3
		7/16/13	7.56	21.3	454.5	18.0
		7/16/13 DUP	7.56	21.3	454.5	17.7
		10/9/13	7.58	21.3	455.3	15.4
		5/14/14	7.54	21.2	442.3	19.8
		7/16/14	7.60	22.6	470.9	20.3
10/15/14	7.38	23	452	20.8		
1/29/15	7.64	19.6	443	18.0		
7/21/15	7.67	21.9	457.9	17		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BANKS 986	647986	2/27/08	7.53	21.8	980	44
		5/12/08	7.40	22.1	1021	65.2
		7/21/08	7.43	22.9	1034	82.2
		10/13/08	7.28	21.7	980	53
		1/21/09	7.66	21.6	872	164
		4/8/09	7.56	22.7	933	47
		7/9/09	7.59	23.1	871	70.9
		10/7/09	7.50	22.2	838	67.7
		2/25/10	7.56	21.1	1020	50.5
		4/20/10	7.71	22.8	1013	53.9
		7/20/10	7.70	23.2	828.3	71.5
		10/20/10	7.60	22.4	948.7	73.4
		1/17/11	7.73	20.6	1038	53.5
		4/5/11	7.66	21.5	965.0	64.5
		7/11/11	7.72	25.4	890.0	68.8
		10/12/11	7.88	21.2	1551	172
		1/31/12	7.69	20.2	1017	64.3
		1/31/12 DUP	7.69	20.2	1017	64.9
		4/11/12	7.77	22.0	1025	64.0
		7/6/12	7.66	23.7	940	78.6
		7/6/12 DUP	7.66	23.7	940	77.9
		10/4/12	7.73	22.0	845.4	62.6
		1/18/13	7.82	21.9	832.4	70.5
		4/8/13	7.87	20.7	861.7	62.9
		7/9/13	8.04	22.9	769.1	67.9
		10/15/13	7.59	21.7	1158	79.6
		1/14/14	7.77	20.9	967.4	75.2
		4/8/14	7.47	21.4	1337	113
7/8/14	7.58	22.3	1175	107		
7/8/14 DUP	7.58	22.3	1175	110		
10/21/14	7.37	22.7	1158	91.3		
7/24/15	7.67	22.6	1002	76		
BF-01	539783	5/23/08	6.41	18.3	2698	1450
		8/5/08	6.11	22.4	3095	1330
		11/5/08	6.33	19.9	3027	1490
		2/20/09	6.42	19.2	1477	1330
		5/6/09	5.98	23.9	2632	1280
		8/17/09	6.21	29.7	2948	1250
		11/4/09	6.24	23.0	2846	1280
		3/1/10	6.34	21.1	2945	1260
		4/7/10	5.83	20.4	1853	1450
		7/6/10	5.93	22.6	1403	1310
		7/13/11	6.26	21.3	2960	1350
		2/1/12	6.18	19.8	2910	1480
		8/14/12	6.00	21.5	3000	1500

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BIMA	577927	2/6/08	6.69	22.2	1335	210
		4/25/08 ¹	6.37	23.1	1521	190
		5/13/08 ¹	6.58	22.7	1489	195
		6/23/08 ¹	6.30	23.3	1572	225
		6/23/08 DUP	6.30	23.3	1572	196
		7/29/08 ¹	6.44	23.0	1647	204
		8/28/08 ¹	M	23.0	1776	256
		9/23/08 ¹	6.29	23.0	1741	296
		10/22/08	6.41	22.3	1801	285
		1/20/09	6.40	21.7	1233	190
		1/20/09 DUP	6.40	21.7	1233	200
		4/7/09	6.45	23.4	1436	212
		7/8/09	6.31	23.4	1483	189
		10/5/09	6.34	22.7	1525	233
		1/20/10	6.88	17.0	M	222
		4/19/10	6.70	21.9	1533	256
		7/12/10	6.70	24.0	1577	273
		10/18/10	6.47	24.3	1702	296
		1/19/11	6.65	21.2	1672	283
		4/4/11	6.61	24.0	1643	282
		8/25/11	6.27	25.9	1460	300
		10/10/11	6.5	24.1	1520	322
		2/3/12	6.48	18.5	1540	312
		4/23/12	6.57	23.9	1790	303
		7/10/12	6.06	23.7	1200	301
		11/29/12	6.51	20.6	1664	310
		3/13/13	7.29	19.8	1175	317
		4/10/13	6.64	13.9	1569	308
		7/8/13	6.62	28.0	1580	301
		10/11/13	6.57	21.8	1749	301
1/10/14	6.63	10.7	1664	297		
4/10/14	6.62	15.8	1685	300		
7/8/14	6.56	21.6	1653	297		
10/23/14	6.25	23.9	1704	227		
7/23/15	6.87	26.2	1627	270		
BLOMMER	633472	2/5/08	7.43	20.2	714	206
		4/21/08 ¹	7.06	21.9	753	201
		5/15/08 ¹	7.16	22.2	845	211
		6/23/08 ¹	6.93	21.5	903	193
		7/29/08 ¹	7.21	22.2	921	203
		8/27/08 ¹	7.12	22.1	864	189
		9/23/08 ¹	7.16	22.3	818	193
		10/22/08	7.17	21.3	873	200
BMO-2008-1G	909474	8/27/08	7.09	24.2	808	107
		11/11/08	7.00	20.8	721	143
		2/25/09	7.01	22.0	860	109
		4/28/09	7.04	22.2	762	198
		8/4/09	7.23	22.8	950	104
		10/27/09	7.11	21.9	922	103
		2/17/10	7.36	20.5	899.3	98.4
		4/15/10	7.04	22.2	711	95.2
		7/7/10	6.91	21.5	640	88.1
		7/7/10 DUP	6.91	21.5	640	87.1
		2/10/11	6.80	21.0	916	105
		7/12/11	7.2	26.6	1015	121
		2/8/12	7.02	20.2	869	116
		8/14/12	6.97	21.9	959	120
		2/14/13	7.09	21.2	986	112
		8/14/13	6.96	21.6	1009	120
		2/13/14	6.76	21.1	1010	114
		7/22/14	6.87	22.0	1010	117
		2/4/15	7.35	22.1	942	116
		9/10/15	7.21	21.8	953	109

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2008-3B	909147	7/18/08	7.35	23.9	615	106
		11/4/08	7.36	21.4	599	179
		11/4/08 DUP	7.36	21.4	599	177
		2/19/09	7.24	21.4	664	155
		5/11/09	7.23	22.1	631	149
		8/6/09	7.33	21.4	718	151
		8/6/09 DUP	7.33	21.4	718	156
		10/26/09	7.32	21.8	684	153
		3/3/10	7.38	21.4	695	164
		4/8/10	6.47	21.3	585	162
		7/1/10	6.92	21.4	541	157
		2/14/11	6.98	20.6	698	169
		7/12/11	7.04	21.4	672	148
		2/23/12	6.92	21.0	695	173
		7/10/12	7.02	21.5	651	150
		2/15/13	6.63	20.4	692	163
		8/27/13	7.1	21.1	725	170
		2/11/14	7.01	20.7	729	162
		7/21/14	6.98	21.0	706	163
		2/5/15	7.11	21.2	652	145
9/14/15	7.29	21.7	638	133		
BMO-2008-4B	910096	12/11/08	7.34	22.8	374	9.4
		2/18/09	7.17	23.2	370	13.4
		4/30/09	7.33	24.5	376	11.4
		4/30/09 DUP	7.33	24.5	376	11.8
		8/6/09	7.53	24.6	397	11.5
		10/27/09	7.53	23.7	379	11.2
		2/24/10	7.48	21.8	362	9.7
		4/16/10	7.70	23.4	330	9.73
		7/2/10	7.25	23.6	323	10.10
		2/15/11	7.65	22.2	362	8.90
		7/22/11	7.33	23.7	371	10.2
		2/23/12	7.21	22.3	354	10.5
		8/15/12	6.96	23.6	380	9.5
		1/15/13	7.63	22.7	370.2	10.3
		1/15/13 DUP	7.63	22.7	370.2	9.5
		4/15/13	7.75	23.0	368.2	11.2
		9/18/13	7.69	23.4	384.6	9.8
		1/9/14	7.81	22.2	371.4	11.1
		7/18/14	7.78	23.3	379.1	11.6

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2008-5B	909653	9/30/08	7.08	22.0	688	193
		2/18/09	7.03	21.5	691	192
		4/27/09	7.32	22.1	605	177
		8/4/09	7.35	22.3	724	174
		10/29/09	7.29	21.8	731	181
		10/29/09 DUP	7.29	21.8	731	185
		2/15/10	7.22	21.7	720	185
		4/15/10	7.21	23.0	571	194
		7/7/10	6.94	22.2	551	183
		10/5/10	6.85	22.3	722	201
		2/14/11	6.90	21.8	725	203
		5/12/11	7.06	21.5	722	195
		7/13/11	6.99	22.0	712	200
		12/7/11	6.95	19.9	730	213
		2/3/12	7.16	20.2	726	215
		4/18/12	6.96	21.7	712	192
		7/10/12	6.87	21.5	726	218
		10/16/12	6.69	21.4	712	207
		2/7/13	7.40	21.4	771.4	229
		2/12/13	6.49	20.7	752	227
		5/15/13	7.01	21.8	742	220
		8/20/13	7.00	21.7	792	226
		11/1/13	6.92	21.5	792	233
		2/11/14	6.88	21.5	804	230
		5/7/14	6.87	21.5	800	228
8/19/14	6.99	21.6	795	221		
11/13/14	6.92	21.9	755	228		
2/3/15	7.05	21.8	755	227		
9/8/15	7.16	22.3	764	236		
BMO-2008-5M	909552	10/2/08	7.13	23.6	551	107
		2/18/09	7.06	22.5	562	122
		4/27/09	7.50	22.9	501	111
		8/4/09	7.53	23.1	605	122
		10/29/09	7.35	22.4	610	123
		2/15/10	7.31	22.5	581	123
		4/16/10	7.28	22.6	509	125
		4/16/10 DUP	7.28	22.6	509	124
		7/7/10	7.02	23.5	482	123
		10/5/10	6.81	22.5	602	127
		2/14/11	6.95	22.2	591	124
		5/12/11	7.16	23.0	558	119
		7/12/11	7.22	22.7	590	126
		12/7/11	7.1	21.2	601	129
		2/3/12	6.99	21.5	589	130
		4/18/12	6.71	22.4	587	120
		7/10/12	6.82	22.4	592	135
		10/16/12	6.86	21.9	591	134
		2/12/13	6.65	21.6	610	139
		5/15/13	6.73	22.4	603	135
		8/20/13	7.18	22.5	640	138
		11/1/13	7.07	22.0	641	142
		2/11/14	6.84	22.1	646	138
		5/7/14	6.85	22.1	648	140
		8/19/14	6.97	22.1	645	143
11/13/14	7.18	22.6	612	139		
2/3/15	7.26	22.5	612	143		
9/8/15	7.19	23.1	615	146		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2008-6B	909146	7/16/08	7.36	24.1	475	53.3
		11/4/08	7.41	21.5	398	60.3
		2/19/09	7.23	21.1	444	54.3
		4/27/09	7.55	21.7	389	52.7
		8/4/09	7.48	23.4	470	48.5
		10/26/09	7.29	22.5	448	48.7
		2/15/10	7.53	21.2	391	33.5
		4/15/10	7.47	21.0	362	37.0
		7/1/10	7.24	22.2	361	40.1
		10/5/10	7.05	21.0	407	37.2
		2/14/11	7.27	21.8	397	40.2
		5/12/11	7.32	21.5	380	35.0
		7/12/11	7.27	21.1	390	37.8
		12/7/11	7.28	20.8	330	21.8
		2/3/12	7.28	20.1	346	23.0
		4/18/12	7.25	21.4	336	19.7
		7/10/12	6.86	21.2	328	21.9
		10/16/12	6.79	21.5	342	19.9
		2/12/13	6.87	20.7	339	16.2
		5/15/13	6.87	21.2	297	12.7
		8/20/13	7.36	21.5	310	10.6
		11/1/13	7.04	21.0	340	13.9
		2/11/14	7.38	21.6	290	20.1
5/7/14	7.48	21.1	297	13.6		
8/19/14	7.08	21.6	298	13.4		
11/13/14	7.23	21.6	305	14.9		
2/3/15	7.24	20.6	272	12.1		
9/8/15	7.26	22.2	282	11.8		
BMO-2008-6M	909019	7/10/08	M	22.1	702	182
		11/4/08	7.33	21.8	621	199
		2/20/09	7.11	22.0	702	193
		4/28/09	7.34	22.4	595	119
		8/4/09	7.40	23.3	750	189
		10/26/09	7.18	22.4	727	187
		2/15/10	7.29	20.8	733	193
		4/15/10	7.36	20.2	619	208
		7/1/10	7.15	22.0	571	198
		10/5/10	6.87	21.3	720	202
		2/14/11	6.80	21.3	731	202
		5/12/11	7.12	21.9	709	189
		7/12/11	7.06	21.8	709	194
		12/7/11	6.94	21.3	710	200
		2/3/12	7.03	21.2	720	206
		4/18/12	7.01	21.4	701	188
		7/10/12	6.67	21.4	702	208
		10/16/12	6.89	21.8	708	207
		2/12/13	6.71	20.5	740	204
		5/8/13	7.01	21.9	726	212
		8/20/13	6.99	21.7	772	213
		11/1/13	6.83	21.5	773	223
		2/11/14	6.81	21.8	786	217
5/7/14	6.77	21.3	788	220		
8/19/14	6.9	21.9	774	210		
11/13/14	7.14	22.0	740	218		
2/3/15	7.20	21.9	741	216		
9/8/15	7.09	23.0	750	222		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2008-7M	908794	7/14/08	7.63	25.2	500	31.4
		11/6/08	7.53	22.6	380	34.5
		2/18/09	7.31	23.3	452	27.6
		5/11/09	7.43	24.4	426	26.0
		8/6/09	7.81	24.1	486	25.1
		10/27/09	7.53	23.0	470	26.1
		2/17/10	7.57	23.4	452	25.4
		2/17/10 DUP	7.57	23.4	452	25.0
		4/15/10	7.52	23.2	415	26.0
		7/6/10	7.28	23.5	391	22.8
		2/14/11	7.18	22.0	465	27.5
		2/14/11 DUP	7.18	22.0	465	26.4
		7/15/11	7.1	22.8	466	26.5
		1/30/12	7.16	22.0	454	26.4
		7/11/12	7.18	22.7	455	28.1
		2/15/13	7.23	21.8	471	25.8
		8/28/13	7.15	22.9	494	27.7
		8/28/13 DUP	7.15	22.9	494	27.8
2/13/14	7.09	22.6	494	27.8		
7/22/14	7.13	23.2	488	27.3		
9/14/15	7.51	23.4	469	30.6		
BMO-2008-8B	910097	12/5/08	6.47	20.1	2480	1890
		2/19/09	6.19	21.0	2958	1570
		5/5/09	6.18	21.3	2888	1370
		8/10/09	6.42	21.5	2897	1250
		11/9/09	6.33	21.8	2889	1510
		11/9/09 DUP	6.33	21.8	2889	1520
		3/3/10	6.51	20.4	3016	1320
		4/16/10	6.06	21.4	1682	1470
		7/1/10	6.10	21.4	1594	1440
		7/15/11	6.21	21.2	2940	1380
		1/30/12	6.22	21.2	2880	1480
		1/30/12 DUP	6.22	21.2	2880	1480
		7/12/12	6.41	21.1	2860	1440
		2/13/13	6.25	20.7	2830	1330
		8/12/13	6.38	21.3	2780	1420
		7/24/14	6.26	21.2	2520	1380
BMO-2008-8M	909711	12/9/08	7.16	23.4	852	197
		2/19/09	7.27	23.5	758	147
		2/19/09 DUP	7.27	23.5	758	149
		5/5/09	7.19	25.1	680	122
		8/10/09	7.49	24.8	673	107
		11/5/09	7.30	25.4	675	104
		3/3/10	7.70	24.1	641	99.5
		4/16/10	7.29	24.5	541	97.0
		7/1/10	6.99	25.0	502	94.7
		1/24/11	7.05	23.4	595	98.2
		7/15/11	6.89	22.1	590	79.9
		1/30/12	7.36	23.9	565	77.6
		7/12/12	7.15	24.2	554	73.1
		7/12/12 DUP	7.15	24.2	554	73.2
		2/14/13	7.1	24.3	565	64.9
		8/12/13	7.19	24.6	585	65.0
		2/19/14	7.07	24.3	579	63.3
		2/19/14 DUP	7.07	24.3	579	63.4
		7/24/14	7.07	24.7	569	66.8
9/15/15	7.35	25.0	541	67.0		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2008-9M	909255	8/8/08	7.72	25.7	415	47.3
		11/5/08	7.89	21.4	444	54.4
		2/26/09	7.71	24.5	482	28.8
		5/12/09	7.76	24.8	449	51.7
		8/17/09	7.76	25.6	534	53.4
		11/3/09	7.82	24.9	552	56.9
		3/4/10	8.07	22.4	520	58.6
		4/6/10	6.74	23.8	484	60.1
		7/1/10	7.40	24.6	425	61.0
		2/10/11	6.79	24.0	520	64.2
		7/15/11	7.56	24.3	516	67.0
		2/1/12	7.54	22.4	516	67.4
		7/12/12	7.68	24.2	513	68.9
		2/13/13	7.37	23.8	531	68.2
		8/12/13	7.47	24.2	553	71.1
2/18/14	7.26	23.8	569	74.1		
7/24/14	7.36	24.4	571	74.2		
9/14/15	7.68	24.7	550	85.6		
BMO-2008-10GL	909435	8/20/08	6.22	29.5	2924	1320
		11/5/08	6.47	25.3	2573	1290
		2/25/09	6.34	26.8	2646	1180
		5/12/09	6.35	26.2	2402	1120
		8/11/09	6.52	27.3	2661	1030
		11/2/09	6.52	26.7	2565	1100
		3/4/10	6.76	24.1	2937	1080
		4/8/10	6.03	25.6	1575	1260
		7/2/10	6.16	26.3	1338	1020
		7/13/11	6.32	24.8	1726	644
		2/2/12	6.45	24.8	1600	624
		7/13/12	6.71	25.7	1571	545
		2/18/13	6.45	25.4	1530	498
		2/18/13 DUP	6.45	25.4	1530	494
		8/13/13	6.57	25.5	1586	520
8/7/14	6.56	25.8	1417	442		
BMO-2008-10GU	909272	8/4/08	6.41	23.6	3660	2210
		11/5/08	6.15	20.2	3343	1890
		2/25/09	5.96	22.7	3426	1740
		5/6/09	5.99	23.2	3359	1710
		8/11/09	6.28	22.5	3348	1690
		11/2/09	6.27	21.8	3157	1730
		3/10/10	6.67	19.1	3951	1700
		4/7/10	5.96	20.4	3210	1510
		7/6/10	5.90	21.8	1610	1670
		7/13/11	6.12	22.3	3890	1670
		2/1/12	6.09	19.2	3820	1870
		8/19/13	6.10	21.0	3630	1780
		BMO-2008-11G	909434	8/22/08	8.02	28.2
11/12/08	7.96			24.2	257	13.9
2/26/09	7.92			25.1	319	12.3
4/28/09	8.14			25.5	273	11.8
8/12/09	8.24			25.3	365	11.2
11/9/09	8.03			25.5	339	13.9
3/1/10	8.37			23.2	338	13.0
4/9/10	6.88			24.5	301	13.0
7/1/10	6.97			25.4	298	12.3
2/10/11	6.99			24.0	327	11.7
7/22/11	7.26			24.6	331	12.1
7/22/11 DUP	7.26			24.6	331	12.0
1/31/12	7.41			24.1	328	11.9
8/14/12	7.35			24.6	337	12.3
2/13/13	7.54			24.2	343	11.9
8/27/13	7.48			24.9	363	12.2
2/19/14	7.51			24.2	363	12.2
8/14/14	7.58			24.7	360	12.4
2/5/15	7.87	24.8	334	12.5		
9/14/15	7.78	25.3	335	12.3		
9/14/15 DUP	7.78	25.3	335	12.4		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2008-13B	909551	10/3/08	6.49	21.6	2180	980
		2/17/09	6.51	20.9	1941	1000
		5/6/09	6.55	22.0	1891	930
		8/5/09	6.63	21.5	2137	950
		10/28/09	6.81	19.7	2259	1010
		2/16/10	6.87	20.8	2093	997
		4/14/10	6.38	21.2	1346	974
		7/6/10	6.37	21.8	1208	972
		7/15/11	6.44	20.8	2160	1010
		2/9/12	6.68	20.3	2180	1060
		7/11/12	6.55	21.2	2190	1080
		2/27/13	6.54	20.3	2160	1090
		9/4/13	6.57	20.8	2070	1050
8/19/14	6.63	21.2	1890	1070		
BMO-2008-13M	909760	12/3/08	7.73	24.1	1463	494
		2/17/09	8.21	22.7	1340	441
		4/29/09	8.04	24.8	1126	217
		8/5/09	8.04	25.4	1392	387
		10/28/09	8.12	21.4	1347	403
		2/16/10	8.07	24.9	1297	375
		4/13/10	8.06	23.2	1130	398
		7/2/10	8.30	23.9	1027	386
		7/15/11	8.4	23.4	1331	388
		2/6/12	8.47	23.2	1300	ND
		8/13/12	8.75	24.2	1311	397
		2/15/13	8.8	22.4	1280	383
		9/6/13	8.81	23.8	1300	402
8/20/14	8.48	23.6	1362	410		
BMO-2010-1M	219957	9/9/10	7.82	24.6	727.0	150
		11/11/10	8.68	19.9	570	98
		2/11/11	8.15	20.8	589	138
		5/12/11	7.74	23.0	710	129
		8/31/11	7.74	23.2	562	154
		12/13/11	7.63	21.3	713	149
		2/8/12	7.69	22.0	605	158
		4/24/12	7.08	23.4	701	150
		7/9/12	6.37	24.3	715	161
		10/17/12	7.40	23.9	699	154
		2/13/13	7.09	22.2	712	152
		5/8/13	7.12	22.5	725	160
		8/15/13	7.39	23.5	767	156
		11/4/13	7.38	22.6	774	163
		2/12/14	8.33	22.0	672	161
		6/2/14	7.55	23.3	771	165
8/4/14	7.38	23.8	772	179		
11/12/14	7.43	23.4	733	165		
9/9/15	7.59	24.2	729	170		
BMO-2010-2M	219958	9/15/10	6.66	22.6	2054	915
		11/11/10	6.97	20.6	1800	935
		2/10/11	6.53	20.8	2120	950
		5/13/11	6.54	21.1	2160	887
		7/14/11	6.62	21.5	2160	917
		12/13/11	6.59	20.3	2140	984
		1/30/12	6.41	21.4	2180	989
		4/18/12	6.48	21.2	2170	893
		7/9/12	6.41	21.8	2190	1030
		10/17/12	6.60	21.3	2200	998
		2/13/13	6.45	21.0	2190	962
		5/8/13	6.42	21.0	2160	996
		8/15/13	6.58	21.2	2157	978
		11/4/13	6.53	21.9	2120	998
		2/12/14	6.52	21.0	2160	1000
		5/8/14	6.46	21.0	1990	1010
		8/14/14	6.48	21.0	1940	1040
8/14/14 DUP	6.48	21.0	1940	1030		
11/12/14	6.59	21.3	2210	939		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2010-3B	219970	7/29/10	7.48	23.1	420	16.0
		11/10/10	7.43	21.2	370	14.9
		1/20/11	7.44	20.9	416.1	14.4
		4/7/11	7.38	20.1	424.6	14.9
		7/13/11	7.68	22.3	404.5	13.8
		10/13/11	7.63	23.4	411.2	15.9
		2/2/12	7.52	20.4	400.2	16.9
		2/2/2012 DUP	7.52	20.4	400.2	17.1
		4/24/12	7.30	21.8	390	16.0
		7/5/12	7.51	22.4	419.1	15.7
		10/18/12	7.58	21.6	411.9	17.0
		1/16/13	7.58	20.8	420.5	17.4
		4/16/13	7.65	21.2	415.1	17.5
		7/23/13	7.67	21.8	420	19.8
		10/8/13	7.72	20.9	420.3	16.8
		1/15/14	7.65	20.2	431.2	18.8
		5/13/14	7.66	21.0	421.2	18.0
		5/13/2014 DUP	7.66	21.0	421.2	18.0
		7/15/14	7.63	21.8	419.1	19.0
		10/14/14	7.48	22.6	395	17.4
10/14/14 DUP	7.48	22.6	395	18.1		
1/28/15	7.59	22.2	420	19.2		
7/22/15	7.67	21.8	420.1	21		
BMO-2010-3M	219969	7/31/10	7.73	24.3	390	14.8
		11/10/10	7.66	21.8	340	12.6
		11/10/10 DUP	7.66	21.8	340	12.7
		1/20/11	7.72	22.6	380.4	11.5
		4/7/11	7.38	23.5	376.5	12.3
		8/25/11	7.17	24.3	340	10.4
		10/13/11	7.73	23.6	375.8	10.5
		2/2/12	7.68	22.0	367.1	10.6
		4/24/12	7.49	23.9	370	10.1
		7/5/12	7.66	23.7	381.8	10.3
		10/18/12	7.71	23.3	379.9	10.4
		1/16/13	7.68	22.1	383.1	10.0
		4/16/13	7.83	22.3	383.7	10.2
		4/16/2013 DUP	7.83	22.3	383.7	10.2
		7/23/13	7.80	23.4	386.0	10.7
		10/8/13	7.76	22.8	384.8	9.4
		1/15/14	7.76	22.1	389.8	9.1
		5/13/14	7.75	22.9	387.1	10.4
		7/15/14	7.74	23.1	386.9	10.2
		10/14/14	7.57	24.1	367.0	10.8
1/28/15	7.70	24.1	391	10.6		
7/22/15	7.79	23.5	383.9	8.6		
7/22/15 DUP	7.79	23.5	383.9	9.3		
BMO-2012-1M	221388	11/13/12	7.55	21.3	933.7	231
		2/27/13	6.97	22.4	793	205
		5/8/13	6.77	22.9	814	197
		8/14/13	7.09	22.9	858	202
		11/1/13	6.98	22.4	850	210
		2/13/14	7.00	22.2	883	214
		5/8/14	6.90	22.9	875	207
		7/22/14	6.99	22.6	857	210
		11/13/14	7.10	22.6	839	208
		2/4/15	7.40	22.5	843	214
9/10/15	7.29	23.3	862	216		
BMO-2014-1BL	917394	11/7/14	7.21	24.2	716	160
		1/29/15	7.46	22.2	686	167
		4/15/15	7.43	21.9	695.0	167
		7/29/15	7.57	22.8	695.0	150
		10/7/15	7.55	21.6	685.9	160
		10/7/15 DUP	7.55	21.6	685.9	160
BMO-2014-1BU	917393	11/13/14	7.46	22.1	571	84
		1/28/15	7.45	21.6	694	170
		4/15/15	7.40	21.3	735.2	189
		7/29/15	7.55	22.3	729.7	170
		10/7/15	7.51	20.9	728.8	180

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
BMO-2014-2BL	917452	11/20/14	7.34	22.8	804	210
		1/29/15	7.36	20.8	1109	463
		4/15/15	7.27	21.2	1169	463
		7/29/15	7.34	22.5	1191	450
		10/7/15	7.41	20.8	1180	470
BMO-2014-2BU	917453	12/1/14	7.35	20.8	819.2	230
		1/30/15	7.65	19.9	524	63.8
		4/15/15	7.56	20.7	536.1	64.8
		7/29/15	7.62	22.2	538.7	58
		10/7/15	7.74	20.6	541.1	62
BMO-2014-3BL	917527	2/13/15	7.34	22.4	384	7.8
		4/15/15	7.72	21.6	402.3	8.73
		7/29/15	7.72	23.1	413.7	7.9
		10/7/15	7.64	21.6	415.6	8.5
BMO-2014-3BU	917494	2/24/15	7.64	18.2	471.4	8.2
		4/15/15	7.67	20.4	469.5	8.71
		7/29/15	7.62	21.9	471.9	7.5
		10/7/15	7.62	20.4	467.9	7.8
BMO-2014-4B	917620	3/4/15	7.68	20.3	524.0	65
		4/14/15	7.61	20.9	494.7	61.7
		7/23/15	7.60	21.7	493.7	57
		10/6/15	7.70	20.5	481.9	53
BMO-2014-4BL	917619	3/1/15	7.63	21.1	671.9	170
		4/14/15	7.63	21.4	665.1	184
		7/23/15	7.66	21.9	669.7	190
		7/23/15 DUP	7.66	21.9	669.7	170
		10/6/15	7.71	21.0	660.4	180
BMO-2015-1B	917622	3/15/15	8.11	20.2	676.3	170
		4/14/15	7.59	20.9	680.1	187
		7/23/15	7.68	21.7	690.7	200
		10/6/15	7.66	20.6	681.9	190
BMO-2015-1BL	917621	3/12/15	7.70	20.8	708.2	220
		4/14/15	7.55	20.7	733.4	239
		7/23/15	7.62	22.3	747.3	260
		10/6/15	7.74	20.8	747.3	230
BMO-2015-2B	917827	3/19/15	7.43	20.0	795.2	290
		4/14/15	7.41	20.7	832.4	271
		7/23/15	7.47	22.2	847.5	290
		10/6/15	7.60	20.9	844.3	260
BMO-2015-2BL	917828	3/26/15	7.29	22.3	887.1	280
		4/14/15	7.38	20.9	860.0	305
		7/23/15	7.43	22.1	902.3	320
		10/6/15	7.54	21.2	890.3	300
BOOTH	914931	1/5/13	7.67	18.5	574.3	91.4
		6/14/13	7.61	51.1	604.2	95
		6/14/13 DUP	7.61	51.1	604.2	92.5
		7/17/13	7.75	23.2	497.6	75
		10/18/13	7.66	19.3	597.6	92.6
BURKE	212268	2/7/08	7.17	23.0	411	29.5
		4/22/08	7.13	27.0	423	26
		8/5/08	7.06	26.8	496	21.9
		10/20/08	7.57	26.0	466	20.5
		2/11/09	7.23	25.0	363	23.9
		4/28/09	7.16	26.1	369	24.2
		8/19/09	7.36	26.7	486	22.5
		12/16/09	7.28	25.7	488	26
		3/2/10	7.56	12.3	432	23.8
		4/22/10	7.49	16.4	452	24.8
		7/21/10	7.56	25.6	423.7	33.1
		10/10/13	7.87	21.9	469.6	27.5
		1/8/14	8.17	10.9	464.9	28.6
		4/16/14	7.80	21.1	471.0	28.3
		7/21/14	8.19	27.8	448.8	29.6
		10/21/14	8.06	22.2	456.0	29.1
		8/3/15	7.72	27.4	479.3	27

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
CHAMBERS	629807	3/6/08	7.73	17.8	408	7.7
		5/5/08	7.15	22.1	421	6
		7/14/08	7.43	23.2	434	5.8
		10/15/08	7.41	22.5	420	4
		1/27/09	7.57	21.5	312	5.3
		4/14/09	7.42	22.4	384	6.8
		7/15/09	7.83	23.4	414	4.3
		10/13/09	7.41	22.6	410	6.5
		1/26/10	7.31	21.3	416	5.7
		4/23/10	7.47	20.9	427.5	8.34
		7/21/10	7.49	23.1	430	7.75
		10/19/10	8.00	23.0	440	7.04
		1/18/11	7.47	22.4	390	7.30
		4/11/11	7.18	22.0	427.3	7.74
		7/18/11	7.18	23.8	420.2	8.18
		10/12/11	7.33	22.6	425.8	7.8
		2/6/12	7.43	21.8	434.6	9.08
		4/23/12	7.46	22.7	460	8.84
		7/17/12	7.31	22.4	410	8.41
		10/8/12	7.44	22.4	430.0	10.1
		1/10/13	7.57	21.5	440.8	9.64
		4/18/13	7.49	21.7	434.1	9.78
		7/15/13	7.40	22.7	434.6	9.81
		7/15/13 DUP	7.40	22.7	434.6	10.2
		10/10/13	7.51	21.8	439.7	10.3
		1/13/14	7.56	21.0	431.3	10.7
4/14/14	7.48	22.2	435.9	10.9		
7/10/14	7.50	22.9	436.4	11.0		
10/17/14	7.31	22.5	456.0	10.8		
7/21/15	7.48	22.7	447.7	11		
COB MW-1	903992	2/22/08	6.93	21.2	1401	720
		5/20/08	6.88	22.0	2050	980
		7/30/08	6.88	21.7	1780	730
		10/23/08	6.95	21.2	1690	750
		2/12/09	6.92	21.1	1313	750
		4/21/09	7.15	22.7	1366	720
		7/22/09	6.94	21.6	1570	680
		7/22/09 DUP	6.94	21.6	1570	730
		10/22/09	6.81	22.3	1582	820
		2/4/10	7.04	21.1	1653	680
		4/20/10	6.92	21.8	1836	783
		7/13/10	7.02	22.3	2004	919
		7/14/11	6.78	21.4	1924	927
		7/12/12	6.74	23.4	1760	805
		2/5/13	6.95	21.5	1773	877
		7/11/13	7.17	21.4	1858	842
		7/9/14	6.95	21.5	2000	1000
		7/9/14 DUP	6.95	21.5	2000	1020
7/27/15	6.96	21.6	1993	900		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
COB MW-2	903984	5/20/08	7.32	21.2	490	40.5
		7/30/08	7.34	20.8	511	37.6
		10/23/08	7.36	20.3	498	34.9
		2/12/09	7.35	20.2	379	35.6
		4/23/09	7.33	21.8	431	34
		7/22/09	7.36	21.3	483	33.5
		10/22/09	7.24	21.0	454	32.2
		3/3/10	7.55	19.7	450	33.5
		4/26/10	7.28	21.3	479.6	34.8
		7/13/10	6.91	21.2	479.5	30.4
		7/13/10 DUP	6.91	21.2	479.5	30.6
		1/20/11	7.47	20.7	440	29.6
		7/14/11	7.11	21.1	472.6	29.8
		1/31/12	7.53	20.3	466.6	30.0
		7/12/12	7.36	21.2	630	29.2
		1/9/13	7.48	20.0	473.5	35.8
		7/25/13	7.34	20.9	485.4	40.6
		1/6/14	7.58	19.9	487.8	40.5
		7/9/14	7.52	20.5	503.5	43.7
2/4/15	7.38	20.3	619	40.5		
7/27/15	7.57	20.8	514.6	40		
7/27/15 DUP	7.57	20.8	514.6	42		
COB MW-3	906823	2/28/08	7.39	21.0	416	57.8
		3/27/08	ND	ND	ND	57.7
		4/30/08	ND	ND	ND	37
		5/20/08	7.56	22.3	473	35.8
		7/24/08	ND	ND	ND	64.9
		7/30/08	7.64	22.3	541	67.3
		10/9/08	ND	ND	ND	52.5
		10/23/08	7.43	20.8	507	76.6
		2/12/09	7.35	21.1	432	112
		4/23/09	7.35	22.6	407	43.7
		7/22/09	7.38	21.5	460	52.3
		10/22/09	7.40	21.3	466	74.2
		10/22/09 DUP	7.40	21.3	466	73.9
		3/3/10	7.36	21.1	480	102
		4/26/10	7.35	22.0	497.9	77.6
		7/13/10	7.41	21.7	456.7	46.5
		7/14/11	7.19	21.8	440.0	40.1
		7/12/12	7.34	21.4	450	39.5
		2/5/13	7.60	20.4	476.4	65.1
		2/5/13 DUP	7.60	20.4	476.4	64.7
7/25/13	7.42	21.4	485.0	66.6		
7/9/14	7.61	21.4	525.3	90.9		
7/27/15	7.56	21.6	560.3	100		
COB WL	593116	2/22/08	6.99	20.6	919	90
		3/24/08	ND	ND	ND	98.2
		4/28/08	ND	ND	ND	98.7
		5/20/08	7.30	21.9	1053	98
		7/30/08	7.17	22.0	1098	97.1
		7/30/08	ND	ND	ND	100
		10/15/08	ND	ND	ND	107
		10/23/08	7.23	21.4	1075	104
		2/12/09	6.98	20.6	814	94
		4/23/09	7.29	22.2	923	98
		7/22/09	7.17	22.5	1037	97.3
		10/22/09	7.17	22.4	988	96.1
		3/3/10	7.48	21.1	1030	97.1
		4/26/10	7.36	21.9	1038	97.7
		4/26/10 DUP	7.36	21.9	1038	97.9
		7/13/10	7.18	22.3	1013	88.7
		7/14/11	6.91	21.6	1019	87.3
		7/12/12	7.07	23.2	1060	92.0
		2/5/13	7.91	21.5	1057	98.3
		7/25/13	7.23	22.7	1074	97.6
7/9/14	7.42	21.8	1132	81.5		
2/4/15	6.90	23.3	1488	73.7		
7/27/15	7.25	22.9	1221	70		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
COLLINS	565260	2/12/08	6.88	21.6	1470	520
		5/29/08	7.01	22.0	1459	520
		7/31/08	6.86	21.6	1502	536
		10/20/08	8.44	24.7	1510	518
		2/11/09	6.68	21.4	1147	567
		4/21/09	6.92	22.5	1150	499
		7/22/09	7.00	22.4	1413	460
		10/20/09	6.60	21.9	1432	513
		2/2/10	6.98	21.2	1439	471
		4/23/10	6.99	20.6	1472	561
		7/20/10	6.69	25.0	1420	569
7/17/13	6.97	21.6	1409	519		
COOPER	623564	2/14/08	7.02	20.8	371	33
		5/14/08	8.08	22.1	419	34.2
		7/31/08	7.81	28.4	455	33.7
		10/20/08	8.44	24.7	448	31.2
		2/11/09	7.32	19.2	333	34.3
		4/21/09	8.19	24.9	346	33.4
		7/20/09	8.45	29.8	430	32.3
		10/14/09	7.85	24.6	423	33.6
		2/1/10	7.83	13.6	433	32.4
		4/22/10	7.82	17.9	433	34.5
		7/19/10	7.98	29.3	420	35.0
		10/18/10	7.12	73.1	450	33.1
		1/19/11	8.83	18.4	410	32.1
		4/11/11	7.65	21.0	442.6	34.3
		7/11/11	7.45	24.2	426.5	32.1
		11/22/11	7.86	20.6	426.1	33.7
		2/1/12	7.97	21.8	429.2	34.1
		4/10/12	7.41	22.4	426.8	32.5
		7/18/12	7.45	22.9	430	33.4
		10/9/12	7.70	22.1	432.8	34.3
		1/11/13	7.76	21.5	434.1	32.7
		4/10/13	7.72	21.1	427.5	31
		7/11/13	7.65	23.2	432.5	31.9
		10/7/13	7.68	22.7	430.5	31.4
		1/16/14	7.65	21.6	431.7	30.8
		4/10/14	7.66	22.3	433.1	31.5
		7/10/14	7.68	22.4	428.8	32.2
10/8/14	7.37	23.5	408	31.1		
1/27/15	7.67	20.5	411	29.8		
8/3/15	7.67	22.7	421.3	27		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
COOPER C	637069	3/20/08	6.93	21.3	2081	880
		5/5/08	6.78	22.4	2139	990
		7/15/08	6.86	22.3	2162	1040
		7/15/08 DUP	6.86	22.3	2162	960
		10/16/08	6.80	21.4	2078	1020
		1/27/09	6.92	20.5	1489	950
		4/14/09	6.85	21.6	1833	930
		7/14/09	6.75	22.1	1972	910
		10/12/09	6.70	21.8	1858	830
		1/27/10	7.27	19.6	1930	620
		4/22/10	6.76	19.5	1921	884
		7/21/10	6.84	22.9	1761	921
		10/20/10	7.16	20.9	1980	829
		1/17/11	6.95	20.5	1880	756
		4/11/11	6.82	21.0	1942	834
		8/26/11	6.84	21.8	1800	847
		2/1/12	7.13	20.5	2024	867
		4/25/12	6.83	21.5	1960	817
		7/11/12	6.48	22.8	2030	834
		10/10/12	6.98	21.2	1985	863
		2/27/13	6.58	20.9	1805	821
		5/8/13	6.41	20.7	1744	798
		8/13/13	6.69	21.2	1739	756
		11/1/13	6.61	21.2	1624	738
		2/10/14	6.69	21.6	1616	715
5/7/14	6.48	22.5	1612	686		
7/21/14	6.63	23.1	1548	671		
11/13/14	6.87	22.4	1520	638		
9/10/15	6.84	22.8	1997	641		
DODSON	644927	2/20/08	7.61	17.3	857	54
		5/12/08	7.11	21.1	1118	34.2
		7/24/08	7.25	21.6	1233	49.3
		10/13/08	7.15	20.5	1095	56.9
		1/22/09	7.20	20.4	892	51.8
		4/9/09	7.09	21.4	1103	50.1
		7/8/09	7.18	21.1	1153	55.9
		10/6/09	7.07	21.1	1140	49.3
		1/21/10	7.15	18.9	1227	44.6
		4/19/10	7.46	19.9	1261	48.8
		4/19/10 DUP	7.46	19.9	1261	48.6
		7/20/10	7.16	22.7	1260	47.5
		10/18/10	6.43	21.2	1260	49.3
		1/19/11	7.88	19.5	1120	57.9
		4/5/11	7.03	20.9	1300	49.0
		7/12/11	6.86	23.7	1352	52.9
		10/10/11	6.79	20.9	1280	50.9
		10/10/11 DUP	6.79	20.9	1280	49.6
		1/31/12	7.17	20.3	1454	50.4
		4/12/12	7.06	20.6	1492	45.4
		7/11/12	7.10	21.5	1790	54.0
		10/4/12	7.27	20.6	1626	48.7
		1/18/13	7.27	20.2	1743	51.8
		1/18/13 DUP	7.27	20.2	1743	51.6
		4/9/13	7.33	19.6	1886	74.4
		7/9/13	7.39	21.0	1825	53.6
		10/9/13	7.24	20.2	1612	63.3
		1/9/14	7.31	19.7	1586	61.4
		4/15/14	7.24	20.7	1636	58.5
		7/14/14	7.27	21.9	1651	54.4
10/16/14	7.12	21.3	1706	53.2		
1/26/15	7.46	20.2	1650	59.5		
1/26/15 DUP	7.46	20.2	1650	59.9		
7/23/15	7.34	21.1	1716	61		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
DURAZO	NR	2/10/09	7.22	18.8	848	386
		4/20/09	7.37	22.7	901	367
		7/15/09	7.57	22.8	1102	332
		10/14/09	7.17	21.9	1048	377
		2/1/10	7.30	21.1	1105	344
		4/26/10	7.22	23.1	1099	388
		7/20/10	7.28	23.0	1070	405
		10/19/10	7.28	21.9	1112	398
		1/19/11	7.94	21.6	1050	360
		4/4/11	7.20	21.9	1119	383
		7/14/11	7.01	23.6	1101	409
		10/12/11	7.23	24.9	1000	396
		2/7/12	7.26	25.3	1152	404
4/12/12	7.41	21.8	1101	407		
EAST	599796	2/8/08	7.45	19.9	423	10.6
		5/14/08	7.31	20.9	595	14.8
		7/23/08	7.34	20.8	605	11.8
		10/14/08	7.33	20.3	531	8.9
		1/20/09	7.33	20.0	482	12.5
		4/8/09	7.32	20.6	555	15.9
		7/13/09	7.33	21.2	613	13.8
		10/8/09	7.29	20.8	593	13.4
		1/25/10	7.08	19.0	585	10.7
		4/21/10	7.42	20.5	616	14.4
		4/21/10 DUP	7.42	20.5	616	13.9
		7/14/10	7.45	22.2	577.1	12.1
		10/20/10	7.64	21.2	650	12.1
		1/18/11	7.44	21.0	615.9	13.1
		4/5/11	7.19	20.8	612.5	13.8
		7/12/11	7.23	21.7	595.1	12.7
		10/12/11	7.31	21.4	599.7	15.1
		10/12/11 DUP	7.31	21.4	599.7	15.1
		1/31/12	7.24	20.0	610	12.8
		4/11/12	7.53	20.6	609.3	14.6
		7/9/12	7.20	21.1	580	14.2
		10/4/12	7.49	20.4	623.8	15.0
		1/17/13	7.46	20.0	613.0	13.1
		4/9/13	7.54	19.6	597.7	12.2
		7/9/13	7.46	21.2	603.6	12.1
		10/15/13	7.51	20.2	622.6	17.2
		1/14/14	7.54	20.2	632.2	15.5
1/14/14 DUP	7.54	20.2	632.2	15.5		
4/8/14	7.44	20.5	634.7	15.3		
7/8/14	7.43	20.7	618.8	13.1		
10/22/14	7.23	22.8	601.0	20.7		
7/24/15	7.50	21.0	626.5	13		
ECHAVE	219449	2/1/12	7.39	20.7	390.0	26.7
		4/23/12	7.50	22.5	440.0	26.4
		7/17/12	7.44	22.2	430	26.1
		10/9/12	7.69	21.9	404.7	26.1
		10/9/12 DUP	7.69	21.9	404.7	26.0
		1/18/13	7.61	21.7	408.5	25.4
		5/14/13	7.74	22.2	400.2	25.2
		7/17/13	7.81	22.1	406.4	24.3
		10/8/13	7.66	21.4	404.3	24.5
		1/13/14	7.68	21.0	412.4	25.7
		4/10/14	7.67	21.4	409.3	26.4
		7/17/14	7.68	21.6	405.0	26.7
		10/22/14	7.43	21.4	406.0	25.9
8/3/15	7.88	28.7	406.8	25		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
EPPELE 641	805641	3/11/08	7.98	21.4	646	21.7
		5/12/08	7.21	21.7	667	24.7
		7/21/08	7.49	23.9	605	19
		10/14/08	7.56	20.4	642	21.8
		1/21/09	7.60	21.1	500	22.7
		4/8/09	7.56	22.4	538	19.7
		7/9/09	7.43	24.3	550	17.5
		7/20/10	7.58	23.3	529.2	21.1
		10/20/10	7.66	21.0	572.1	17.2
		1/17/11	7.43	21.0	576.4	17.3
		4/5/11	7.43	21.5	569.2	16.7
		7/11/11	7.27	23.5	563.1	18.6
		7/11/11 DUP	7.27	23.5	563.1	18.3
		10/12/11	7.38	20.9	500.0	19.6
		1/31/12	7.68	19.9	560.8	18.2
		4/11/12	7.74	20.6	563.8	19.5
		4/11/12 DUP	7.74	20.6	563.8	19.6
		7/6/12	7.60	21.7	560	18.8
		10/3/12	7.84	20.7	558.8	19.5
		1/17/13	7.76	19.1	559.6	18.8
		4/8/13	7.71	20.4	564.1	17.5
		4/8/13 DUP	7.71	20.4	564.1	17.4
		7/9/13	7.66	21.9	570.1	17.5
		10/15/13	7.86	21.1	682.5	31.9
1/14/14	7.97	19.1	602.8	29.0		
4/8/14	7.60	19.4	600.2	21.5		
7/8/14	7.65	21.0	596.9	21.6		
10/21/14	7.22	22.2	659	32.2		
7/24/15	7.60	21.2	638.1	23		
FLEMING	218386	7/15/10	6.98	24.2	1390	573
FRANCO 101	500101	2/6/08	7.47	19.6	1301	670
		5/5/08	6.93	23.1	1557	680
		7/14/08	7.00	22.7	1586	680
		10/15/08	7.20	20.5	1560	680
		1/22/09	7.19	20.1	1178	740
		4/14/09	7.24	23.1	1416	690
		7/13/09	7.30	27.3	1532	670
		10/12/09	7.16	24.2	1493	650
		1/26/10	6.91	18.5	1529	640
		4/23/10	7.43	15.8	1559	699
		7/13/10	7.48	28.6	901.6	188
FRANCO 383	221383	9/13/12	7.66	25.0	1005	318
		10/5/12	7.63	24.4	1002	324
		11/13/12	7.67	19.8	988.2	349
		12/3/12	7.54	19.4	1001	332
		1/15/13	7.52	13.5	1010	333
		2/6/13	7.55	18.9	1004	353
		3/7/13	7.4	20.5	979.9	338
		4/10/13	7.7	20.4	1000	335
		7/10/13	7.69	25.7	1018	335
		10/16/13	7.63	21.9	1018	350
		1/14/14	7.68	20.1	1039	345
		4/8/14	7.68	24.3	1044	351
		4/8/14 DUP	7.68	24.3	1044	330
		7/14/14	7.63	26.5	1030	349
		10/8/14	7.47	23.5	954	335
		7/27/15	7.68	27.3	1047	320

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
FULTZ	212447	2/27/08	6.76	21.1	1827	152
		4/21/08 ¹	6.74	22.0	1739	137
		5/14/08 ¹	6.88	22.3	1532	131
		6/23/08 ¹	6.74	22.0	1788	111
		7/29/08 ¹	6.74	22.2	1989	152
		8/28/08 ¹	M	21.6	1889	137
		9/23/08 ¹	6.82	21.9	1821	137
		10/22/08	6.80	21.4	1940	145
		1/21/09	6.74	21.2	1481	82
		4/9/09	6.78	21.5	1695	138
		7/13/09	7.04	23.4	1452	81
		10/8/09	7.00	21.6	1262	72
		10/8/09 DUP	7.00	21.6	1262	71.8
		1/25/10	7.11	21.8	1282	66.7
		4/20/10	7.32	21.2	1202	68.3
		7/14/10	7.75	22.2	1132	57.0
		10/20/10	7.27	20.5	1091	54.7
		1/18/11	7.23	20.4	1136	56.9
		4/5/11	7.08	22.1	1082	49.5
		4/5/11 DUP	7.08	22.1	1082	51.7
8/25/11	6.45	23.3	940	50.6		
10/12/11	7.22	21.7	870	48.5		
GALLANT	502527	2/11/08	7.46	20.2	604	17.9
		7/23/08	7.26	21.2	925	20.9
GARNER 635	587635	2/4/08	7.61	22.7	479	37.8
		5/5/08	7.26	24.9	468	35.8
		7/15/08	7.63	25.6	480	37.4
		10/15/08	7.65	24.1	472	36
		1/28/09	7.69	23.4	368	37.4
		4/15/09	7.83	24.1	412	36.9
		7/16/09	7.56	25.1	445	35.7
		10/14/09	7.58	25.2	446	36.1
		2/2/10	7.79	22.8	465	35.1
		4/22/10	7.84	23.7	464.1	36.9
		7/20/10	7.57	25.3	458.2	38.8
		10/19/10	8.23	25.4	510	37.9
		1/19/11	7.82	24.1	463.4	35.7
		1/19/11 DUP	7.82	24.1	463.4	35.7
		4/6/11	7.76	23.4	467.4	35.8
		7/15/11	7.19	25.0	457.40	37.7
		10/11/11	7.57	24.2	400.0	38
		2/2/12	7.38	22.7	469.5	39.2
		4/13/12	7.62	24.0	460.0	33.5
		7/11/12	7.52	24.9	520	37.7
		7/11/12 DUP	7.52	24.9	520	37.2
		10/5/12	8.09	23.1	472.9	39.1
		1/11/13	7.83	23.7	470.8	38.7
4/15/13	7.79	23.4	471.5	40		
7/10/13	7.9	25.0	469.5	36.7		
10/11/13	7.78	24.0	476.7	38.8		
1/17/14	7.81	23.2	473.6	41		
4/15/14	7.74	23.7	470.7	40.4		
GGOOSE 547	628547	5/21/08	7.08	22.7	856	199
		8/15/08	7.02	24.8	915	178
		10/29/08	7.27	22.6	897	216
		2/24/09	7.06	23.8	851	186
		5/14/09	7.15	23.9	743	174
		8/19/09	7.20	23.8	887	175
		11/11/09	7.15	23.1	897	188

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
GL-03	539782	3/4/08	7.43	25.7	417	20.3
		5/22/08	7.06	25.3	647	43.3
		8/4/08	7.10	26.8	673	36.1
		11/12/08	7.21	25.2	478	34.9
		2/26/09	7.05	26.5	603	54.8
		5/5/09	6.91	28.1	682	43.9
		8/1/09	7.12	27.4	768	43.1
		11/10/09	6.96	27.0	692	49
		3/2/10	7.36	24.9	693	43.4
		3/2/10 DUP	7.36	24.9	693	45.1
		4/9/10	6.17	25.6	556	48.1
		7/7/10	6.48	26.3	546	44.4
2/1/12	6.57	24.1	559	42.0		
HARDT	NR	2/5/13	7.15	17.5	670.6	17.7
HOBAN	805290	2/27/08	6.93	22.1	1359	510
		5/7/08	6.88	22.3	1532	670
		7/14/08	6.88	23.1	1719	690
		10/16/08	6.98	22.4	1624	692
		1/28/09	6.82	21.3	1220	580
		4/15/09	7.07	21.7	1423	700
		7/14/09	6.78	22.6	1551	670
		10/15/09	6.75	22.7	1487	670
		10/15/09 DUP	6.75	22.7	1487	780
		3/2/10	7.12	19.8	1575	580
		8/31/11	6.64	22.3	1772	893
		12/14/11	6.68	20.2	1870	944
		2/1/12	6.74	20.9	1900	993
		4/19/12	6.81	21.5	1805	868
		7/11/12	6.86	21.4	1906	1110
		10/17/12	6.74	22.0	1846	1040
		2/15/13	6.64	20.7	1934	954
		5/8/13	6.6	21.4	1903	1060
		8/13/13	6.85	21.6	1925	1030
		11/1/13	6.74	21.0	1920	1070
		2/10/14	6.64	21.0	1950	991
		5/7/14	6.69	21.1	1958	1030
7/21/14	6.69	21.6	1903	1030		
11/13/14	6.88	21.7	1965	1020		
9/10/15	6.82	22.1	1922	1030		
HOWARD 312	221312	8/14/12	8.35	26.3	629.3	69.2
		10/16/12	8.18	26.6	648.3	68.1
		2/6/13	8.18	24.1	650.3	71.9
		4/9/13	8.2	24.3	621	67.5
		7/12/13	8.25	26.8	624.9	67.9
		10/16/13	8.12	25.6	623.7	70.2
		1/8/14	8.22	24.8	620.1	70.8
		4/10/14	8.14	26	621.7	66.1
		4/10/14 DUP	8.14	26	621.7	68.2
		7/14/14	8.16	26.6	618.3	69.1
		10/10/14	7.99	26.4	621.0	66.8
7/31/15	8.17	27.4	618.8	68		

APPENDIX A

Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
HOWARD NR	NR	3/4/08	7.06	20.4	1280	571
		5/8/08	6.95	21.0	1494	673
		7/14/08	7.00	21.1	1566	610
		10/15/08	7.00	20.6	1598	683
		1/28/09	6.82	21.0	1203	640
		1/28/09 DUP	6.82	21.0	1203	640
		4/15/09	7.02	21.5	1397	620
		7/15/09	7.16	21.5	1539	640
		10/12/09	6.89	21.4	1414	600
		1/27/10	7.35	20.0	1714	440
		1/27/10 DUP	7.35	20.0	1714	520
		4/21/10	7.16	20.8	1490	710
		7/19/10	6.94	24.6	1350	548
		10/18/10	6.47	21.4	1420	568
		1/17/11	7.12	19.8	1370	520
		4/11/11	7.20	20.6	1489	616
		8/26/11	7.11	23.2	1160	498
		10/11/11	7.1	21.0	1220	545
		10/11/11 DUP	7.1	21.0	1220	538
		2/1/12	7.29	20.6	1367	630
		4/13/12	6.99	21.2	1508	632
		9/13/12	7.12	21.9	1576	699
		10/16/12	7.06	21.1	1417	576
		2/6/13	7.06	20.3	1499	679
		4/9/13	7.38	19.4	1319	521
		7/12/13	7.40	21.6	1430	590
		10/16/13	7.15	20.3	1319	522
		1/8/14	7.24	20.3	1267	462
4/10/14	7.23	20.6	1262	471		
7/14/14	7.18	21.1	1300	496		
7/14/14 DUP	7.18	21.1	1300	495		
10/10/14	6.93	23.2	1339	413		
7/31/15	7.16	21.9	1316	480		
KEEFER	209744	2/6/08	7.70	19.0	378	6.8
		5/6/08	7.19	20.3	512	9
		7/16/08	7.21	21.4	539	8
		10/28/08	7.32	20.1	534	21.2
		1/28/09	7.42	19.5	356	6.1
		4/16/09	7.29	20.0	452	7.7
		7/14/09	7.35	22.1	533	7
		10/13/09	7.24	20.7	516	8.7
		1/26/10	7.15	18.8	483	7.3
		4/20/10	7.44	20.5	540.9	8.77
		7/15/10	7.50	22.2	535.8	8.84
		10/19/10	6.72	20.2	470	7.89
		1/18/11	7.45	20.6	450	7.24
		4/6/11	7.48	19.1	546.2	8.04
		7/18/11	7.19	23.2	492.3	7.79
		10/11/11	7.39	20.7	486.9	7.98
		2/6/12	7.36	20.3	482.0	6.84
		4/23/12	7.23	21.6	500	7.14
		7/17/12	7.40	21.0	500	7.29
		10/9/12	7.58	20.1	506.6	8.47
		1/10/13	7.55	19.3	466.3	6.37
		4/18/13	7.58	20	475.9	7.3
		7/11/13	7.67	20.8	485.1	7.23
		7/11/13 DUP	7.67	20.8	485.1	7.24
		10/7/13	7.53	20.6	458.9	6.39
		1/7/14	7.61	19.7	464.8	6.54
		4/9/14	7.59	20.2	473.3	6.61
		7/10/14	7.49	21.6	460.5	6.66
10/8/14	7.32	22.3	429	6.35		
7/21/15	7.62	22.1	462.2	6.1		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
MARCELL	NR	8/26/11	7.12	25.1	1390	669
		9/26/11	6.63	22.1	1502	638
		11/22/11	7.29	21.0	1536	687
		2/1/12	7.42	20.8	1557	705
		4/13/12	7.15	21.8	1560	668
		7/13/12	6.86	22.3	1730	650
		10/17/12	7.18	21.3	1546	660
		10/17/12 DUP	7.18	21.3	1546	657
		2/6/13	7.25	19.8	1553	714
		2/6/13 DUP	7.25	19.8	1553	714
		4/10/13	7.07	19.9	1578	695
7/15/13	7.09	21.4	1617	724		
MCCONNELL 265	539265	2/20/08	7.21	21.1	1435	720
		5/6/08	6.77	21.6	1668	737
		7/15/08	6.91	22.3	1775	700
		10/15/08	6.82	21.3	1686	703
		1/28/09	6.85	21	1274	660
		4/15/09	7.04	21.3	1472	657
		7/15/09	7.01	22.2	1607	662
		10/12/09	6.77	21.7	1594	666
		1/26/10	6.71	21.5	1641	685
		4/22/10	6.95	20.1	1691	811
		7/21/10	6.86	23.5	1560	805
		10/18/10	6.97	22.0	1704	775
		1/19/11	7.38	20.6	1610	711
		4/8/11	7.04	19.8	1775	810
		7/12/11	6.60	23.7	1702	790
		10/11/11	7.18	21.8	1590	845
		2/7/12	7.14	20.6	1842	847
		4/11/12	6.82	21.4	1781	833
		7/6/12	6.88	22.4	1827	851
		10/8/12	7.07	20.9	1862	934
		1/10/13	6.89	20.9	1854	902
		1/10/13 DUP	6.89	20.9	1854	889
		4/18/13	7.11	20.4	1889	884
		7/10/13	7.14	22.1	1897	898
10/14/13	7.00	21.0	1911	908		
1/8/14	7.23	20.9	1942	985		
4/14/14	6.99	20.7	1913	963		
7/14/14	6.95	21.8	1941	975		
10/7/14	6.84	22.2	1976	968		
7/31/15	7.04	21.9	1970	950		
MCCONNELL 459	221459	7/27/12	8.25	26.5	510.0	41
		10/8/12	8.12	25.3	517.3	43.4
		1/15/13	8.06	24.5	512.6	37.4
		4/10/13	8.14	23.5	487.0	35.5
		7/10/13	8.10	25.5	480.7	34.5
		10/14/13	8.04	24.9	486.7	34.6
		1/8/14	8.20	23.7	489.4	37.1
		4/14/14	8.08	24.6	474.3	35.9
		9/9/14	8.12	25.1	465.7	33.0
		10/7/14	7.94	25.7	478.0	34.1
		7/31/15	8.13	25.9	453.6	29
LADD 635	224635	7/22/15	7.42	22.4	372.6	6.2

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
METZLER	35-71891	3/5/08	7.27	21.6	1055	317
		5/15/08	7.12	22.8	1051	329
		7/31/08	7.16	22.5	1078	317
		10/20/08	7.24	22.2	1080	305
		10/20/08 DUP	7.24	22.2	1080	326
		2/11/09	7.12	21.3	818	321
		4/20/09	7.22	23.2	845	313
		7/15/09	7.41	22.9	1031	293
		7/15/09 DUP	7.41	22.9	1031	309
		10/14/09	7.1	22.7	989	315
		2/1/10	7.22	21.7	1021	286
		5/18/10	7.56	21.0	1053	330
		7/16/10	7.20	24.1	1007	330
		10/19/10	7.15	22.6	1006	319
		1/19/11	7.55	21.1	930	298
		4/4/11	7.03	23.3	1018	323
		7/12/11	7.07	22.3	993.0	312
		10/12/11	7.27	22.1	910	301
2/7/12	7.36	21.5	1019	326		
4/12/12	7.34	21.1	1009	320		
MOORE	538847	2/20/08	7.69	22.2	362	7.1
		5/8/08	7.09	22.4	432	7.5
		7/16/08	7.34	23.0	482	9.8
		10/29/08	7.32	22.4	452	19.2
		1/29/09	7.11	21.7	328	6.6
		4/16/09	7.40	22.1	374	6.4
		7/15/09	7.44	23.3	439	5.8
		10/13/09	7.36	22.6	429	7.1
		1/26/10	7.54	19.6	423	6.3
		4/22/10	7.47	20.6	433	7.40
		7/15/10	7.44	24.1	431.3	7.54
		7/15/10 DUP	7.44	24.1	431.3	7.11
		10/19/10	6.79	22.1	430	7.14
		1/18/11	7.48	21.1	390	6.42
		4/6/11	7.39	21.4	426.3	6.70
		7/13/11	6.91	23.2	423.4	7.62
		10/11/11	7.31	22.5	419.0	7.31
		1/31/12	7.35	21.7	430	7.21
		4/23/12	7.34	22.8	470	6.99
		4/23/12 DUP	7.34	22.8	470	7.05
		7/17/12	7.36	22.9	430	7.01
		7/17/12 DUP	7.36	22.9	430	6.99
		10/8/12	7.64	21.4	433.2	7.51
		1/10/13	7.50	20.8	439.9	7.16
		4/19/13	7.68	21.6	434.7	7.25
		7/11/13	7.56	22.9	442.2	7.14
10/7/13	7.59	21.5	431.8	6.99		
10/13/14	7.47	22.0	433	6.72		
8/3/15	7.61	22.9	446.7	7.1		
NESS	509127	7/24/08	7.35	26.5	563	50.2
		10/16/08	7.47	21.4	542	48.9
		1/26/09	7.39	17.2	422	52.3
		5/11/09	7.52	28.8	472	45.9
		8/11/09	7.56	28.7	525	39.8
		11/12/09	7.53	24.5	537	51.3
		2/2/10	7.67	19.7	535	48.7
		4/21/10	7.70	23.5	518.9	42.1
		7/19/10	7.58	28.9	524.7	48.1
		1/18/11	7.49	21.8	536.6	50.1
		7/12/11	7.48	26.3	520.0	43.5
		2/3/12	7.58	21.1	538.2	49.0
		7/10/12	7.20	26.8	380	40.1
		7/10/12 DUP	7.20	26.8	380	39.2
		1/9/13	7.57	19.1	549.6	53.9
		7/8/13	7.84	27.9	539.2	46.8
		1/6/14	7.61	20.3	542.4	53.4
		7/7/14	7.60	25.3	536.6	48.3
7/20/15	7.75	27.4	560.8	54		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
NOTEMAN	212483	2/5/08	6.70	19.9	1317	310
		5/13/08	6.67	23.0	1445	272
		7/24/08	6.68	24.2	1539	274
		10/23/08	6.57	23.2	1643	356
		1/19/09	6.38	22.9	1098	322
		4/7/09	6.56	23.8	1375	303
		7/8/09	6.55	24.6	1405	260
		10/5/09	6.48	24.1	1442	281
		1/20/10	6.79	20.3	1450	289
		4/19/10	6.81	22.4	1446	307
		7/19/10	6.77	24.6	1438	309
		10/18/10	6.08	24.6	1430	280
		1/19/11	6.84	22.3	1446	266
		4/4/11	6.72	22.9	1446	276
		4/4/11 DUP	6.72	22.9	1446	279
		7/11/11	6.78	23.9	1406	272
		10/11/11	6.96	23.4	1250	286
		2/3/12	6.68	21.3	1370	301
		4/23/12	6.68	24.0	1580	291
		7/9/12	6.57	24.7	1360	265
		7/9/12 DUP	6.57	24.7	1360	265
		10/4/12	6.80	23.6	1412	287
		1/17/13	6.69	23.3	1417	288
		4/8/13	6.90	22.3	1409	280
		7/9/13	6.89	24.3	1400	278
		10/14/13	6.75	23.2	1528	355
1/10/14	6.83	22.2	1440	311		
4/10/14	6.84	23.2	1426	301		
7/7/14	6.80	23.2	1423	289		
12/10/14	6.66	22.8	1528	366		
7/23/15	6.87	24.1	1424	290		
NOTEMAN HOUSE	212483	2/3/12	7.06	13.5	1520	324
NSD-02	527587	2/5/08	ND	ND	ND	43
		7/7/08	8.02	21.0	609.00	44
NSD-03	527586	2/5/08	ND	ND	ND	70.7
		7/7/08	7.64	21.0	570.00	58.9
NWC-02	562944	10/27/08	7.47	22.2	438	5.1
		2/12/09	7.58	21.6	330	6.6
		4/23/09	7.39	23.8	373	6.4
		7/21/09	7.62	23.9	408	5
		10/21/09	7.32	22.6	436	6.8
		2/3/10	7.68	19.6	423	8.5
		4/21/10	7.57	22.1	413	7.26
		7/20/10	7.36	23.7	412.5	6.87
		10/19/10	7.42	22.5	416.2	7.39
		1/18/11	7.47	23.2	390	6.43
		4/6/11	7.27	22.9	413.5	6.4
		7/15/11	7.03	22.5	416.3	7.24
		10/13/11	7.45	21.9	370	7.31
		1/30/12	7.39	21.2	431.3	7.78
		4/25/12	7.42	22.4	370	8.42
		7/18/12	7.33	22.5	430	6.99
		10/10/12	7.58	21.7	423.9	7.46
		1/10/13	7.58	21.8	396.4	9.02
		4/17/13	7.64	21.2	426.2	7.52
		7/12/13	7.65	22.0	429.3	6.91
		10/10/13	7.49	21.2	433.4	7.05
		10/10/13 DUP	7.49	21.2	433.4	7.14
		1/13/14	7.6	21.2	426.7	7.03
		4/7/14	7.59	21.3	432.9	7.34
		7/10/14	7.57	22.0	431.6	7.65
		10/13/14	7.48	23.1	424	7.04
2/12/15	7.42	21.0	436	7.11		
7/30/15	7.62	22.2	436.2	6.3		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
NWC-03	203321	3/4/08	ND	ND	ND	560
		6/9/08	ND	ND	ND	524
		10/27/08	7.07	21.9	1374	489
		2/12/09	7.06	20.2	1023	412
		4/23/09	6.98	21.9	1129	466
		4/23/09 DUP	6.98	21.9	1129	460
		7/21/09	7.21	22.9	1194	458
		10/21/09	6.94	21.8	1224	444
		2/3/10	7.24	20.7	1214	444
		4/21/10	7.22	21.6	1178	433
		7/20/10	7.04	22.8	1229	477
		10/19/10	7.22	21.3	1172	432
		1/18/11	7.09	22.8	1120	386
		4/6/11	7.19	21.7	1114	361
		7/15/11	6.91	21.8	1094	386
		10/13/11	7.23	21.6	960	353
		1/30/12	7.15	21.5	1061	379
		4/25/12	7.17	21.6	920	346
		4/25/12 DUP	7.17	21.6	920	347
		7/18/12	7.05	22.1	1080	354
10/10/12	7.31	21.1	1029	354		
10/10/12 DUP	7.31	21.1	1029	353		
1/10/13	7.18	20.8	1051	370		
NWC-04	551849	3/4/08	ND	ND	ND	240
		6/9/08	ND	ND	ND	231
		10/27/08	7.32	25.0	856	162
		1/22/09	7.23	22.9	688	184
		2/12/09	7.20	19.8	699	181
		2/12/09 DUP	7.20	19.8	699	198
		3/11/09	7.15	23.4	846	197
		4/23/09	7.21	24.1	797	188
		5/28/09	7.01	24.1	933	210
		6/24/09	6.93	25.6	792	169
		7/21/09	7.48	24.3	859	193
		8/19/09	7.12	24.5	906	183
		9/23/09	7.16	23.8	953	202
		10/21/09	7.18	24.3	875	191
		11/18/09	7.24	22.9	909	191
		12/16/09	7.28	22.3	926	193
		2/3/10	7.49	22.3	844	167
		3/8/10	7.33	22.5	880	182
		4/21/10	7.34	22.8	913	218
		5/18/10	7.68	25.8	901.3	210
		6/15/10	7.31	24.5	917.5	212
		7/20/10	7.28	28.3	873.2	188
		8/25/10	7.55	24.8	820.9	196
		9/29/10	7.38	24.5	920.2	205
		10/19/10	7.34	23.6	870.2	195
		11/4/10	7.53	23.9	853.2	197
		12/14/10	7.41	23.6	856.8	182
		1/18/11	7.31	24.1	860	194
		2/17/11	7.46	22.3	848.6	169
		3/17/11	7.44	24.1	888.1	182
		4/5/11	7.32	23.4	878.7	196
		5/11/11	7.32	23.1	868.1	175
		6/17/11	7.28	23.7	856.3	204
		7/15/11	7.06	23.5	875.1	202
		8/25/11	7.32	25.1	780	195
		9/26/11	6.56	26.2	875.4	198
		9/26/11 DUP	6.56	26.2	875.4	199
		10/13/11	7.46	23.3	770	198
		11/22/11	7.36	22.9	853.5	201
		12/8/11	7.33	22.3	872.2	207
1/30/12	7.34	23.4	914.4	217		
2/17/12	7.45	22.9	898.1	203		
3/15/12	7.39	23.9	888.2	207		
4/25/12	7.16	23.4	870	204		
5/22/12	7.25	23.9	970	178		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
NWC-04	551849	6/6/12	7.27	24.4	1040	195
		7/18/12	7.25	23.7	880	205
		8/28/12	7.49	24.2	893.3	208
		9/13/12	7.40	23.9	883.7	205
		10/10/12	7.48	23.2	883.6	207
		11/13/12	7.56	21.7	849.8	211
		12/3/12	7.40	23.0	898.6	208
		1/10/13	7.37	22.2	903.1	210
		2/7/13	7.54	23.0	917.5	228
		3/7/13	7.49	22.4	892.4	222
		4/17/13	7.43	22.6	903.8	223
		5/14/13	7.53	23.2	881.7	214
		6/5/13	7.29	33.9	862.7	201
		7/12/13	7.29	23.5	897.2	211
		7/12/13 DUP	7.29	23.5	897.2	200
		8/9/13	7.43	23.5	898.6	207
		9/5/13	7.56	23.8	893.6	214
		10/10/13	7.39	22.6	873.7	197
		11/6/13	7.58	21.8	852.3	202
		12/3/13	7.50	23.1	843.4	199
		1/13/14	7.12	21.9	885.6	197
		2/5/14	7.46	22.4	833.3	198
		3/5/14	7.59	22.8	813.3	168
		4/7/14	7.49	22.9	834.2	187
		5/13/14	7.56	23.4	819.8	186
		6/23/14	7.62	24.5	806.7	188
		7/10/14	7.57	23.8	826.2	194
		8/11/14	7.59	23.5	824.0	187
		9/9/14	7.50	24.0	789.5	163
		10/13/14	7.39	24.5	802	175
11/14/14	7.46	22.9	835.4	183		
12/10/14	7.33	23.3	840.7	189		
2/12/15	7.81	20.3	856.4	177		
4/9/15	7.41	24.6	823.2	182		
7/30/15	7.60	24.5	935.6	200		
10/6/15	7.54	23.2	866.8	230		
NWC-06	575700	6/9/08	ND	ND	ND	7.2
		10/27/08	7.35	23.3	414	6.4
		2/12/09	7.54	21.8	306	8
		4/23/09	7.30	24.5	354	7.3
		7/21/09	7.63	23.5	388	6.4
		10/21/09	7.26	23.2	413	8
		2/3/10	7.61	20.5	404	7.5
		2/3/10 DUP	7.61	20.5	404	7.4
		4/21/10	7.54	22.4	387	8.49
		7/20/10	7.33	26.0	388.6	8.59
		10/19/10	7.49	22.7	394.5	8.32
		1/18/11	7.45	23.4	380	8.24
		4/6/11	7.42	23.1	388.3	7.76
		4/6/11 DUP	7.42	23.1	388.3	7.73
		7/15/11	7.09	22.9	394.3	8.36
		10/13/11	7.51	22.3	340	8.48
		1/30/12	7.47	22.1	402.7	8.44
		4/25/12	7.34	22.5	410	7.11
		7/18/12	7.39	22.8	380	8.60
		10/10/12	7.62	21.9	393.6	9.33
		1/10/13	7.47	21.3	429.2	7.55
		4/17/13	7.66	21.1	404.1	8.82
		7/12/13	7.59	22.4	404.1	8.40
		10/10/13	7.56	21.6	403.3	8.38
		1/13/14	7.64	21.3	401.8	8.78
		4/7/14	7.65	21.7	403.7	8.62
		7/10/14	7.68	22.4	405.9	8.97
		7/10/14 DUP	7.68	22.4	405.9	8.99
		10/13/14	7.59	23.4	393	8.51
		2/12/15	7.60	21.2	405	8.12
2/12/15 DUP	7.60	21.2	405	8.09		
7/30/15	7.66	22.6	406.5	8.2		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
OSBORN	643436	2/25/08	7.35	22.4	508	16.4
		5/13/08	7.22	22.2	576	17.2
		7/22/08	7.24	22.9	618	17.7
		7/22/08 DUP	7.24	22.9	618	17.5
		10/16/08	7.39	22.4	595	15.9
		1/20/09	7.33	22.4	469	16
		4/7/09	7.25	24.0	542	17
		8/18/09	7.16	24.6	643	17.4
		10/5/09	7.14	22.9	599	17.9
		1/21/10	7.47	19.5	591	15.6
		4/19/10	7.60	21.5	601.9	19.3
		7/12/10	7.69	24.2	594.0	18.4
		7/12/11	7.87	29.8	575.9	19.5
		2/3/12	8.15	15.3	390	19.2
		1/8/13	7.88	10.5	544.4	20.4
		7/8/13	7.56	39.2	510.3	19.2
1/10/14	7.89	18.1	580.5	18.7		
7/7/14	7.84	29.2	496.3	18.0		
PALMER	578819	2/14/08	7.91	17.5	435	15.9
		5/13/08	7.92	22.9	508	16.6
		7/22/08	7.64	25.8	548	16.2
		10/16/08	7.61	17.0	527	15.9
		1/20/09	7.33	19.4	441	14.3
		4/8/09	7.65	19.1	475	15.4
		7/8/09	7.47	27.2	521	14.3
		10/5/09	7.81	22.2	538	16.2
		1/20/10	7.72	11.9	510	13.8
		4/22/10	7.97	13.6	520	16.7
		7/12/10	7.62	30.2	518.8	15.7
		10/18/10	8.13	22.1	511.9	16.5
		1/18/11	7.24	17.1	517.0	15.7
		4/5/11	8.04	19.0	499.2	15.8
		7/12/11	7.65	26.6	517.6	16.4
		10/11/11	7.85	22.0	510.4	17
		2/3/12	7.94	10.0	521.4	17.1
		4/11/12	7.52	18.7	519.8	17.3
		7/10/12	7.30	27.9	390	16.6
		10/3/12	8.09	25.7	526.7	17.6
		10/3/12 DUP	8.09	25.7	526.7	17.5
		1/9/13	7.9	17.5	532.8	16.8
		4/8/13	8.07	18.4	534.1	17
		7/17/13	7.74	22.3	531.0	17.2
		10/14/13	8.03	20.1	533.1	16.9
		1/6/14	7.82	11.9	517.4	17.4
		4/7/14	7.96	18.3	534.8	17.3
		7/7/14	8.07	23.9	534.4	18.3
10/23/14	7.86	19.6	536.0	17.5		
7/20/15	7.95	25.9	540.1	18		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
PANAGAKOS	35-76413	4/21/08	6.80	20.5	1228	410
		7/21/08	6.95	21.9	1390	444
		10/13/08	6.86	21.2	1386	480
		10/13/08 DUP	6.86	21.2	1386	500
		1/22/09	6.92	19.7	997	397
		4/9/09	6.81	21.7	1228	431
		4/9/09 DUP	6.81	21.7	1228	426
		7/9/09	6.89	22.3	1469	490
		10/6/09	6.83	21.1	1328	472
		1/21/10	7.06	18.8	1291	318
		4/20/10	7.25	21.0	1528	608
		7/20/10	6.90	24.0	1560	706
		10/18/10	6.38	22.1	1530	568
		7/14/11	6.93	23.3	1070	223
		8/25/11	7.17	23.4	1170	222
		2/6/12	6.98	20.8	1017	166
		2/29/12	7.09	20.3	1080	362
		3/15/12	7.02	21.4	1138	282
		4/12/12	6.90	20.9	1265	346
		4/12/12 DUP	6.90	20.9	1265	352
		7/9/12	6.82	22.2	1140	292
		11/27/2012	7.51	20.1	1164	274
		2/6/13	7.05	19.9	1054	212
		4/9/13	7.24	19.7	1105	232
		7/10/13	7.26	21.4	1218	329
		10/15/13	7.14	20.5	1109	240
		1/10/14	7.23	19.6	1079	227
		4/16/14	7.17	20.4	1103	228
7/17/14	7.13	21.4	1357	467		
10/16/14	6.9	22.1	1104	193		
1/26/15	7.11	19.6	1349	428		
7/27/15	7.03	22.2	1445	470		
PARRA	576415	2/11/08	7.08	21.8	1067	360
		5/15/08	7.10	21.8	1200	405
		7/31/08	7.00	22.4	1248	423
		7/31/08 DUP	7.00	22.4	1248	404
		10/20/08	7.07	22.9	1246	387
		2/13/09	7.24	22.1	965	405
		4/20/09	7.10	22.6	971	372
		7/20/09	7.17	23.9	1174	375
		10/20/09	6.80	22.5	1188	388
		2/1/10	7.07	21.5	1197	353
		4/22/10	6.91	20.3	1219	417
		7/14/10	7.13	22.2	1201	403
		7/14/10 DUP	7.13	22.2	1201	391
		10/20/10	7.51	21.4	1270	411
		1/19/11	7.49	20.8	1130	391
		4/4/11	6.90	22.6	1207	382
		7/12/11	6.76	23.7	1156	404
		10/12/11	7.44	22.3	1070	406
		2/7/12	7.64	21.4	1212	428
		4/13/12	7.49	21.1	1204	402
		4/13/12 DUP	7.49	21.1	1204	390
		7/18/12	7.03	22.6	1210	418
		7/18/12 DUP	7.03	22.6	1210	419
		10/9/12	7.30	21.3	1209	428
		1/11/13	7.64	20.3	1217	413
		4/11/13	7.29	21.2	1206	427
		7/17/13	7.21	21.9	1212	411
		10/18/13	7.18	21.3	1212	406
		1/8/14	7.21	20.8	1221	437
		4/15/14	7.18	21.5	1213	416
7/21/14	7.30	22.4	1193	432		
10/6/14	7.12	21.5	1133	413		
8/3/15	7.24	22.3	1193	390		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
PIONKE 395	613395	2/6/08	7.53	19.9	910	394
		5/7/08	7.08	21.4	1100	391
		7/17/08	6.99	21.9	1209	420
		10/27/08	7.03	20.8	1175	460
		1/29/09	7.13	19.9	847	385
		4/14/09	7.58	20.7	1053	411
		7/13/09	7.35	21.5	1165	472
		10/7/09	7.43	21.1	1100	403
		3/8/10	7.72	18.6	1201	406
		4/26/10	7.22	21.9	1224	438
		7/15/10	7.32	22.3	1158	474
		10/18/10	7.33	21.3	1277	473
		10/18/10 DUP	7.33	21.3	1277	487
		1/19/11	7.32	19.9	1222	471
		4/8/11	7.13	19.2	1232	467
		7/12/11	7.30	23.8	1226	500
		10/11/11	6.98	20.8	1100	502
		2/1/12	7.25	17.5	1230	481
2/1/12 DUP	7.25	17.5	1230	495		
4/12/12	7.17	22.1	1218	508		
7/11/12	6.59	22.9	1280	439		
10/17/12	7.16	22.3	1136	419		
PIONKE 517	221517	9/18/12	7.91	23.4	395.8	14
		10/11/12	7.75	22.8	394.7	14.9
		1/9/13	7.79	22.6	389.9	14.3
		4/17/13	7.74	22.1	391.9	14.6
		7/16/13	7.84	22.9	391.5	13.9
		10/17/13	7.73	22.7	391.5	13.8
		2/5/14	7.75	21.5	394.2	14.9
		4/9/14	7.71	22.9	400.9	14.0
		7/11/14	7.76	23.7	388.9	14.6
		10/7/14	7.46	25.8	406	14.0
7/22/15	7.79	23.3	392.1	14		
POOL	509518	2/20/08	7.95	20.9	497	134
		5/19/08	7.40	22.2	585	122
		7/31/08	7.47	22.3	599	117
		10/21/08	7.51	21.4	598	120
		2/13/09	7.62	20.8	473	141
		4/21/09	7.73	22.6	470	124
		7/20/09	7.76	22.9	579	122
		10/20/09	7.22	21.2	577	122
		2/24/10	7.56	22.4	577	110
		4/22/10	7.75	20.2	606.5	130
		7/14/10	7.38	21.7	580.9	117
		10/20/10	7.79	21.3	620	115
		1/20/11	7.71	20.5	530	112
		1/20/11 DUP	7.71	20.5	530	114
4/6/11	7.37	21.6	567.4	114		
POWER	624535	2/12/08	7.11	18.9	428	15.5
		7/22/08	7.10	21.7	795	20.2
POWER 639	222639	1/16/14	7.38	20.9	1004	234
		2/5/14	7.35	20.8	1004	328
		3/5/14	7.39	21.3	991.4	187
		4/15/14	7.38	21.6	999.4	249
		5/13/14	7.40	21.4	990.9	206
		6/23/14	7.44	21.9	886.4	117
		7/17/14	7.40	22.1	861.3	168
		8/11/14	7.50	21.8	864.9	136
		9/9/14	7.49	21.7	850.4	105
		1/27/15	7.27	22.0	922	291
		3/10/15	7.35	21.9	1032	265
		4/28/15	7.43	20.6	1002	305
		5/14/15	7.32	21.3	991.4	270
		6/11/15	7.26	22.0	1019	310
		7/30/15	7.33	22.3	1014	290

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
RAMIREZ	216425	2/4/08	7.47	21.7	408	7.6
		5/6/08	7.19	22.7	405	8.3
		7/17/08	7.32	24.5	439	8.8
		10/27/08	7.41	22.2	412	7.3
		1/29/09	7.24	22.2	301	8.3
		4/16/09	7.49	22.4	344	7.6
		7/10/09	7.52	23.9	411	6.4
		10/6/09	7.30	23.8	388	8.4
		1/25/10	7.48	22.4	390	7.8
		4/21/10	7.45	22.6	397	9.04
		7/21/10	7.38	25.1	420	8.98
		10/19/10	7.91	23.7	450	10.8
		1/18/11	7.52	23.1	380	8.18
		4/11/11	7.24	23.2	408.5	8.65
		7/18/11	7.27	25.4	402.6	8.44
		10/12/11	7.40	23.3	412.7	8.55
		1/30/12	7.38	22.3	412.2	8.80
		4/10/12	7.40	23.2	404.5	8.70
		7/6/12	7.32	24.2	415.7	8.97
		10/8/12	7.61	22.5	412.0	9.14
		10/8/12 DUP	7.61	22.5	412.0	9.07
		1/17/13	7.52	22.2	409.6	8.82
		4/19/13	7.6	22.1	413.9	8.63
		7/15/13	7.58	23.6	416.2	8.19
		10/7/13	7.68	22.6	412.7	8.37
		1/13/14	7.63	21.9	409.8	8.79
4/14/14	7.55	22.2	417.5	8.67		
7/10/14	7.58	23.2	413.5	8.92		
10/17/14	7.36	23	422.0	8.67		
7/21/15	7.54	23.7	414.6	8.5		
RAY	803772	2/15/08	7.30	19.1	1540	159
		4/21/08 ¹	6.92	21.3	1418	125
		5/13/08 ¹	7.05	20.9	1418	123
		6/23/08 ¹	6.87	21.1	1593	130
		7/29/08 ¹	6.98	21.8	1411	120
		8/28/08 ¹	M	21.1	1519	129
		9/23/08 ¹	6.90	22.2	1519	125
		10/22/08	6.96	20.8	1604	145
		1/20/09	6.92	20.6	1355	88
		4/8/09	6.85	21.4	1759	178
		7/9/09	6.93	22.3	1434	126
		10/7/09	6.98	21.3	1288	127
		1/26/10	6.82	20.6	1352	125
		4/20/10	7.14	21.5	1318	134
		7/14/10	7.11	23.8	1313	137
		10/20/10	7.14	19.6	1368	127
		1/17/11	7.04	20.8	1451	132
		1/17/11 DUP	7.04	20.8	1451	125
		4/5/11	7.03	20.8	1387	132
		7/11/11	7.07	22.8	1345	126
		10/12/11	7.06	21.6	1250	130
		1/31/12	7.28	20.5	1360	131
		4/11/12	7.03	20.6	1359	131
		7/6/12	7.11	22.1	1430	129
		10/3/12	7.12	21.1	1464	130
		1/17/13	7.05	19.5	1527	126
		1/17/13 DUP	7.05	19.5	1527	140
		4/8/13	7.32	20	1476	131
		7/9/13	7.18	21.4	1451	128
		10/15/13	7.13	20.8	1487	135
		1/14/14	7.25	19.2	1433	133
		4/8/14	7.09	20.8	1502	146
7/8/14	7.14	21.4	1409	147		
10/22/14	6.88	21.6	1422	147		
8/3/15	7.22	21.4	1360	130		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
ROGERS 596	573596	10/19/09	6.89	23.3	1360	590
		11/5/09	6.79	21.9	1418	540
		2/25/10	6.99	19.6	1603	520
		4/22/10	7.21	18.2	1641	710
ROGERS 803	641803	2/7/08	7.45	18.6	601	138
		4/21/08 ¹	7.32	21.4	552	128
		5/8/08 ¹	7.14	21.2	622	141
		6/23/08 ¹	7.06	22.9	660	129
		7/29/08 ¹	6.78	23.1	339	134
		8/28/08 ¹	7.18	21.6	635	128
		9/23/08 ¹	7.24	21.9	599	133
		10/22/08	7.36	21.3	650	144
		2/10/09	7.42	17.9	475	141
		4/29/09	7.52	21.9	506	211
		8/3/09	7.39	24.2	674	150
		7/16/10	7.46	23.9	643.4	169
		10/19/10	7.32	21.1	643.8	154
		10/19/10 DUP	7.32	21.1	643.8	154
		1/20/11	7.44	18.1	610	143
		4/8/11	7.30	20.2	658.2	160
		7/14/11	7.12	23.5	653.5	166
		10/12/11	7.41	21.8	665.3	175
		1/30/12	7.40	20.0	580	171
		4/23/12	7.32	23.9	720	166
		7/13/12	7.26	24.0	820	171
		7/13/12 DUP	7.26	24.0	820	166
		10/10/12	7.41	24.3	671.4	177
		1/15/13	7.37	16.9	681.1	174
		4/15/13	7.57	23.8	698	190
		7/15/13	7.39	23.6	697.8	184
		10/16/13	7.47	25.4	710.6	185
1/9/14	7.46	21.4	701.8	190		
4/11/14	7.52	26.1	711.3	190		
7/18/14	7.48	24.9	709.2	192		
ROGERS E	216018	2/4/08	7.40	21.0	435	4.6
		5/7/08	7.18	22.2	415	5.9
		7/17/08	7.28	23.0	446	7.1
		10/27/08	7.38	21.4	434	15.7
		2/10/09	7.51	20.7	322	5.4
		4/16/09	7.48	22.0	361	4.9
		7/13/09	7.34	22.6	420	3.8
		10/6/09	7.31	22.3	407	5.8
		1/25/10	7.52	20.6	414	5.1
		4/21/10	7.44	21.1	421	6.04
		7/21/10	7.37	23.8	430	6.47
		10/19/10	7.80	22.8	460	5.92
		1/18/11	7.39	21.5	390	5.50
		4/11/11	7.19	22.7	427.2	6.13
		7/18/11	7.12	24.3	418.5	6.00
		10/13/11	7.52	22.2	370	5.99
		1/30/12	7.38	20.8	427.2	6.22
		4/10/12	7.37	22.1	421.8	6.31
		7/17/12	7.32	22.7	420	5.85
		10/17/12	7.55	21.7	429.0	6.04
		1/17/13	7.46	21.5	431.5	6.01
		4/18/13	7.63	21.3	433.5	6.26
		7/17/13	7.59	22.1	427.7	6.05
		7/17/13 DUP	7.59	22.1	427.7	6.28
		10/10/13	7.51	21.9	436.9	5.8
		1/7/14	7.49	21.0	434.0	6.24
		4/14/14	7.59	21.4	431.2	6.11
		7/10/14	7.54	22.4	428.5	6.41
		10/17/14	7.31	22.6	452	5.81
		7/30/15	7.57	22.9	430.3	5.9

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
RUIZ	531770	2/5/08	7.73	18.2	445	263
		5/15/08	7.23	25.9	965	265
		7/30/08	6.99	22.1	999	243
		10/20/08	7.04	22.0	995	238
		2/12/09	6.94	20.9	748	254
		4/21/09	7.18	22.3	759	227
		8/3/09	7.05	22.9	1029	221
		10/28/09	7.09	20.6	920	227
		2/1/10	7.08	20.9	934	236
		4/26/10	7.01	22.5	920.1	240
		7/20/10	7.08	22.5	880	240
		10/20/10	7.52	20.7	970	231
		1/18/11	7.19	20.2	860	213
		4/8/11	7.09	19.8	923.3	236
		8/26/11	6.85	22.6	800	220
		10/13/11	7.19	21.5	810	230
		2/7/12	7.28	20.7	915.6	230
		2/7/12 DUP	7.28	20.7	915.6	228
		4/13/12	7.04	21.1	896.5	203
		7/18/12	6.87	21.6	900	214
		10/9/12	7.18	21.4	890.6	229
		1/11/13	7.21	20.7	895.8	219
		1/11/13 DUP	7.21	20.7	895.8	211
		4/11/13	7.26	21.9	876.8	229
		7/25/13	7.13	21.4	887.3	228
		10/17/13	7.23	20.8	891.9	210
		1/8/14	7.32	20.5	886.8	220
		4/15/14	7.26	21.2	873.5	215
		8/11/14	7.32	21.2	869.2	221
		10/21/14	7.09	21.4	886	209
10/21/14 DUP	7.09	21.4	886	212		
1/27/15	7.14	21.4	853	215		
7/30/15	7.20	21.9	865.8	190		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
SCHWARTZ	210865	2/8/08	7.52	21.5	506	158
		4/21/08 ¹	7.23	21.7	563	122
		5/19/08 ¹	7.38	22.4	629	130
		6/23/08 ¹	7.02	22.1	674	129
		7/29/08 ¹	7.25	22.4	955	245
		8/28/08 ¹	M	22.3	669	131
		9/23/08 ¹	7.27	22.2	607	124
		10/22/08 ¹	7.31	22.0	653	135
		11/19/08 ¹	7.38	21.1	612	140
		12/17/08 ¹	6.78	21.6	472	144
		1/29/09 ¹	7.08	22.0	475	124
		2/23/09 ¹	7.33	22.1	610	123
		4/17/09	7.46	22.2	520	120
		7/10/09	7.52	22.8	651	116
		7/10/09 DUP	7.52	22.8	651	117
		10/6/09	7.27	22.5	613	120
		1/22/10	7.79	19.5	664	133
		4/21/10	7.50	20.9	638	129
		7/21/10	7.43	22.0	650	134
		10/19/10	7.76	21.2	710	147
		1/17/11	7.15	21.2	620	116
		4/11/11	7.20	21.5	656.9	128
		7/18/11	7.36	23.7	612.4	116
		10/12/11	7.35	22.4	635.8	124
		2/6/12	7.32	21.3	629.7	116
		2/6/12 DUP	7.32	21.3	629.7	114
		4/10/12	7.48	21.6	626.1	120
		7/16/12	7.31	21.9	710	117
		10/17/12	7.48	21.6	645	121
		3/13/13	7.57	20.7	623.6	118
		5/14/13	7.61	21.5	629.7	112
		7/15/13	7.49	22.1	770.2	198
		10/14/13	7.55	20.9	633.3	109
1/13/14	7.61	20.6	663.1	125		
4/9/14	7.48	21.5	635.9	110		
7/18/14	7.45	21.8	790.5	216		
10/22/14	7.28	22	646.0	119		
2/3/15	7.35	22.4	714	125		
2/3/15 DUP	7.35	22.4	714	126		
8/4/15	7.49	22.5	641.8	110		
SRC	211345	4/23/08	7.57	25.8	380	19
SWAN	NR	8/5/08	7.40	27.2	452	15.4
		2/13/08	7.28	20.7	467	24.1
		5/14/08	7.24	21.2	479	23.7
		7/24/08	7.35	22.4	506	18
		10/16/08	7.32	20.7	488	19
		1/20/09	7.05	20.4	391	19.8
		4/7/09	7.21	21.5	447	19.9
		7/8/09	7.18	23.1	473	18.5
		10/5/09	7.18	21.4	496	19.7
		1/21/10	7.49	19.5	501	18.4
		4/21/10	7.42	20.3	512.1	20.9
		7/19/10	7.13	23.8	518.6	22.2
		1/18/11	7.19	17.8	483.6	18.7
		7/12/11	7.05	22.4	478.2	19.1
		2/3/12	7.40	20.5	484.5	20.1
		2/3/12 DUP	7.40	20.5	484.5	19.5
		7/10/12	7.00	22.7	370	19.4
		1/11/13	7.38	20.0	489.0	19.3
		7/8/13	7.45	22.8	489.7	19.4
		1/10/14	7.65	19.7	428.6	19.2
		7/7/14	7.44	21.8	464.7	19.4
		7/20/15	7.45	23.0	491.2	19
		7/20/15 DUP	7.45	23.0	491.2	19

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
THOMPSON 341	218341	5/29/13	7.22	24.4	415.9	7.32
		8/9/13	7.57	22.2	420.0	7.62
		10/9/13	7.49	21.6	425.2	7.54
		1/16/14	7.53	21.5	432.7	7.48
		4/14/14	7.50	21.6	425.8	7.68
		7/21/14	7.48	22.3	414.2	8.02
		10/22/14	7.23	22.3	430	8.02
		8/3/15	7.50	23.1	425.7	7.5
TM-02A	522574	3/4/08	8.67	22.6	302	12.3
		5/23/08	7.75	22.9	321	14.7
		8/15/08	7.84	26.4	369	14.4
		10/30/08	8.07	23.9	375	21.9
		2/24/09	8.10	24.8	340	20.3
		5/6/09	8.06	26.7	320	18.7
		8/12/09	8.34	26.9	398	20
		11/4/09	8.16	26.3	381	21.8
		3/10/10	8.13	25.2	351	21.4
		3/10/10 DUP	8.13	25.2	351	21.3
		4/6/10	6.96	24.6	363	25.6
		7/6/10	7.38	24.6	343	22.1
		2/10/11	6.93	20.2	359	22.9
		7/13/11	7.92	24.8	349	22.5
		2/2/12	7.89	22.2	360	23.0
		8/14/12	7.65	24.6	366	23.4
		2/15/13	7.72	22.2	369	22.1
		8/27/13	7.72	24.7	414	23.5
2/18/14	7.54	24.3	388	24.5		
8/12/14	7.62	24.7	395	25.6		
TM-03	522575	5/20/08	7.51	22.2	778	110
		8/6/08	7.08	21.6	828	97
		11/12/08	7.47	20.5	590	128
		2/26/09	7.21	21.8	737	107
		2/26/09 DUP	7.21	21.8	737	102
		5/13/09	7.47	22.2	695	109
		8/18/09	7.48	22.4	822	98
		11/10/09	7.55	21.8	761	106
		3/2/10	7.56	21.6	748	99
		4/14/10	7.55	20.6	635	103
		7/7/10	7.19	21.4	566	103
		2/1/12	7.48	21.1	744	112
		TM-06 MILLER	522695	2/27/08	7.44	19.6
5/20/08	7.50			20.7	506	32.7
8/4/08	7.41			20.7	529	31.3
10/29/08	7.55			20.2	531	34.5
2/26/09	7.18			20.4	574	32.7
5/13/09	7.35			20.9	465	30.6
8/18/09	7.50			20.9	560	30.9
8/18/09 DUP	7.50			20.9	560	29.9
11/12/09	7.53			20.4	530	31.1
4/14/10	7.35			19.4	461	29.0
7/2/10	7.24			20.1	438	29.8
7/21/11	7.1			20.1	516	31.7
7/9/12	6.82			20.8	505	33.5
2/14/13	6.92			19.6	527	31.1
8/19/13	7.21			19.9	556	32.5
7/21/14	7.17	19.9	551	33.0		

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
TM-07	522576	3/6/08	7.54	20.8	726	22.5
		5/22/08	6.96	20.1	385	22.9
		8/6/08	7.04	22.8	519	22.2
		11/4/08	7.76	20.6	347	31.2
		2/20/09	7.77	19.9	376	22.5
		5/13/09	7.30	22.9	559	130
		8/17/09	7.60	22.6	442	134
		11/3/09	7.85	21.8	441	134
		3/2/10	7.67	21.6	422	124
		5/25/10	7.77	21.2	398	42.6
		7/6/10	7.58	22.0	350	44.7
		2/11/11	6.87	20.1	393	24.9
		7/21/11	6.90	21.4	402	41.7
		2/9/12	7.15	23.0	670	171
		8/13/12	6.83	21.7	415	25.4
		2/27/13	6.81	19.9	380	25.6
		8/28/13	7.36	21.2	369	25.0
		2/13/14	6.99	20.4	372	27.4
8/21/14	7.35	20.6	358	48.5		
2/4/15	7.58	21.0	375	102		
9/15/15	7.36	21.5	411	91.3		
TM-08 SWAN	522817	2/13/08	7.63	24.1	511	24.1
		5/14/08	7.44	24.4	480	12.6
		7/23/08	7.76	28.1	522	12.6
TM-10 USBP	522696	12/8/11	6.95	19.6	381	16.8
		3/15/12	7.85	20.2	382.3	15.1
		4/24/12	7.88	21.0	280	13.4
		4/24/12 DUP	7.88	21.0	280	13.3
		9/13/12	8.09	21.1	407	13.3
		10/19/12	8.17	21.0	428.2	12.8
		3/7/13	8.33	21.2	415.1	12.7
		4/17/13	8.27	20.3	423.9	12.8
		7/23/13	8.16	21.4	426.1	13.2
		11/6/13	7.90	21.3	386.5	4.81
		11/6/13 DUP	7.90	21.3	386.5	4.64
		1/15/14	7.91	21.1	424.4	3.98
		5/15/14	7.98	20.4	410.6	5.12
		7/15/14	7.86	21.4	421.9	5.46
		10/16/14	7.51	22.0	439	4.16
1/28/15	7.75	23.0	413	3.96		
7/24/15	7.87	22.6	478.8	<5.0		
TM-15 MILLER	522699	2/27/08	7.66	21.9	344	14
		5/23/08	7.54	22.1	371	14.4
		8/5/08	7.42	23.3	413	13.7
		10/28/08	7.63	22.6	387	18.6
		10/28/08 DUP	7.63	22.6	387	18.8
		2/26/09	7.57	22.0	373	14.6
		5/13/09	7.61	23.1	344	13.7
		8/17/09	7.73	23.2	398	14.2
		11/3/09	7.73	23.4	414	14.8
		2/24/10	7.66	22.8	381	14.4
		4/27/10	7.71	23.0	383.6	14.9
		7/20/10	7.77	23.0	324	14.3
		7/12/11	7.36	23.2	380	14.2
		7/10/12	7.04	23.7	379	14.9
		2/12/13	6.96	21.7	393	14.6
		9/4/13	7.2	22.8	412	14.8
		7/22/14	7.18	23.2	407	14.6
		9/8/15	7.19	23.0	411	14.7

APPENDIX A

Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
TM-16	522578	3/5/08	7.17	20.6	1351	497
		5/22/08	7.05	20.5	1304	522
		8/6/08	6.67	20.9	1410	466
		11/5/08	7.14	19.8	1162	547
		2/20/09	6.90	21.1	1292	492
		5/13/09	6.93	21.1	1179	484
		8/19/09	7.08	21.2	1354	468
		11/10/09	7.02	21.0	1310	505
		3/2/10	7.13	20.4	1313	451
		4/14/10	6.90	19.9	987	484
		7/2/10	6.81	20.8	858	474
		7/14/11	6.97	20.5	1285	511
		7/16/11	6.97	20.5	1285	513
		7/9/12	6.95	21.0	1292	544
8/15/13	6.86	20.3	1374	539		
8/4/14	6.79	20.6	1368	550		
TM-19A	522581	3/6/08	8.02	22.2	240	56.1
		5/22/08	7.36	24.0	501	64.5
		8/6/08	7.32	22.6	494	55.3
		11/18/08	7.79	24.3	365	66.3
		3/3/09	7.41	24.5	489	66.2
		4/22/09	7.44	24.3	494	62.5
		8/12/09	7.61	24.4	554	61.3
		11/4/09	7.47	24.2	522	63
		3/10/10	7.54	22.9	511	60.6
		4/9/10	6.49	23.0	435	66.5
		7/7/10	6.93	23.8	428	63.2
		2/14/11	6.69	21.4	511	61.9
		7/15/11	7.11	24.1	499	62.1
		2/2/12	7.13	22.5	498	62.2
		7/10/12	7.12	23.5	505	63.7
		2/15/13	6.74	23.2	522	60.1
		9/4/13	7.11	23.8	538	61.3
		2/12/14	6.93	23.6	548	62.8
		7/21/14	7.06	24.2	542	63.3
9/10/15	7.31	24.0	502	61.4		
TM-42	562554	3/5/08	7.10	20.8	1342	482
		5/22/08	7.05	21.4	1270	483
		8/6/08	6.69	22.0	1388	467
		11/6/08	6.90	21.0	1025	477
		2/18/09	6.72	22.3	1245	429
		5/7/09	6.88	24.5	1155	430
		5/7/09 DUP	6.88	24.5	1155	445
		8/18/09	7.04	24.4	1336	428
		11/3/09	7.07	23.1	1266	430
		2/24/10	7.13	22.7	1236	390
		4/19/10	6.87	21.5	985	444
		7/2/10	6.81	23.9	827	407
		7/12/11	6.83	22.0	1205	441
		2/9/12	6.76	20.5	1172	444
		7/11/12	6.72	21.1	1155	449
		2/12/13	6.69	20.2	1185	400
		8/28/13	6.89	21.3	1212	416
7/21/14	6.85	21.4	1205	418		
TM-43	564729	3/3/08	8.57	21.0	341	2.1
		8/4/08	8.14	25.7	436	<5
TM-43A	564726	3/3/08	6.17	19.9	2788	1420
		8/4/08	6.03	21.6	3149	1320
TM-43B	565004	3/3/08	6.79	20.6	514	0.7
		8/5/08	6.89	21.0	507	31.8
		8/5/08 DUP	6.89	21.0	507	32.5

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
TVI 236	802236	3/20/08	7.48	20.0	488	31.3
		5/7/08	7.13	20.4	494	32.6
		7/15/08	7.39	21.9	532	37.6
		10/15/08	7.45	22.3	490	36.6
		2/11/09	7.32	20.1	391	27.6
		4/17/09	7.36	19.3	418	28.1
		4/17/09 DUP	7.36	19.3	418	28.3
		7/21/09	7.59	22.9	484	31.3
		10/19/09	7.31	22.1	513	33.2
		2/2/10	7.39	20.4	497	26
		4/23/10	7.46	20.0	504.6	30.9
		7/15/10	7.37	21.5	499.4	39.3
		7/15/11	6.80	22.4	499.6	42.9
		7/16/12	7.30	21.1	500	36.3
		10/9/12	7.56	20.4	513.7	40.9
7/18/13	7.38	20.9	514.4	42.4		
7/16/14	7.41	21.1	517.3	43.9		
7/30/15	7.43	20.5	529.1	16		
TVI 875	568875	2/21/08	7.28	21.1	739	244
		5/7/08	7.09	21.2	833	250
		7/15/08	7.27	22.4	925	274
		10/15/08	7.26	22.1	878	245
		2/11/09	7.20	20.7	738	312
		4/17/09	7.31	21.5	690	251
		7/21/09	7.47	22.2	812	236
		10/19/09	7.23	21.9	822	247
		2/2/10	7.32	20.8	939	250
		4/23/10	7.34	20.2	930.4	294
		7/15/10	7.46	21.8	842.5	262
		10/20/10	7.79	21.9	890	242
		1/20/11	7.39	21.0	780	226
		4/11/11	7.20	21.1	820.6	235
		7/15/11	6.75	22.2	791.9	239
		10/12/11	7.35	22.7	868.5	262
		2/3/12	7.20	20.5	850	299
		4/25/12	7.19	21.3	840	267
		7/16/12	7.13	22.2	860	261
		7/16/12 DUP	7.13	22.2	860	267
		10/9/12	7.39	20.9	882.8	281
		2/6/13	7.23	20.8	946.1	335
		4/10/13	7.35	20.9	907.6	296
		7/18/13	7.31	21.4	994.2	355
		10/8/13	7.35	21.0	894.6	275
		1/9/14	7.23	20.3	917.4	305
		4/9/14	7.31	20.9	910.7	296
7/16/14	7.30	21.6	940.2	328		
10/9/14	7.12	21.2	963	245		
7/30/15	7.35	22.1	915.4	280		
WALKER	200393	2/13/08	7.05	20.2	650	20
		7/23/08	7.25	20.7	740	45.4

APPENDIX A
Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
WEED	544535	2/14/08	7.74	21.7	323	11.1
		5/15/08	7.22	22.7	365	12.6
		7/30/08	7.42	32.0	407	11.5
		10/20/08	8.10	31.6	405	10.2
		2/13/09	7.66	21.0	303	12.6
		4/22/09	7.46	22.2	368	11.6
		7/16/09	7.50	21.9	365	10.8
		10/20/09	7.34	21.6	381	12.7
		2/1/10	7.60	20.8	382	12.2
		4/26/10	7.69	22.1	366	13.4
		7/21/10	7.36	22.1	354.9	13.6
		7/21/10 DUP	7.36	22.1	354.9	13.5
		10/19/10	7.63	21.2	378.8	11.7
		1/19/11	7.62	21.1	383.6	12.2
		4/11/11	7.44	21.5	386.6	13
		7/18/11	7.56	22.0	379.3	12.7
		10/12/11	7.02	21.7	382.8	13.3
		2/6/12	7.60	21.4	385.0	13.5
		4/25/12	7.60	22.1	360	12.7
		7/5/12	7.64	21.7	385.8	12.9
		10/9/12	7.66	21.5	385.1	14.0
		2/7/13	7.7	21.4	389.7	14.0
		2/7/13 DUP	7.7	21.4	389.7	13.2
		4/10/13	7.76	20.6	383.9	13.0
		7/19/13	7.63	21.3	386.6	14.2
		10/18/13	7.72	21.1	387.3	13.1
		1/15/14	7.73	20.7	388.4	13.4
		4/10/14	7.85	21.5	387.1	13.5
7/18/14	7.79	21.4	386.7	14.1		
10/22/14	7.5	22.7	394	13.7		
1/30/15	7.81	20.7	381	14.2		
8/4/15	7.72	22.0	386.7	13		
WEISKOPF 802	641802	2/15/08	7.48	20.0	1072	500
		5/7/08	7.10	21.8	1251	483
		7/16/08	7.07	22.2	1399	560
		10/28/08	6.98	20.8	1401	602
		1/29/09	6.79	20.7	1014	503
		4/15/09	7.53	21.1	1164	503
		7/15/09	7.84	22.1	1317	486
		10/15/09	6.89	21.4	1216	484
		2/2/10	7.22	20.4	1319	451
		4/22/10	7.30	19.3	1329	572
		7/19/10	7.06	23.1	1330	573
		10/20/10	7.64	21.6	1360	515
		10/20/10 DUP	7.64	21.6	1360	529
		1/17/11	7.16	22.0	1270	481
		4/11/11	6.88	22.4	1365	557
		8/26/11	6.83	23.5	1200	549
		10/13/11	7.07	22.8	1299	539
		2/3/12	7.35	21.5	1363	583
		4/25/12	7.07	23.5	1300	575
		7/13/12	6.83	22.2	1530	552
		10/11/12	7.26	21.3	1369	572
		10/11/12 DUP	7.26	21.3	1369	577
		1/16/13	7.14	20.5	1298	523
		4/17/13	7.22	20.1	1337	558
		7/18/13	7.45	21.3	1131	420
		10/17/13	7.29	22.5	1131	437
		1/16/14	7.28	22.7	1323	563
		4/11/14	7.29	23.0	1304	558
		7/18/14	7.17	23.3	1375	608
		10/9/14	7.08	24.5	1094	405
		8/4/15	7.07	24.5	1571	700
		8/4/15 DUP	7.07	24.5	1571	700

APPENDIX A

Compilation of Analytical Results for Sulfate and Field Parameters

Well Name	ADWR 55 Registry Number	Sample Date	pH (SU)	Temp (deg C)	SC (µS/cm)	Sulfate, dissolved (mg/L)
WEISKOPF 897	220897	12/6/12	7.93	23.6	398.3	18.5
		1/16/13	7.88	23.1	398.9	18.2
		1/16/13 DUP	7.88	23.1	398.9	18.2
		4/17/13	7.86	22.6	394.4	19.0
		7/18/13	7.84	24.3	393.2	18.0
		10/17/13	7.90	23.3	392.2	18.3
		1/16/14	7.90	23	395.8	18.4
		4/11/14	7.92	23.5	390.5	17.9
		7/18/14	7.87	23.9	387.4	18.4
		10/9/14	7.69	22.8	392	17.7
8/4/15	7.89	24.9	385.7	17		
WMD-2011-03M	913037	2/2/12	6.66	22.0	1190	391
ZANDER	205126	2/4/08	7.24	19.7	392	5.7
		5/6/08	7.26	21.2	404	6.3
		7/16/08	6.92	22.9	441	6.9
		10/28/08	7.40	21.2	415	15
		2/10/09	7.50	20.4	317	6
		4/16/09	7.47	21.7	352	5.5
		7/14/09	7.36	22.9	418	4.5
		10/13/09	7.41	21.7	407	6.3
		1/26/10	7.49	20.3	411	5.7
		4/2/10	7.55	20.0	416	6.70
		7/21/10	7.38	22.7	388.2	6.78
		10/19/10	6.78	21.3	430	6.56
		1/18/11	7.59	18.9	380	6.14
		1/18/11 DUP	7.59	18.9	380	6.06
		4/6/11	7.20	19.7	425.8	6.12
		7/13/11	7.29	22.9	410.10	6.43
		10/12/11	7.35	22.2	426.2	6.38
		1/31/12	7.29	20.3	420	6.59
		4/10/12	7.49	21.9	420.1	6.90
		4/10/12 DUP	7.49	21.9	420.1	6.65
		7/17/12	7.34	22.2	430	6.38
		10/8/12	7.58	20.8	431.4	7.03
		1/10/13	7.58	20.7	436.1	6.52
		4/18/13	7.65	20.8	436.7	6.66
		7/15/13	7.55	21.8	431.1	6.49
		10/7/13	7.59	21.5	430.2	6.41
		1/7/14	7.50	20.9	435.4	6.77
		4/9/14	7.57	21.5	434.4	6.57
		7/17/14	7.61	21.5	432.0	6.99
		10/13/14	7.52	23.8	422.0	6.24
8/3/15	7.61	22.5	430.3	6.5		

Notes:

35-71891 = ADWR 35 Database

ADWR = Arizona Department of Water Resources

deg C = degrees Celsius

DUP = Blind duplicate

M = Multi-Meter Malfunction

mg/L = milligrams per liter

ND = No Data

NR = No Record

SC = Specific Conductance

SU = Standard Units

µS/cm = microsiemens per centimeter

¹ Verified drinking water supply well, sample collected for sulfate trend analysis and interim action evaluation

APPENDIX B
WATER ELEVATION DATA

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
ANDERSON 396	613396	601134.729	3468816.065	4588.51	3/20/08	145.46	4443.05
					5/5/08	145.84	4442.67
					7/14/08	146.16	4442.35
					10/15/08	146.21	4442.30
					1/27/09	145.97	4442.54
					4/14/09	146.21	4442.30
					7/14/09	146.88	4441.63
					10/12/09	147.31	4441.20
					1/27/10	147.31	4441.20
					4/21/10	147.57	4440.94
					7/19/10	148.34	4440.17
					10/19/10	147.75	4440.76
					1/17/11	148.63	4439.88
					4/11/11	149.46	4439.05
					7/14/11	149.92	4438.59
					10/11/11	150.19	4438.32
					2/1/12	150.19	4438.32
					4/25/12	150.69	4437.82
					7/12/12	151.34	4437.17
					10/10/12	151.50	4437.01
					1/17/13	151.24	4437.27
					4/15/13	152.08	4436.43
					7/18/13	152.19	4436.32
10/16/13	152.41	4436.10					
1/9/14	152.14	4436.37					
4/7/14	152.56	4435.95					
7/11/14	152.02	4436.49					
10/6/14	152.70	4435.81					
2/2/15	152.09	4436.42					
5/18/15	152.22	4436.29					
7/22/15	152.63	4435.88					
10/8/15	152.39	4436.12					
ANDERSON 458	221458	601118.690	3468826.284	4585.37	9/7/12	173.76	4411.61
					10/10/12	151.82	4433.55
					1/17/13	152.17	4433.20
					4/15/13	158.42	4426.95
					7/18/13	157.56	4427.81
					10/16/13	156.24	4429.13
					1/9/14	152.58	4432.79
					4/7/14	153.54	4431.83
					7/11/14	156.66	4428.71
					10/6/14	157.31	4428.06
					5/18/15	156.79	4428.58
7/22/15	157.03	4428.34					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
ASLD 435	616435	593496.865	3468879.791	4471.34	6/27/13	250.85	4220.49
					9/24/13	250.85	4220.49
					12/3/13	250.79	4220.55
					2/25/14	250.75	4220.59
					6/4/14	250.93	4220.41
					9/10/14	250.97	4220.37
					11/20/14	250.66	4220.68
					3/24/15	250.25	4221.09
9/17/15	250.17	4221.17					
AWC-02	616586	598907.911	3468549.357	4547.64	8/27/08	121.12	4426.52
					4/8/08	116	4431.64
					10/23/08 ¹	115	4432.64
					4/22/09 ¹	118	4429.64
					10/9/09 ¹	117	4430.64
					4/23/10 ¹	119	4428.64
					4/11/13	127.64	4420.00
					7/25/13	128.89	4418.75
					10/7/13 ¹	125.00	4422.64
					1/7/14	125.36	4422.28
					5/14/14	124.89	4422.75
					7/16/14	124.49	4423.15
					10/15/14	122.52	4425.12
					1/29/15	120.00	4427.64
5/18/15	162.60	4385.04					
7/21/15	129.08	4418.56					
10/20/15 ¹	128	4419.64					
AWC-03	616585	599090.322	3468681.898	4539.52	8/27/08	119.40	4420.12
					4/8/08	112	4427.52
					10/23/08 ¹	106	4433.52
					4/22/09 ¹	114	4425.52
					10/9/09 ¹	116	4423.52
					4/23/10 ¹	116	4423.52
					4/11/13 ¹	125	4414.52
					7/16/13 ¹	126	4413.52
					10/7/13 ¹	122	4417.52
					1/7/14 ¹	121	4418.60
					5/14/14 ¹	121.50	4418.02
					7/16/14 ¹	123.50	4416.02
					10/15/14	119.60	4419.92
					1/29/15	120.20	4419.32
5/19/15	186.20	4353.32					
7/21/15	118.00	4421.52					
10/20/15 ¹	115	4424.52					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
AWC-04	616584	598949.929	3468717.084	4540.48	8/18/08	112.56	4427.92
					4/8/08	108	4432.48
					10/23/08 ¹	111.31	4429.17
					4/22/09 ¹	110	4430.48
					10/9/09 ¹	110	4430.48
					4/23/10 ¹	109	4431.48
					4/11/13	120.93	4419.55
					7/16/13	123.76	4416.72
					10/7/13 ¹	116.00	4424.48
					1/7/14	115.98	4424.50
					5/14/14	115.32	4425.16
					7/16/14	118.44	4422.04
					10/15/14	114.29	4426.19
					1/29/15	112.20	4428.28
					5/19/15	113.90	4426.58
7/21/15	131.70	4408.78					
10/2015 ¹	129	4411.48					
AWC-05	590620	599269.904	3468541.692	4542.51	8/27/08	299.65	4242.86
					4/8/08	284	4258.51
					10/23/08	284	4258.51
					4/22/09	286	4256.51
					6/3/09	125	4417.51
					10/9/09 ¹	289	4253.51
					4/23/10 ¹	278	4264.51
					4/11/13	229.56	4312.95
					7/16/13	203.17	4339.34
					10/7/13 ¹	142.00	4400.51
					1/7/14	123.09	4419.42
					5/14/14	346.75	4195.76
					7/16/14	346.34	4196.17
					10/15/14	316.16	4226.35
					1/29/15	133.98	4408.53
5/18/15	148.05	4394.46					
7/21/15	120.84	4421.67					
10/2015 ¹	116	4426.51					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BANKS 987	647987	606981.921	3469206.175	4648.18	2/27/08	208.00	4440.18
					5/12/08	216.30	4431.88
					7/21/08	228.95	4419.23
					10/13/08	228.20	4419.98
					1/21/09	206.64	4441.54
					4/8/09	205.50	4442.68
					7/9/09	235.68	4412.50
					10/7/09	236.71	4411.47
					2/25/10	216.98	4431.20
					4/20/10	219.35	4428.83
					7/20/10	235.60	4412.58
					10/20/10	230.24	4417.94
					1/17/11	215.28	4432.90
					4/5/11	221.68	4426.50
					7/11/11	237.39	4410.79
					10/12/11	237.34	4410.84
					1/31/12	228.95	4419.23
					4/11/12	219.39	4428.79
					7/6/12	232.59	4415.59
					10/4/12	237.16	4411.02
					1/18/13	237.81	4410.37
					4/8/13	237.92	4410.26
					7/9/13	238.32	4409.86
10/15/13	239.48	4408.70					
1/14/14	239.53	4408.65					
4/8/14	231.49	4416.69					
7/8/14	228.85	4419.33					
10/21/14	233.96	4414.22					
1/26/15	230.87	4417.31					
7/24/15	237.53	4410.65					
BARTON 919	644919	606243.850	3469076.689	4692.36	5/12/08	113.71	4578.65
					7/23/08	113.56	4578.80
					10/16/08	113.20	4579.16
					3/11/09	112.92	4579.44
					4/10/09	112.89	4579.47
					7/7/09	112.86	4579.50
					7/17/13	114.18	4578.18
					1/14/14	113.96	4578.40
					7/17/14	113.42	4578.94
7/20/15	113.22	4579.14					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BF-01	539783	604169.077	3472151.593	4835.23	3/4/08	348.99	4486.24
					5/23/08	348.80	4486.43
					8/5/08	348.66	4486.57
					11/5/08	348.94	4486.29
					2/20/09	348.78	4486.45
					5/6/09	348.73	4486.50
					8/17/09	348.73	4486.50
					11/4/09	348.65	4486.58
					3/1/10	348.84	4486.39
					4/7/10	348.70	4486.53
					7/6/10	348.69	4486.54
					7/13/11	348.67	4486.56
2/1/12	347.84	4487.39					
8/13/12	343.95	4491.28					
BIMA	577927	606001.245	3471852.804	4802.05	5/13/08	367.31	4434.74
					8/18/08	370.24	4431.81
					10/23/08	353.96	4448.09
					1/20/09	353.07	4448.98
					4/7/09	357.76	4444.29
					7/8/09	365.44	4436.61
					10/5/09	370.11	4431.94
					4/19/10	382.25	4419.80
					7/21/10	386.89	4415.16
					10/18/10	387.39	4414.66
					1/19/11	391.47	4410.58
4/4/11	395.22	4406.83					
BMO-2008-1G	909474	606467.681	3471723.644	4805.10	8/27/08	62.05	4743.05
					11/11/08	60.95	4744.15
					2/25/09	61.43	4743.67
					4/28/09	62.01	4743.09
					8/4/09	62.96	4742.14
					10/27/09	63.61	4741.49
					2/17/10	64.51	4740.59
					4/15/10	65.05	4740.05
					7/7/10	65.83	4739.27
					2/10/11	67.74	4737.36
					7/12/11	69.37	4735.73
					2/8/12	70.33	4734.77
					8/14/12	71.73	4733.37
					2/14/13	72.95	4732.15
					8/14/13	73.82	4731.28
					2/13/14	73.79	4731.31
7/22/14	74.14	4730.96					
2/4/15	73.70	4731.40					
9/10/15	74.12	4730.98					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-3B	909147	602012.923	3467919.582	4583.97	7/18/08	138.05	4445.92
					11/4/08	137.95	4446.02
					2/19/09	138.19	4445.78
					5/11/09	138.46	4445.51
					8/6/09	139.02	4444.95
					10/26/09	139.60	4444.37
					3/3/10	140.03	4443.94
					4/8/10	140.07	4443.90
					7/1/10	140.70	4443.27
					2/14/11	141.41	4442.56
					7/12/11	142.21	4441.76
					2/23/12	143.90	4440.07
					7/10/12	143.70	4440.27
					2/15/13	144.53	4439.44
					8/27/13	145.10	4438.87
					2/11/14	145.08	4438.89
					7/21/14	145.36	4438.61
2/5/15	144.79	4439.18					
5/28/15	144.90	4439.07					
9/14/15	145.24	4438.73					
10/21/15	145.39	4438.58					
BMO-2008-4B	910096	601099.405	3468383.430	4573.17	12/11/08	130.77	4442.40
					2/18/09	130.58	4442.59
					4/30/09	131.24	4441.93
					8/6/09	131.96	4441.21
					10/27/09	132.04	4441.13
					2/24/10	131.82	4441.35
					4/16/10	132.65	4440.52
					7/2/10	133.20	4439.97
					2/15/11	133.78	4439.39
					7/22/11	134.80	4438.37
					2/23/12	134.64	4438.53
					9/17/12	136.15	4437.02
					1/15/13	136.13	4437.04
					4/15/13	136.78	4436.39
					9/18/13	137.04	4436.13
1/9/14	136.96	4436.21					
7/18/14	137.49	4435.68					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-5B	909653	600438.159	3468994.715	4585.10	9/30/08	145.10	4440.00
					2/18/09	144.35	4440.75
					4/27/09	144.78	4440.32
					8/4/09	145.36	4439.74
					10/29/09	145.88	4439.22
					2/15/10	145.42	4439.68
					4/15/10	145.80	4439.30
					7/7/10	146.59	4438.51
					10/5/10	147.00	4438.10
					2/14/11	147.56	4437.54
					5/12/11	148.04	4437.06
					7/13/11	148.31	4436.79
					12/7/11	148.45	4436.65
					2/3/12	148.47	4436.63
					4/18/12	149.02	4436.08
					7/10/12	148.65	4436.45
					10/16/12	149.91	4435.19
					2/7/13	149.94	4435.16
					2/12/13	150.06	4435.04
					5/15/13	150.55	4434.55
					8/20/13	150.82	4434.28
					11/1/13	150.77	4434.33
2/11/14	150.33	4434.77					
5/7/14	150.83	4434.27					
8/19/14	151.13	4433.97					
11/13/14	150.78	4434.32					
2/3/15	150.10	4435.00					
5/28/15	150.47	4434.63					
9/8/15	150.38	4434.72					
10/21/15	150.23	4434.87					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-5M	909552	600445.071	3468994.282	4585.02	10/2/08	146.65	4438.37
					2/18/09	145.97	4439.05
					4/27/09	146.46	4438.56
					8/4/09	147.13	4437.89
					10/29/09	147.68	4437.34
					2/15/10	147.07	4437.95
					4/16/10	147.34	4437.68
					7/7/10	148.28	4436.74
					10/5/10	148.68	4436.34
					2/14/11	148.74	4436.28
					5/12/11	149.66	4435.36
					7/12/11	150.20	4434.82
					12/7/11	150.30	4434.72
					2/3/12	150.05	4434.97
					4/18/12	150.70	4434.32
					7/10/12	151.65	4433.37
					10/16/12	151.77	4433.25
					2/12/13	152.00	4433.02
					5/15/13	152.42	4432.60
					8/20/13	152.76	4432.26
11/1/13	152.53	4432.49					
2/11/14	151.78	4433.24					
5/7/14	152.26	4432.76					
8/19/14	152.78	4432.24					
11/13/14	152.27	4432.75					
2/3/15	151.61	4433.41					
5/19/15	151.58	4433.44					
9/8/15	151.63	4433.39					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-6B	909146	600366.523	3469820.644	4627.44	7/16/08	190.13	4437.31
					11/4/08	190.23	4437.21
					2/19/09	189.71	4437.73
					4/27/09	189.99	4437.45
					8/4/09	190.80	4436.64
					10/26/09	191.04	4436.40
					2/15/10	190.82	4436.62
					4/15/10	190.75	4436.69
					7/1/10	191.43	4436.01
					10/5/10	192.50	4434.94
					2/14/11	192.19	4435.25
					5/12/11	192.70	4434.74
					7/12/11	193.30	4434.14
					12/7/11	193.85	4433.59
					2/3/12	193.60	4433.84
					4/18/12	193.90	4433.54
					7/10/12	194.75	4432.69
					10/16/12	195.71	4431.73
					2/12/13	195.42	4432.02
					5/15/13	195.91	4431.53
8/20/13	196.23	4431.21					
11/1/13	195.77	4431.67					
2/11/14	195.24	4432.20					
5/7/14	195.47	4431.97					
8/19/14	196.36	4431.08					
11/13/14	195.74	4431.70					
2/3/15	195.12	4432.32					
5/19/15	195.00	4432.44					
9/8/15	195.48	4431.96					
10/21/15	195.37	4432.07					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-6M	909019	600367.943	3469813.885	4626.90	7/10/08	191.63	4435.27
					11/4/08	190.25	4436.65
					2/20/09	190.70	4436.20
					4/28/09	190.98	4435.92
					8/4/09	191.77	4435.13
					10/26/09	192.14	4434.76
					2/15/10	191.78	4435.12
					4/15/10	191.64	4435.26
					7/1/10	192.53	4434.37
					10/5/10	192.96	4433.94
					2/14/11	193.14	4433.76
					5/12/11	193.68	4433.22
					7/12/11	194.47	4432.43
					12/7/11	194.92	4431.98
					2/3/12	194.65	4432.25
					4/18/12	195.00	4431.90
					7/10/12	196.10	4430.80
					10/16/12	196.53	4430.37
					2/12/13	196.45	4430.45
					5/15/13	196.90	4430.00
8/20/13	197.43	4429.47					
11/1/13	196.53	4430.37					
2/11/14	196.18	4430.72					
5/7/14	196.33	4430.57					
8/19/14	197.40	4429.50					
11/13/14	196.32	4430.58					
2/3/15	195.90	4431.00					
5/19/15	195.64	4431.26					
9/8/15	196.32	4430.58					
BMO-2008-7M	908794	603099.165	3470029.283	4688.33	7/14/08	238.31	4450.02
					11/6/08	239.69	4448.64
					2/18/09	238.90	4449.43
					5/11/09	239.03	4449.30
					8/6/09	239.17	4449.16
					10/27/09	239.55	4448.78
					2/17/10	239.98	4448.35
					4/15/10	240.13	4448.20
					7/6/10	240.28	4448.05
					2/14/11	241.26	4447.07
					7/15/11	241.81	4446.52
					1/30/12	242.44	4445.89
					7/11/12	243.0	4445.33
					2/15/13	243.8	4444.53
					8/28/13	244.32	4444.01
					2/13/14	244.31	4444.02
					7/22/14	244.66	4443.67
2/5/15	243.91	4444.42					
9/14/15	244.59	4443.74					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-8B	910097	604171.347	3471141.719	4753.25	12/5/08	297.94	4455.31
					2/19/09	297.63	4455.62
					5/5/09	297.37	4455.88
					8/10/09	297.53	4455.72
					11/9/09	297.85	4455.40
					3/3/10	298.37	4454.88
					4/16/10	298.46	4454.79
					7/1/10	298.64	4454.61
					2/11/11	299.56	4453.69
					5/13/11	299.78	4453.47
					7/15/11	300.00	4453.25
					1/30/12	300.52	4452.73
					7/12/12	301.15	4452.10
					2/13/13	302.05	4451.20
					8/12/13	302.48	4450.77
					7/24/14	301.86	4451.39
2/5/15	299.56	4453.69					
9/15/15	300.14	4453.11					
BMO-2008-8M	909711	604167.912	3471127.902	4752.45	12/9/08	299.79	4452.66
					2/19/09	298.32	4454.13
					5/5/09	298.27	4454.18
					8/10/09	298.57	4453.88
					11/5/09	298.81	4453.64
					3/3/10	299.18	4453.27
					4/16/10	299.42	4453.03
					7/1/10	299.70	4452.75
					1/24/11	300.46	4451.99
					5/13/11	301.00	4451.45
					7/15/11	300.96	4451.49
					1/30/12	301.60	4450.85
					7/12/12	302.45	4450.00
					2/14/13	303.07	4449.38
					8/12/13	303.60	4448.85
					2/19/14	303.11	4449.34
7/24/14	303.48	4448.97					
2/5/15	301.98	4450.47					
9/15/15	302.46	4449.99					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-9M	909255	604668.669	3471121.675	4762.61	8/8/08	287.17	4475.44
					11/5/08	287.65	4474.96
					2/26/09	285.65	4476.96
					5/12/09	285.28	4477.33
					8/17/09	286.09	4476.52
					11/3/09	286.55	4476.06
					3/4/10	287.45	4475.16
					4/6/10	287.81	4474.80
					7/1/10	288.26	4474.35
					2/10/11	289.77	4472.84
					5/13/11	290.47	4472.14
					7/15/11	290.95	4471.66
					2/1/12	293.44	4469.17
					7/12/12	294.65	4467.96
					2/13/13	296.67	4465.94
					8/12/13	297.63	4464.98
2/18/14	293.68	4468.93					
7/24/14	293.53	4469.08					
2/5/15	286.01	4476.60					
9/14/15	286.34	4476.27					
BMO-2008-10GL	909435	605264.072	3471702.043	4792.21	8/20/08	521.75	4270.46
					11/5/08	520.50	4271.71
					2/25/09	516.72	4275.49
					5/12/09	514.68	4277.53
					8/11/09	513.23	4278.98
					11/2/09	509.43	4282.78
					3/4/10	510.88	4281.33
					4/8/10	506.31	4285.90
					7/2/10	511.80	4280.41
					7/13/11	512.16	4280.05
					2/2/12	511.34	4280.87
					7/13/12	510.90	4281.31
					2/18/13	509.91	4282.30
					8/13/13	509.32	4282.89
8/7/14	507.21	4285.00					
2/10/15	463.22	4328.99					
9/14/15	439.93	4352.28					
BMO-2008-10GU	909272	605267.551	3471731.866	4793.45	8/4/08	299.28	4494.17
					11/5/08	295.89	4497.56
					2/25/09	289.84	4503.61
					5/6/09	289.35	4504.10
					8/11/09	289.09	4504.36
					11/2/09	289.77	4503.68
					3/10/10	289.58	4503.87
					4/7/10	289.5	4503.95
					7/6/10	288.93	4504.52
					7/13/11	301.02	4492.43
					2/1/12	326.51	4466.94
					7/13/12	328.7	4464.75
					8/19/13	283.97	4509.48
2/10/15	207.58	4585.87					
9/14/15	200.36	4593.09					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-11G	909434	603800.995	3472626.482	4844.67	8/22/08	577.76	4266.91
					11/12/08	576.80	4267.87
					2/26/09	575.91	4268.76
					4/8/09	575.46	4269.21
					8/12/09	574.84	4269.83
					11/9/09	573.41	4271.26
					3/1/10	573.68	4270.99
					4/9/10	573.56	4271.11
					7/1/10	572.97	4271.70
					2/10/11	571.61	4273.06
					7/22/11	571.20	4273.47
					1/31/12	569.83	4274.84
					8/14/12	569.70	4274.97
					2/13/13	568.75	4275.92
					8/27/13	566.50	4278.17
					2/19/14	564.68	4279.99
8/14/14	564.24	4280.43					
2/5/15	560.60	4284.07					
9/14/15	557.84	4286.83					
BMO-2008-13B	909551	601657.612	3470076.358	4649.21	10/3/08	206.42	4442.79
					2/17/09	206.11	4443.10
					5/6/09	206.32	4442.89
					8/5/09	206.79	4442.42
					10/28/09	207.08	4442.13
					2/16/10	207.26	4441.95
					4/14/10	207.27	4441.94
					7/6/10	207.68	4441.53
					2/10/11	208.51	4440.70
					5/13/11	208.95	4440.26
					7/15/11	209.36	4439.85
					2/9/12	209.78	4439.43
					7/11/12	210.60	4438.61
					2/27/13	211.40	4437.81
					9/4/13	212.15	4437.06
					8/19/14	212.68	4436.53
2/4/15	212.28	4436.93					
9/15/15	212.37	4436.84					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2008-13M	909760	601650.495	3470040.455	4647.15	12/3/08	206.00	4441.15
					2/17/09	208.74	4438.41
					4/29/09	208.53	4438.62
					8/5/09	208.85	4438.30
					10/28/09	208.91	4438.24
					2/16/10	209.16	4437.99
					4/13/10	209.20	4437.95
					7/2/10	209.30	4437.85
					2/10/11	210.36	4436.79
					5/13/11	210.50	4436.65
					7/15/11	210.67	4436.48
					2/6/12	210.90	4436.25
					8/13/12	211.42	4435.73
					2/15/13	212.13	4435.02
					9/6/13	212.52	4434.63
8/20/14	213.14	4434.01					
2/4/15	212.97	4434.18					
9/15/15	212.91	4434.24					
BMO-2010-1M	219957	605581.263	3469935.750	4718.55	9/7/10	224.13	4494.42
					11/10/10	222.97	4495.58
					2/11/11	222.01	4496.54
					5/12/11	223.08	4495.47
					8/31/11	224.38	4494.17
					12/13/11	222.86	4495.69
					2/8/12	222.97	4495.58
					4/24/12	223.87	4494.68
					7/9/12	225.05	4493.50
					10/17/12	225.63	4492.92
					2/13/13	226.85	4491.70
					5/8/13	227.45	4491.10
					8/15/13	228.10	4490.45
					11/4/13	224.41	4494.14
					2/12/14	222.90	4495.65
6/2/14	222.80	4495.75					
8/4/14	223.14	4495.41					
11/12/14	219.47	4499.08					
2/5/15	214.19	4504.36					
9/9/15	211.68	4506.87					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2010-2M	219958	605685.549	3470564.646	4746.16	9/7/10	264.13	4482.03
					11/11/10	263.94	4482.22
					2/10/11	264.13	4482.03
					5/13/11	266.97	4479.19
					7/14/11	268.05	4478.11
					12/13/11	270.98	4475.18
					1/30/12	271.50	4474.66
					4/18/12	272.31	4473.85
					7/9/12	273.20	4472.96
					10/17/12	274.27	4471.89
					2/13/13	275.52	4470.64
					5/8/13	276.05	4470.11
					8/15/13	278.76	4467.40
					11/4/13	273.26	4472.90
					2/12/14	271.44	4474.72
					5/8/14	270.65	4475.51
					8/14/14	270.78	4475.38
11/12/14	263.19	4482.97					
2/5/15	259.84	4486.32					
9/14/15	260.92	4485.24					
BMO-2010-3B	219970	599977.962	3468347.363	4550.59	7/28/10	115.38	4435.21
					11/10/10	115.80	4434.79
					1/20/11	115.46	4435.13
					4/7/11	116.11	4434.48
					7/13/11	117.30	4433.29
					10/13/11	117.72	4432.87
					2/2/12	117.18	4433.41
					4/24/12	117.92	4432.67
					7/5/12	118.84	4431.75
					10/18/12	119.13	4431.46
					1/16/13	118.89	4431.70
					4/16/13	119.36	4431.23
					7/23/13	120.02	4430.57
					10/8/13	119.63	4430.96
					1/15/14	118.96	4431.63
					5/13/14	119.40	4431.19
					7/15/14	120.06	4430.53
10/14/14	119.16	4431.43					
1/28/15	118.46	4432.13					
5/18/15	118.49	4432.10					
7/22/15	118.81	4431.78					
10/6/15	118.06	4432.53					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2010-3M	219969	599970.801	3468353.543	4550.53	7/30/10	118.63	4431.90
					11/10/10	118.75	4431.78
					1/20/11	118.32	4432.21
					4/7/11	119.09	4431.44
					8/25/11	120.74	4429.79
					10/13/11	120.67	4429.86
					2/2/12	119.91	4430.62
					4/24/12	120.93	4429.60
					7/5/12	122.05	4428.48
					10/18/12	122.06	4428.47
					1/16/13	121.86	4428.67
					4/16/13	122.26	4428.27
					7/23/13	122.97	4427.56
					10/8/13	121.91	4428.62
					1/15/14	120.91	4429.62
					5/13/14	121.90	4428.63
					7/15/14	121.92	4428.61
					10/14/14	121.87	4428.66
1/28/15	120.63	4429.90					
5/18/15	120.48	4430.05					
7/22/15	120.42	4430.11					
10/6/15	119.44	4431.09					
BMO-2012-1M	221388	606097.384	3469746.747	4719.76	11/13/12	231.90	4487.86
					2/27/13	233.20	4486.56
					5/8/13	233.97	4485.79
					8/14/13	233.96	4485.80
					11/1/13	230.44	4489.32
					2/13/14	229.85	4489.91
					5/8/14	229.89	4489.87
					7/22/14	229.94	4489.82
					11/13/14	225.37	4494.39
					2/4/15	222.57	4497.19
9/10/15	221.60	4498.16					
BMO-2014-1BL	917394	600563.194	3468234.798	4557.18	11/7/14	123.03	4434.15
				4558.45	1/29/15	123.53	4434.92
					4/15/15	123.45	4435.00
					5/18/15	123.93	4434.52
					7/29/15	124.22	4434.23
					10/7/15	123.58	4434.87
BMO-2014-1BU	917393	600570.805	3468231.440	4557.18	11/13/14	123.51	4433.67
				4558.54	1/28/15	123.74	4434.80
					4/15/15	123.90	4434.64
					5/18/15	124.42	4434.12
					7/29/15	124.65	4433.89
					10/7/15	123.97	4434.57

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BMO-2014-2BL	917452	600784.872	3468183.921	4560.31	11/20/14	126.15	4434.16
				4561.80	1/29/15	126.74	4435.06
					4/15/15	126.70	4435.10
					5/18/15	127.18	4434.62
					7/29/15	127.43	4434.37
10/7/15	126.9	4434.90					
BMO-2014-2BU	917453	600788.520	3468192.762	4560.31	12/1/14	126.73	4433.58
				4561.85	1/30/15	126.73	4435.12
					4/15/15	126.65	4435.20
					5/18/15	127.21	4434.64
					7/29/15	127.49	4434.36
10/7/15	126.94	4434.91					
BMO-2014-3BL	917527	600822.399	3467786.416	4572.213	2/13/15	136.57	4435.64
				4573.765	4/15/15	138.35	4435.42
					5/18/15	138.64	4435.13
					7/29/15	138.86	4434.91
10/7/15	138.51	4435.26					
BMO-2014-3BU	917494	600810.534	3467787.733	4572.213	2/24/15	137.91	4434.30
				4574.887	4/15/15	139.45	4435.44
					5/18/15	139.74	4435.15
					7/29/15	140.03	4434.86
10/7/15	139.64	4435.25					
BMO-2014-4B	917620	600508.792	3468581.267	4566.453	3/4/15	132.43	4434.02
				4567.672	4/14/15	133.60	4434.07
					5/18/15	133.85	4433.82
					7/23/15	134.27	4433.40
10/6/15	133.74	4433.93					
BMO-2014-4BL	917619	600498.091	3468566.229	4566.453	3/1/15	131.89	4434.56
				4567.045	4/14/15	132.95	4434.10
					5/18/15	133.23	4433.82
					7/23/15	133.67	4433.38
10/6/15	133.16	4433.89					
BMO-2015-1B	917622	600261.991	3468563.389	4561.382	3/15/15	128.05	4433.33
				4562.063	4/14/15	129.10	4432.96
					5/18/15	129.24	4432.82
					7/23/15	129.62	4432.44
10/6/15	129.02	4433.04					
BMO-2015-1BL	917621	600272.479	3468583.092	4561.382	3/12/15	129.10	4432.28
				4563.402	4/14/15	130.45	4432.95
					5/18/15	130.59	4432.81
					7/23/15	130.98	4432.42
10/6/15	130.30	4433.10					
BMO-2015-2B	917827	600267.799	3468996.635	4579.624	3/19/15	147.17	4432.45
				4582.082	4/14/15	149.05	4433.03
					5/18/15	149.18	4432.90
					7/23/15	149.47	4432.61
10/6/15	148.94	4433.14					
BMO-2015-2BL	917828	600252.069	3468983.910	4579.624	3/26/15	146.43	4433.19
				4580.644	4/14/15	147.60	4433.04
					5/18/15	147.82	4432.82
					7/23/15	148.12	4432.52
10/6/15	147.56	4433.08					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
BOOTH	914931	601132.466	3468049.945	4568.21	1/15/13	131.47	4436.74
					4/19/13	132.04	4436.17
					10/18/13	132.56	4435.65
BURKE	212268	602230.087	3473029.816	4856.30	4/22/08	606.55	4249.75
					8/5/08	605.86	4250.44
					10/28/08	604.88	4251.42
					2/19/09	603.91	4252.39
					4/28/09	603.70	4252.60
					8/19/09	602.66	4253.64
					10/10/13	601.06	4255.24
					1/8/14	592.90	4263.40
					4/16/14	592.51	4263.79
					7/21/14	592.35	4263.95
					10/21/14	594.68	4261.62
COB MW-1	903992	603153.259	3469889.889	4683.26	8/3/15	587.06	4269.24
					2/22/08	232.47	4450.79
					5/20/08	233.12	4450.14
					7/30/08	233.37	4449.89
					10/23/08	233.62	4449.64
					2/12/09	234.05	4449.21
					4/21/09	234.99	4448.27
					7/22/09	234.34	4448.92
					10/22/09	234.69	4448.57
					2/4/10	235.15	4448.11
					4/20/10	235.47	4447.79
					7/13/10	235.68	4447.58
					7/14/11	236.98	4446.28
					7/12/12	238.24	4445.02
					2/5/13	239.11	4444.15
					7/11/13	239.67	4443.59
7/9/14	240.03	4443.23					
2/4/15	239.46	4443.80					
7/27/15	239.83	4443.43					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
COB MW-2	903984	600973.257	3468114.836	4566.21	2/22/08	122.85	4443.36
					5/20/08	123.00	4443.21
					7/30/08	123.53	4442.68
					10/23/08	124.02	4442.19
					2/12/09	123.39	4442.82
					4/23/09	124.16	4442.05
					7/22/09	124.91	4441.30
					10/22/09	125.33	4440.88
					3/3/10	124.93	4441.28
					4/26/10	125.47	4440.74
					7/13/10	126.54	4439.67
					1/20/11	126.46	4439.75
					7/14/11	128.17	4438.04
					1/31/12	128.04	4438.17
					7/12/12	129.58	4436.63
					1/9/13	129.28	4436.93
					7/25/13	130.21	4436.00
					1/6/14	130.11	4436.10
7/9/14	131.32	4434.89					
2/4/15	126.60	4439.61					
5/28/15	130.39	4435.82					
7/27/15	130.32	4435.89					
10/7/15	129.96	4436.25					
COB MW-3	906823	599169.225	3468726.000	4538.63	2/28/08	120.84	4417.79
					5/20/08	125.00	4413.63
					7/30/08	118.50	4420.13
					10/23/08	117.93	4420.70
					2/12/09	110.91	4427.72
					4/23/09	125.13	4413.50
					7/22/09	124.09	4414.54
					10/22/09	118.03	4420.60
					3/3/10	120.14	4418.49
					4/26/10	123.12	4415.51
					7/13/10	128.60	4410.03
					7/14/11	132.41	4406.22
					7/12/12	133.89	4404.74
					2/5/13	123.68	4414.95
					7/25/13	129.05	4409.58
					1/6/14	127.52	4411.11
					7/9/14	124.19	4414.44
					2/4/15	115.11	4423.52
7/27/15	118.39	4420.24					
10/7/15	114.37	4424.26					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
COB WL	593116	606357.506	3472502.012	4832.06	2/22/08	56.50	4775.56
					5/20/08	57.50	4774.56
					7/30/08	58.64	4773.42
					10/23/08	58.76	4773.30
					2/12/09	58.89	4773.17
					4/23/09	59.73	4772.33
					7/22/09	61.27	4770.79
					10/22/09	62.82	4769.24
					3/3/10	65.24	4766.82
					4/26/10	66.13	4765.93
					7/13/10	67.52	4764.54
					7/14/11	73.86	4758.20
					7/12/12	78.85	4753.21
					2/5/13	82.41	4749.65
					7/25/13	81.36	4750.70
7/9/14	78.12	4753.94					
2/4/15	58.14	4773.92					
7/27/15	80.09	4751.97					
COLLINS	565260	602551.286	3471341.335	4733.72	2/12/08	289.47	4444.25
					5/29/08	288.53	4445.19
					7/31/08	290.08	4443.64
					10/20/08	290.15	4443.57
					4/21/09	290.66	4443.06
					7/20/09	290.78	4442.94
					10/20/09	290.52	4443.20
					2/2/10	291.64	4442.08
					4/23/10	291.96	4441.76
7/20/10	292.21	4441.51					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
COOPER C	637069	601349.987	3468913.011	4599.14	3/4/08	155.08	4444.06
					5/5/08	155.34	4443.80
					7/15/08	156.01	4443.13
					10/16/08	155.85	4443.29
					1/27/09	155.62	4443.52
					4/14/09	155.86	4443.28
					7/14/09	156.50	4442.64
					10/12/09	156.89	4442.25
					1/27/10	157.03	4442.11
					4/22/10	157.31	4441.83
					7/21/10	158.00	4441.14
					10/20/10	158.41	4440.73
					1/17/11	158.37	4440.77
					4/11/11	158.74	4440.40
					8/26/11	159.51	4439.63
					10/13/11	159.81	4439.33
					2/1/12	159.80	4439.34
					4/25/12	160.26	4438.88
					7/12/12	160.88	4438.26
					10/10/12	161.10	4438.04
					2/27/13	161.40	4437.74
					5/8/13	161.70	4437.44
					8/13/13	162.07	4437.07
11/1/13	162.23	4436.91					
2/10/14	161.90	4437.24					
5/7/14	162.63	4436.51					
7/21/14	162.67	4436.47					
11/13/14	162.48	4436.66					
5/19/15	162.14	4437.00					
9/10/15	162.14	4437.00					
10/21/15	162.17	4436.97					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
DODSON	644927	605594.560	3469063.772	4686.34	5/12/08	81.38	4604.96
					7/24/08	82.20	4604.14
					10/13/08	81.82	4604.52
					1/22/09	82.33	4604.01
					4/9/09	82.84	4603.50
					7/8/09	86.88	4599.46
					10/6/09	87.27	4599.07
					1/21/10	88.54	4597.80
					4/19/10	89.53	4596.81
					7/20/10	90.79	4595.55
					10/18/10	90.33	4596.01
					1/19/11	90.34	4596.00
					4/5/11	91.05	4595.29
					7/12/11	92.07	4594.27
					10/10/11	93.11	4593.23
					1/31/12	93.68	4592.66
					4/12/12	94.19	4592.15
					10/4/12	97.80	4588.54
					1/18/13	99.73	4586.61
					4/9/13	98.09	4588.25
7/9/13	98.38	4587.96					
10/9/13	92.69	4593.65					
1/9/14	93.21	4593.13					
4/15/14	94.64	4591.70					
7/14/14	95.43	4590.91					
10/16/14	97.22	4589.12					
1/26/15	95.81	4590.53					
7/23/15	97.32	4589.02					
DOUGLASS 791	592791	607632.993	3470222.677	4703.27	2/13/08	22.11	4681.16
					5/13/08	24.60	4678.67
					7/22/08	27.00	4676.27
					10/16/08	23.60	4679.67
					1/19/09	26.51	4676.76
					4/8/09	28.53	4674.74
					7/7/09	31.04	4672.23
					10/5/09	31.49	4671.78
					1/21/10	34.55	4668.72
					4/19/10	36.40	4666.87
					7/12/10	36.74	4666.53
					1/18/11	25.96	4677.31
					1/30/12	27.72	4675.55
					4/11/12	29.99	4673.28
					7/5/12	32.67	4670.60
					1/9/13	27.24	4676.03
					7/8/13	32.70	4670.57
1/6/14	23.56	4679.71					
7/7/14	28.22	4675.05					
7/20/15	30.86	4672.41					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
DOUGLASS 792	592792	607607.541	3469829.115	4681.73	2/13/08	87.76	4593.97
					5/13/08	87.21	4594.52
					7/22/08	86.90	4594.83
					10/16/08	86.45	4595.28
					1/20/09	86.26	4595.47
					4/8/09	86.04	4595.69
					7/7/09	86.16	4595.57
					10/5/09	86.19	4595.54
					1/21/10	86.45	4595.28
					4/19/10	87.19	4594.54
					7/12/10	87.55	4594.18
					1/18/11	87.8	4593.93
					7/12/11	88.38	4593.35
					1/30/12	88.92	4592.81
					4/11/12	89.18	4592.55
					7/5/12	95.64	4586.09
					1/9/13	82.60	4599.13
					7/8/13	83.66	4598.07
1/6/14	83.55	4598.18					
7/7/14	82.43	4599.30					
7/20/15	82.57	4599.16					
EAST	599796	607076.365	3468712.215	4626.01	2/8/08	50.20	4575.81
					5/14/08	52.45	4573.56
					7/23/08	52.16	4573.85
					10/14/08	52.19	4573.82
					1/20/09	50.52	4575.49
					4/8/09	51.91	4574.10
					7/13/09	56.93	4569.08
					10/8/09	60.95	4565.06
					1/25/10	59.35	4566.66
					4/21/10	58.88	4567.13
					7/14/10	61.86	4564.15
					10/20/10	61.20	4564.81
					1/18/11	59.79	4566.22
					4/5/11	59.73	4566.28
					7/12/11	63.79	4562.22
					10/12/11	63.64	4562.37
					1/31/12	63.82	4562.19
					4/11/12	65.72	4560.29
					7/9/12	70.50	4555.51
					10/4/12	73.34	4552.67
					1/17/13	75.04	4550.97
					4/9/13	78.05	4547.96
7/9/13	78.37	4547.64					
10/15/13	72.38	4553.63					
1/14/14	71.88	4554.13					
4/8/14	71.03	4554.98					
7/8/14	72.03	4553.98					
10/22/14	67.75	4558.26					
7/24/15	74.64	4551.37					
ECHAVE	219449	599701	3470168	4648	2/1/12	216.71	4431.29
					1/18/13	218.41	4429.59

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
EPPELE 641	805641	607165.354	3469229.942	4642.86	3/11/08	29.52	4613.34
					5/12/08	30.64	4612.22
					7/21/08	25.59	4617.27
					10/14/08	24.53	4618.33
					1/21/09	27.35	4615.51
					4/8/09	29.08	4613.78
					7/9/09	31.51	4611.35
					10/7/09	29.92	4612.94
					7/20/10	50.38	4592.48
					10/20/10	48.88	4593.98
					1/17/11	51.13	4591.73
					4/5/11	53.81	4589.05
					7/11/11	56.82	4586.04
					10/12/11	37.62	4605.24
					1/31/12	46.80	4596.06
					4/11/12	52.07	4590.79
					7/6/12	62.39	4580.47
					10/3/12	71.66	4571.20
					1/17/13	59.73	4583.13
					FLEMING	218386	605565.701
7/7/09	304.60	4389.08					
10/6/09	307.84	4385.84					
1/21/10	311.73	4381.95					
4/20/10	315.26	4378.42					
7/15/10	318.32	4375.36					
11/4/10	349.62	4344.06					
1/19/11	356.89	4336.79					
7/12/11	364.72	4328.96					
2/3/12	370.84	4322.84					
7/9/12	373.86	4319.82					
1/18/13	373.96	4319.72					
7/17/13	374.88	4318.80					
1/10/14	379.63	4314.05					
7/17/14	372.97	4320.71					
FRANCO 101	500101	602848.756	3468830.905	4636.75	4/10/13	196.05	4440.70
					7/10/13	196.19	4440.56
					10/16/13	196.65	4440.10
					1/14/14	196.77	4439.98
					4/8/14	196.86	4439.89
					7/14/14	197.08	4439.67
10/8/14	197.91	4438.84					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
FRANCO 383	221383	602817.854	3468831.563	4636.88	9/13/12	195.19	4441.69
					10/5/12	195.00	4441.88
					12/3/12	196.70	4440.18
					1/15/13	196.30	4440.58
					2/6/13	195.62	4441.26
					3/7/13	196.20	4440.68
					4/10/13	196.25	4440.63
					7/10/13	196.13	4440.75
					10/16/13	196.30	4440.58
					1/14/14	196.46	4440.42
					4/8/14	196.89	4439.99
					7/14/14	196.87	4440.01
					10/8/14	196.86	4440.02
7/27/15	198.11	4438.77					
FULTZ	212447	607153.306	3469063.892	4642.92	10/22/08	40.59	4602.33
					1/21/09	40.66	4602.26
					4/9/09	42.88	4600.04
					7/13/09	54.94	4587.98
					10/8/09	56.16	4586.76
					1/25/10	53.45	4589.47
					4/20/10	63.82	4579.10
					7/14/10	119.86	4523.06
GARNER 557	558557	602659.240	3468962.415	4638.45	2/21/08	191.05	4447.40
					5/5/08	191.28	4447.17
					7/15/08	191.44	4447.01
					10/16/08	191.83	4446.62
					1/28/09	191.92	4446.53
					4/15/09	192.09	4446.36
					7/16/09	192.52	4445.93
					10/14/09	192.82	4445.63
					2/2/10	193.33	4445.12
					4/22/10	193.49	4444.96
					7/20/10	193.93	4444.52
					10/19/10	194.29	4444.16
					1/19/11	194.61	4443.84
					4/6/11	194.86	4443.59
					7/15/11	195.25	4443.20
					10/11/11	195.72	4442.73
					2/2/12	196.09	4442.36
					4/13/12	196.30	4442.15
					7/11/12	196.72	4441.73
					10/5/12	197.08	4441.37
1/11/13	197.51	4440.94					
4/15/13	197.76	4440.69					
7/10/13	197.87	4440.58					
10/11/13	198.27	4440.18					
1/17/14	198.46	4439.99					
4/15/14	198.58	4439.87					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
GARNER 635	587635	602665.352	3468967.902	4640.74	2/4/08	193.20	4447.54
					5/5/08	195.90	4444.84
					7/15/08	193.58	4447.16
					10/15/08	194.35	4446.39
					1/28/09	194.80	4445.94
					4/15/09	195.54	4445.20
					7/16/09	194.88	4445.86
					10/14/09	196.36	4444.38
					2/2/10	195.32	4445.42
					4/22/10	196.01	4444.73
					8/25/10	195.57	4445.17
					10/19/10	225.83	4414.91
					1/19/11	196.89	4443.85
					4/6/11	197.40	4443.34
					7/15/11	198.07	4442.67
					10/11/11	197.75	4442.99
					2/2/12	199.50	4441.24
					4/13/12	200.40	4440.34
					7/11/12	199.15	4441.59
					10/5/12	202.71	4438.03
1/11/13	199.38	4441.36					
4/15/13	200.53	4440.21					
7/10/13	200.13	4440.61					
10/11/13	200.27	4440.47					
1/17/14	201.83	4438.91					
4/15/14	200.67	4440.07					
GGOOSE 547	628547	606256.657	3469820.260	4717.11	5/21/08	220.91	4496.20
					8/15/08	238.48	4478.63
					10/29/08	235.90	4481.21
					2/24/09	236.13	4480.98
					5/14/09	236.17	4480.94
					8/19/09	236.01	4481.10
					8/19/09	236.01	4481.10
					11/11/09	237.66	4479.45
					3/9/10	238.84	4478.27
					4/27/10	239.17	4477.94
GL-03	539782	604386.940	3473747.943	4924.31	5/22/08	660.15	4264.16
					8/4/08	659.79	4264.52
					12/2/08	658.25	4266.06
					2/26/09	658.62	4265.69
					5/5/09	657.23	4267.08
					8/12/09	656.56	4267.75
					8/12/09	656.56	4267.75
					11/10/09	655.31	4269.00
					3/2/10	655.52	4268.79
					4/9/10	655.35	4268.96
					7/7/10	655.05	4269.26
2/1/12	651.72	4272.59					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
GOAR RANCH	610695	602454.751	3468892.471	4631.13	2/21/08	183.90	4447.23
					5/5/08	188.11	4443.02
					7/16/08	184.41	4446.72
					10/22/08	184.68	4446.45
					1/27/09	184.87	4446.26
					4/15/09	184.96	4446.17
					7/7/09	185.36	4445.77
					10/12/09	185.72	4445.41
					2/2/10	186.25	4444.88
					4/22/10	186.44	4444.69
					7/13/10	186.76	4444.37
					1/19/11	187.52	4443.61
					7/12/11	188.24	4442.89
					2/6/12	189.02	4442.11
					9/13/12	190.08	4441.05
					1/11/13	190.48	4440.65
					9/18/13	191.21	4439.92
1/17/14	191.48	4439.65					
7/21/14	191.73	4439.40					
2/2/15	191.44	4439.69					
8/4/15	191.74	4439.39					
HOBAN	805290	601705.848	3468880.329	4607.60	2/27/08	163.05	4444.55
					5/7/08	163.28	4444.32
					7/14/08	163.87	4443.73
					10/16/08	163.95	4443.65
					1/28/09	163.82	4443.78
					4/15/09	164.16	4443.44
					7/14/09	164.59	4443.01
					10/15/09	165.00	4442.60
					3/2/10	165.32	4442.28
					5/18/10	165.71	4441.89
					7/20/10	166.17	4441.43
					10/19/10	166.45	4441.15
					8/31/11	167.76	4439.84
					12/14/11	168.13	4439.47
					2/1/12	168.09	4439.51
					4/19/12	168.32	4439.28
					7/11/12	169.10	4438.50
					10/17/12	169.40	4438.20
					2/15/13	169.70	4437.90
					5/8/13	169.95	4437.65
					8/13/13	170.31	4437.29
					11/1/13	170.54	4437.06
2/10/14	170.22	4437.38					
5/7/14	170.61	4436.99					
7/21/14	170.90	4436.70					
11/13/14	170.81	4436.79					
2/4/15	170.26	4437.34					
5/19/15	170.37	4437.23					
9/10/15	170.57	4437.03					
10/21/15	170.58	4437.02					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
HOWARD 312	221312	601308.920	3468772.630	4594.9356	8/14/12	188.36	4406.58
					10/16/12	193.33	4401.61
					2/6/13	193.74	4401.20
					4/9/13	195.30	4399.64
					7/12/13	198.27	4396.67
					10/16/13	201.08	4393.86
					1/8/14	202.61	4392.33
					4/10/14	204.64	4390.30
					7/14/14	206.97	4387.97
					10/10/14	206.36	4388.58
					5/19/15	208.08	4386.86
7/31/15	210.54	4384.40					
HOWARD NR	NR	601281.159	3468770.377	4593.91	3/4/08	150.10	4443.81
					5/8/08	150.70	4443.21
					7/14/08	150.91	4443.00
					10/15/08	150.67	4443.24
					1/28/09	150.67	4443.24
					4/15/09	151.15	4442.76
					7/15/09	151.76	4442.15
					10/12/09	152.08	4441.83
					1/27/10	152.20	4441.71
					4/21/10	152.30	4441.61
					7/19/10	153.16	4440.75
					10/18/10	153.53	4440.38
					1/17/11	153.51	4440.40
					4/11/11	154.24	4439.67
					8/26/11	154.79	4439.12
					10/11/11	155.02	4438.89
					2/1/12	155.08	4438.83
					4/13/12	155.40	4438.51
					9/13/12	156.29	4437.62
					10/16/12	156.43	4437.48
					2/6/13	156.27	4437.64
					4/9/13	156.71	4437.20
					7/12/13	157.18	4436.73
					10/16/13	157.52	4436.39
					1/8/14	157.16	4436.75
4/10/14	157.55	4436.36					
7/14/14	157.92	4435.99					
10/10/14	157.68	4436.23					
2/2/15	157.11	4436.80					
5/19/15	157.31	4436.60					
7/31/15	157.58	4436.33					
10/8/15	157.36	4436.55					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
KEEFER	209744	599879.175	3468119.015	4572.03	2/6/08	134.67	4437.36
					5/6/08	135.28	4436.75
					7/16/08	136.24	4435.79
					10/28/08	135.87	4436.16
					1/28/09	134.88	4437.15
					4/16/09	135.00	4437.03
					7/14/09	136.07	4435.96
					10/13/09	136.67	4435.36
					1/26/10	136.26	4435.77
					4/20/10	136.26	4435.77
					7/15/10	137.29	4434.74
					10/19/10	137.68	4434.35
					1/18/11	137.42	4434.61
					4/6/11	137.91	4434.12
					7/18/11	140.39	4431.64
					10/11/11	141.68	4430.35
					2/6/12	139.27	4432.76
					4/23/12	139.76	4432.27
					7/17/12	140.69	4431.34
					10/9/12	141.00	4431.03
					1/10/13	140.80	4431.23
					4/8/13	141.32	4430.71
					7/11/13	141.81	4430.22
					10/7/13	141.63	4430.40
1/7/14	141.10	4430.93					
4/9/14	140.91	4431.12					
7/10/14	141.97	4430.06					
10/8/14	141.45	4430.58					
5/19/15	140.47	4431.56					
7/21/15	140.80	4431.23					
10/8/15	140.21	4431.82					
LADD 251	520251	594788.933	3470348.534	4443.83	3/22/13	221.32	4222.51
					6/14/13	221.78	4222.05
					9/24/13	219.6	4224.23
					12/3/13	217.44	4226.39
					2/25/14	217.59	4226.24
					6/4/14	218.27	4225.56
					9/10/14	219.04	4224.79
					11/20/14	213.58	4230.25
					3/24/15	214.18	4229.65
9/17/15	216.39	4227.44					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
LADD 538	505538	596790.675	3469638.573	4527.05	2/9/10	253.10	4273.95
					4/28/10	253.83	4273.22
					7/28/10	254.05	4273.00
					12/8/10	252.87	4274.18
					3/17/11	252.76	4274.29
					6/24/11	288.00	4239.05
					9/29/11	276.58	4250.47
					12/16/11	250.68	4276.37
					2/15/12	253.80	4273.25
					6/11/12	258.90	4268.15
					9/26/12	255.76	4271.29
					12/19/12	249.43	4277.62
					3/22/13	250.51	4276.54
					6/27/13	270.00	4257.05
					9/24/13	250.80	4276.25
					12/3/13	251.36	4275.69
					2/25/14	253.36	4273.69
					6/4/14	259.63	4267.42
9/10/14	248.68	4278.37					
11/20/14	268.66	4258.39					
3/24/15	248.46	4278.59					
9/17/15	243.05	4284.00					
LADD 635	224635	598724.834	3467541.096	4598.99	7/18/15	169.31	4429.68
					12/17/15	169.54	4429.45
LADD 837	519837	594757.700	3470817.194	4470.11	2/9/10	262.80	4207.31
					4/28/10	262.65	4207.46
					7/28/10	265.75	4204.36
					12/8/10	262.38	4207.73
					3/17/11	262.65	4207.46
					6/24/11	262.51	4207.60
					9/29/11	262.28	4207.83
					12/16/11	264.32	4205.79
					2/15/12	262.24	4207.87
					6/11/12	264.04	4206.07
					9/26/12	261.75	4208.36
					12/19/12	261.94	4208.17
					3/27/13	266.68	4203.43
					6/14/13	261.51	4208.60
					9/24/13	261.38	4208.73
					12/3/13	260.85	4209.26
					2/25/14	261.04	4209.07
					6/4/14	262.53	4207.58
9/10/14	263.68	4206.43					
11/20/14	261.18	4208.93					
3/24/15	261.44	4208.67					
9/17/15	264.32	4205.79					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
LADD 977	642977	597619.168	3468714.011	4513.40	3/17/11	82.32	4431.08
					6/24/11	84.00	4429.40
					9/29/11	83.62	4429.78
					12/16/11	84.8	4428.60
					2/15/12	84.67	4428.73
					6/11/12	85.7	4427.70
					9/26/12	84.96	4428.44
					12/19/12	86.27	4427.13
					3/22/13	85.18	4428.22
					6/14/13	86.54	4426.86
					9/24/13	82.66	4430.74
					12/3/13	84.48	4428.92
					2/25/14	85.27	4428.13
					6/4/14	85.88	4427.52
					9/10/14	86.15	4427.25
					11/20/14	80.95	4432.45
					3/24/15	83.73	4429.67
5/19/15	84.28	4429.12					
9/17/15	86.44	4426.96					
12/17/15	86.81	4426.59					
MCCONNELL 265	539265	601463.094	3468840.139	4600.70	2/20/08	156.15	4444.55
					5/6/08	156.40	4444.30
					7/15/08	157.07	4443.63
					11/19/08	157.17	4443.53
					1/28/09	156.70	4444.00
					4/15/09	157.22	4443.48
					7/15/09	157.59	4443.11
					10/12/09	158.13	4442.57
					1/26/10	158.35	4442.35
					4/22/10	158.68	4442.02
					7/21/10	159.37	4441.33
					10/18/10	159.63	4441.07
					1/19/11	159.69	4441.01
					4/8/11	159.10	4441.60
					7/12/11	160.77	4439.93
					10/11/11	161.17	4439.53
					2/7/12	161.31	4439.39
					4/11/12	161.57	4439.13
					7/6/12	162.36	4438.34
					10/8/12	162.43	4438.27
					1/10/13	162.57	4438.13
					4/18/13	163.08	4437.62
10/14/13	163.61	4437.09					
1/8/14	163.42	4437.28					
4/14/14	163.79	4436.91					
7/14/14	164.03	4436.67					
10/7/14	163.89	4436.81					
2/2/15	163.32	4437.38					
5/19/15	163.54	4437.16					
7/31/15	163.83	4436.87					
10/8/15	163.64	4437.06					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
MCCONNELL 459	221459	601471.708	3468840.682	4601.55	7/27/12	170.50	4431.05
					10/8/12	166.81	4434.74
					1/15/13	166.32	4435.23
					4/10/13	166.79	4434.76
					7/19/13	167.53	4434.02
					10/14/13	167.13	4434.42
					1/8/14	167.90	4433.65
					4/14/14	167.28	4434.27
					9/9/14	167.37	4434.18
					10/7/14	167.24	4434.31
					5/19/15	168.03	4433.52
7/31/15	170.86	4430.69					
METZLER	35-71891	602091.308	3471381.176	4728.53	3/5/08	288.30	4440.23
					5/15/08	286.53	4442.00
					7/31/08	286.82	4441.71
					10/20/08	287.09	4441.44
					2/11/09	287.74	4440.79
					4/20/09	287.47	4441.06
					7/15/09	287.58	4440.95
					10/14/09	287.99	4440.54
					2/1/10	288.38	4440.15
					5/18/10	288.65	4439.88
					7/16/10	288.88	4439.65
					10/19/10	289.09	4439.44
					1/19/11	289.54	4438.99
					4/4/11	289.87	4438.66
					7/12/11	289.98	4438.55
					10/12/11	290.47	4438.06
					2/7/12	290.92	4437.61
					4/12/12	291.15	4437.38
					7/18/12	291.37	4437.16
					10/4/12	291.63	4436.90
					1/11/13	292.15	4436.38
					4/11/13	292.29	4436.24
					7/17/13	292.43	4436.10
10/17/13	292.86	4435.67					
1/16/14	293.20	4435.33					
4/15/14	293.20	4435.33					
7/21/14	293.45	4435.08					
10/8/14	293.62	4434.91					
1/27/15	293.36	4435.17					
8/3/15	293.54	4434.99					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
NESS	509127	607866.391	3471419.494	4761.23	7/24/08	557.90	4203.33
					10/16/08	549.30	4211.93
					2/25/09	536.40	4224.83
					5/11/09	544.64	4216.59
					8/11/09	566.87	4194.36
					11/12/09	537.34	4223.89
					2/2/10	531.85	4229.38
					4/21/10	568.11	4193.12
					7/19/10	573.02	4188.21
					1/18/11	541.80	4219.43
					7/12/11	597.71	4163.52
					2/3/12	591.24	4169.99
					1/9/13	551.35	4209.88
					1/6/14	538.84	4222.39
7/7/14	594.42	4166.81					
7/20/15	553.54	4207.69					
NOTEMAN	212483	606053.800	3471576.400	4800.68	5/13/08	339.77	4460.91
					8/27/08	344.34	4456.34
					11/22/08	322.26	4478.42
					2/25/09	327.54	4473.14
NSD-02	527587	598820.051	3468821.474	4531.38	10/7/09	101.17	4430.21
					3/16/10	99.43	4431.95
					5/25/10	101.63	4429.75
					8/25/10	102.38	4429.00
					3/17/11	102.68	4428.70
					6/17/11	109.29	4422.09
					12/7/11	104.41	4426.97
					3/6/12	104.30	4427.08
					12/14/12	107.24	4424.14
					3/22/13	107.20	4424.18
					6/24/13	113.50	4417.88
					9/23/13	105.00	4426.38
					12/19/13	103.45	4427.93
					3/24/14	103.12	4428.26
					6/23/14	107.06	4424.32
					9/23/14	104.77	4426.61
					12/22/14	101.30	4430.08
3/23/15	101.56	4429.82					
6/22/15	104.33	4427.05					
9/28/15	113.64	4417.74					
12/21/15	112.43	4418.95					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
NSD-03	527586	598070.538	3468694.259	4518.28	10/7/09	85.62	4432.66
					3/16/10	83.51	4434.77
					5/25/10	84.49	4433.79
					8/25/10	85.70	4432.58
					3/17/11	86.76	4431.52
					6/17/11	88.76	4429.52
					12/7/11	89.30	4428.98
					3/6/12	89.24	4429.04
					12/14/12	90.83	4427.45
					3/22/13	88.65	4429.63
					6/24/13	91.70	4426.58
					9/23/13	86.88	4431.40
					12/19/13	89.11	4429.17
					3/24/14	89.48	4428.80
					6/23/14	90.77	4427.51
					9/23/14	89.10	4429.18
					12/22/14	86.80	4431.48
3/23/15	87.68	4430.60					
6/22/15	89.40	4428.88					
9/28/15	90.65	4427.63					
12/21/15	90.97	4427.31					
NWC-02	562944	600177.435	3467474.673	4600.44	10/27/08	160.51	4439.93
					4/29/09 ²	160.5	4439.94
					9/10/09 ²	155	4445.44
					4/2010 ²	131	4469.44
					3/1/13 ²	131	4469.44
					2/12/15	165.02	4435.42
					7/30/15	166.36	4434.08
10/6/15	165.92	4434.52					
NWC-03	203321	601153.857	3468350.838	4574.99	11/3/08	131.48	4443.51
					4/29/09 ²	130	4444.99
					9/10/09 ²	126	4448.99
					10/9/09 ⁵	125	4449.99

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
NWC-03 CAP	627684	601151.704	3468343.653	4572.82	2/2/09	130.03	4442.79
					4/23/09	130.62	4442.20
					7/21/09	131.26	4441.56
					10/21/09	131.60	4441.22
					2/3/10	131.34	4441.48
					4/21/10	131.86	4440.96
					7/20/10	131.50	4441.32
					1/18/11	132.91	4439.91
					7/15/11	134.42	4438.40
					10/13/11	134.73	4438.09
					1/31/12	134.50	4438.32
					4/25/12	135.09	4437.73
					7/18/12	135.73	4437.09
					10/10/12	135.97	4436.85
					1/10/13	135.60	4437.22
					4/17/13	136.32	4436.50
					7/12/13	136.78	4436.04
					10/10/13	136.78	4436.04
1/13/14	136.43	4436.39					
4/7/14	136.93	4435.89					
7/10/14	137.30	4435.52					
2/12/15	136.27	4436.55					
7/30/15	136.88	4435.94					
NWC-04	551849	605829.808	3469071.959	4690.77	12/2/08	352.11	4338.66
					4/29/09 ²	328	4362.77
					9/10/09 ²	324	4366.77
					4/2010 ²	216	4474.77
					3/1/13 ²	216	4474.77
NWC-06	575700	599822.821	3467749.954	4592.50	4/29/09 ²	156	4436.50
					9/10/09 ²	155	4437.50
					10/9/09 ²	148	4444.50
					4/2010 ²	140	4452.50
					3/1/13 ²	140	4452.50
					7/30/15	160.95	4431.55
10/6/15	160.48	4432.02					
OSBORN	643436	607031.823	3470270.548	4711.95	5/13/08	68.65	4643.30
					8/5/08	69.53	4642.42
					10/16/08	69.83	4642.12
					1/20/09	69.23	4642.72
					4/7/09	69.60	4642.35
					7/8/09	96.61	4615.34
					10/5/09	75.09	4636.86
					1/21/10	75.37	4636.58
					4/19/10	81.59	4630.36
					7/12/10	83.00	4628.95
					7/12/11	74.60	4637.35
					2/3/12	74.57	4637.38
7/9/12	74.63	4637.32					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
PANAGAKOS	35-76413	605304.234	3469323.140	4691.40	1/22/09	155.28	4536.12
					4/9/09	156.15	4535.25
					7/9/09	161.61	4529.79
					10/6/09	167.20	4524.20
					1/21/10	166.92	4524.48
					4/20/10	167.11	4524.29
					7/20/10	171.78	4519.62
					10/18/10	176.39	4515.01
					7/14/11	173.78	4517.62
					8/25/11	172.89	4518.51
					2/6/12	169.09	4522.31
					2/29/12	169.32	4522.08
					3/15/12	169.64	4521.76
					4/12/12	168.85	4522.55
					7/9/12	170.38	4521.02
					11/27/12	169.82	4521.58
					1/18/13	169.12	4522.28
					2/6/13	168.76	4522.64
					4/9/13	167.79	4523.61
					PARRA	576415	602170.716
8/18/08	280.06	4447.15					
11/3/08	280.39	4446.82					
2/13/09	280.75	4446.46					
4/28/09	280.88	4446.33					
7/20/09	280.99	4446.22					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
PIONKE 395	613395	601045.471	3468960.981	4592.13	7/17/08	149.88	4442.25
					11/3/08	150.99	4441.14
					2/25/09	149.68	4442.45
					4/14/09	150.01	4442.12
					7/13/09	150.47	4441.66
					10/7/09	150.96	4441.17
					3/8/10	151.11	4441.02
					4/26/10	151.32	4440.81
					7/15/10	151.90	4440.23
					10/18/10	152.38	4439.75
					1/19/11	152.38	4439.75
					4/8/11	153.04	4439.09
					7/12/11	153.57	4438.56
					10/11/11	153.87	4438.26
					2/1/12	153.92	4438.21
					4/12/12	154.35	4437.78
					7/11/12	154.97	4437.16
					10/17/12	155.31	4436.82
					1/9/13	155.25	4436.88
					4/17/13	155.76	4436.37
					7/18/13	156.09	4436.04
					10/17/13	156.39	4435.74
					2/5/14	155.84	4436.29
4/9/14	156.21	4435.92					
7/11/14	156.66	4435.47					
10/7/14	156.47	4435.66					
2/2/15	155.81	4436.32					
5/18/15	155.97	4436.16					
7/22/15	156.29	4435.84					
10/8/15	156.03	4436.10					
PIONKE 517	221517	600909.967	3468866.654	4587.20792	9/18/12	152.00	4435.21
					10/11/12	152.15	4435.06
					1/9/13	152.23	4434.98
					4/17/13	152.58	4434.63
					7/16/13	153.11	4434.10
					10/17/13	153.27	4433.94
					3/5/14	153.24	4433.97
					4/9/14	153.07	4434.14
					7/11/14	153.56	4433.65
					10/7/14	153.31	4433.90
					5/18/15	152.76	4434.45
7/22/15	153.12	4434.09					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
POOL	509518	599683.603	3470013.823	4639.09	2/20/08	204.22	4434.87
					5/19/08	204.72	4434.37
					7/31/08	205.56	4433.53
					10/21/08	205.06	4434.03
					2/13/09	204.74	4434.35
					4/21/09	204.87	4434.22
					7/20/09	205.69	4433.40
					10/20/09	206.06	4433.03
					2/24/10	205.59	4433.50
					4/22/10	205.48	4433.61
					7/14/10	206.58	4432.51
10/20/10	206.74	4432.35					
POWER 639	222639	602146.123	3471373.655	4734.38	1/16/14	294.07	4440.31
					2/5/14	294.07	4440.31
					3/5/14	294.20	4440.18
					4/15/14	294.14	4440.24
					5/13/14	294.25	4440.13
					6/23/14	294.28	4440.10
					7/17/14	294.32	4440.06
					8/11/14	294.44	4439.94
					9/9/14	294.47	4439.91
					10/8/14	294.49	4439.89
					1/27/15	294.24	4440.14
					3/10/15	294.19	4440.19
					4/28/15	294.17	4440.21
					5/14/15	249.23	4485.15
6/11/15	294.29	4440.09					
7/30/15	294.38	4440.00					
RAMIREZ	216425	599730.649	3467584.363	4596.61	10/27/08	159.45	4437.16
					1/29/09	158.74	4437.87
					4/16/09	158.66	4437.95
					7/10/09	159.64	4436.97
					10/6/09	160.36	4436.25
					1/25/10	160.10	4436.51
					4/21/10	159.96	4436.65
					7/21/10	161.05	4435.56
					10/19/10	161.23	4435.38
					1/18/11	161.22	4435.39
					4/11/11	161.48	4435.13
					7/18/11	162.39	4434.22
					10/12/11	163.04	4433.57
					4/10/12	163.22	4433.39
					7/6/12	163.85	4432.76
					10/8/12	164.38	4432.23
					4/19/13	164.96	4431.65
					1/13/14	165.26	4431.35
					4/14/14	164.85	4431.76
					2/2/15	164.33	4432.28
5/28/15	164.39	4432.22					
7/21/15	164.65	4431.96					
10/8/15	164.72	4431.89					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
RAY	803772	607083.422	3469195.147	4647.91	2/15/08	40.85	4607.06
					5/13/08	43.82	4604.09
					7/29/08	45.25	4602.66
					10/22/08	44.54	4603.37
					1/20/09	44.31	4603.60
					4/8/09	44.68	4603.23
					7/9/09	48.99	4598.92
					10/7/09	49.87	4598.04
					1/26/10	47.61	4600.30
					4/20/10	49.78	4598.13
					7/14/10	51.36	4596.55
					10/20/10	49.85	4598.06
					1/17/11	50.51	4597.40
					4/5/11	51.84	4596.07
					7/11/11	55.74	4592.17
					10/12/11	53.63	4594.28
					1/31/12	53.21	4594.70
					4/11/12	54.50	4593.41
					7/6/12	58.75	4589.16
					10/3/12	60.98	4586.93
1/17/13	56.57	4591.34					
4/18/13	56.32	4591.59					
7/9/13	60.30	4587.61					
10/15/13	44.33	4603.58					
1/14/14	34.50	4613.41					
4/8/14	36.72	4611.19					
7/8/14	43.38	4604.53					
10/22/14	44.65	4603.26					
8/4/15	48.31	4599.60					
ROGERS 596	573596	601001.503	3468491.639	4577.35	11/11/09	135.46	4441.89
					2/25/10	135.89	4441.46
					4/22/10	135.62	4441.73
					7/16/10	136.63	4440.72
					10/19/10	136.61	4440.74
					1/20/11	134.21	4443.14
					4/8/11	137.68	4439.67
					7/14/11	138.09	4439.26
					10/12/11	138.09	4439.26
					1/30/12	137.91	4439.44
					4/23/12	138.61	4438.74
					7/13/12	139.65	4437.70
					10/10/12	139.55	4437.80
					1/15/13	139.23	4438.12
					4/15/13	139.97	4437.38
					7/15/13	139.94	4437.41
					10/16/13	140.50	4436.85
1/9/14	140.12	4437.23					
4/11/14	140.56	4436.79					
7/18/14	140.64	4436.71					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
ROGERS 750 ³	641750	600977.690	3468417.386	4579.02	2/7/08	129.85	4449.17
					7/29/08	131.86	4447.16
					10/22/08	132.08	4446.94
					2/10/09	130.62	4448.40
					4/29/09	131.33	4447.69
					8/3/09	135.07	4443.95
ROGERS E	216018	600449.648	3467636.029	4590.66	7/17/08	149.65	4441.01
					11/3/08	150.15	4440.51
					2/10/09	149.02	4441.64
					4/16/09	149.53	4441.13
					7/13/09	150.31	4440.35
					10/6/09	150.76	4439.90
					1/25/10	150.64	4440.02
					4/21/10	150.97	4439.69
					8/25/10	151.15	4439.51
					10/19/10	151.57	4439.09
					10/13/11	153.79	4436.87
					1/30/12	153.56	4437.10
					4/10/12	154.13	4436.53
					7/17/12	155.10	4435.56
					1/17/13	154.56	4436.10
					4/18/13	155.66	4435.00
7/17/13	155.71	4434.95					
4/14/14	155.97	4434.69					
7/30/15	155.91	4434.75					
10/8/15	155.55	4435.11					
RUIZ	531770	602857.357	3471424.219	4735.18	2/5/08	293.29	4441.89
					5/15/08	293.57	4441.61
					7/30/08	293.86	4441.32
					10/20/08	294.18	4441.00
					2/12/09	294.62	4440.56
					4/21/09	294.66	4440.52
					8/3/09	294.98	4440.20
					10/28/09	295.33	4439.85
					2/1/10	295.70	4439.48
					4/26/10	295.96	4439.22
					4/8/11	297.20	4437.98
					4/13/12	298.47	4436.71
					1/11/13	299.39	4435.79
					4/11/13	299.72	4435.46
					7/25/13	300.06	4435.12
					10/17/13	300.07	4435.11
					1/8/14	300.19	4434.99
					4/15/14	300.31	4434.87
10/21/14	300.38	4434.80					
1/27/15	299.76	4435.42					
7/30/15	299.74	4435.44					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
SCHWARTZ	210865	600811.014	3468269.622	4564.49	2/8/08	121.80	4442.69
					5/19/08	123.49	4441.00
					7/29/08	122.64	4441.85
					10/22/08	123.39	4441.10
					1/29/09	122.87	4441.62
					4/17/09	123.53	4440.96
					7/10/09	124.15	4440.34
					10/6/09	124.55	4439.94
					1/22/10	124.32	4440.17
					4/21/10	124.65	4439.84
					7/21/10	125.80	4438.69
					10/19/10	126.30	4438.19
					1/17/11	125.35	4439.14
					4/11/11	127.50	4436.99
					7/18/11	127.67	4436.82
					10/12/11	127.51	4436.98
					2/6/12	127.34	4437.15
					4/10/12	127.78	4436.71
					7/16/12	128.84	4435.65
					10/17/12	128.98	4435.51
					3/13/13	128.81	4435.68
					5/14/13	129.60	4434.89
					7/15/13	129.05	4435.44
					10/14/13	130.15	4434.34
4/9/14	129.77	4434.72					
7/18/14	129.81	4434.68					
10/22/14	129.66	4434.83					
2/3/15	128.66	4435.83					
5/18/15	129.30	4435.19					
8/4/15	129.51	4434.98					
10/8/15	129.34	4435.15					
STEPHENS	808560	606981.766	3469072.799	4651.22	5/13/08	44.94	4606.28
					8/5/08	46.61	4604.61
					10/16/08	46.60	4604.62
					1/21/09	47.19	4604.03
					4/8/09	48.45	4602.77
					7/7/09	49.41	4601.81
					10/7/09	50.33	4600.89
					1/26/10	51.13	4600.09
					4/20/10	51.24	4599.98
					7/14/10	51.91	4599.31
					1/18/11	52.98	4598.24
					7/11/11	54.44	4596.78
					1/31/12	55.65	4595.57
					7/9/12	10.69	4640.53
					1/18/13	10.50	4640.72
					7/10/13	58.16	4593.06
					1/14/14	45.51	4605.71
7/8/14	45.39	4605.83					
1/26/15	47.91	4603.31					
7/24/15	49.71	4601.51					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
SUNBELT	201531	605998.250	3471735.149	4806.52	2/6/08	352.10	4454.42
					5/15/08	358.97	4447.55
					8/5/08	Dry	<4426
					10/16/08	347.00	4459.52
					1/21/09	344.78	4461.74
					4/10/09	349.64	4456.88
					7/8/09	356.99	4449.53
					10/5/09	Dry	<4426
					1/21/10	Dry	<4426
					4/19/10	Dry	<4426
					7/12/10	Dry	<4426
					1/19/11	Dry	<4426
					8/25/11	Dry	<4426
					2/3/12	Dry	<4426
					7/9/12	Dry	<4426
					9/13/12	Dry	<4426
1/17/13	Dry	<4426					
7/9/13	Dry	<4426					
1/10/14	Dry	<4426					
7/8/14	Dry	<4426					
SWAN	NR	607378.547	3470648.298	4716.59	2/13/08	26.50	4690.09
					5/14/08	30.69	4685.90
					7/24/08	32.06	4684.53
					10/16/08	27.53	4689.06
					1/20/09	29.77	4686.82
					4/7/09	31.47	4685.12
					7/8/09	33.61	4682.98
					10/5/09	35.12	4681.47
					1/21/10	36.64	4679.95
					4/21/10	38.06	4678.53
					7/19/10	39.67	4676.92
					1/18/11	35.06	4681.53
					7/12/11	39.32	4677.27
					2/3/12	37.86	4678.73
					7/10/12	40.39	4676.20
					1/9/13	38.51	4678.08
7/8/13	42.26	4674.33					
1/10/14	29.43	4687.16					
7/7/14	33.68	4682.91					
7/20/15	33.08	4683.51					
THOMPSON 151	612151	599543.561	3467387.294	4597.62	8/9/13	167.86	4429.76
					10/10/13	167.68	4429.94
					1/16/14	167.19	4430.43
					4/14/14	166.98	4430.64
					7/21/14	167.78	4429.84
					10/22/14	167.56	4430.06
					2/2/15	166.56	4431.06
					5/19/15	166.51	4431.11
8/3/15	167.09	4430.53					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
TM-02A	522574	604152.059	3472008.794	4808.43	3/4/08	346.62	4461.81
					5/23/08	346.16	4462.27
					8/15/08	353.91	4454.52
					10/30/08	349.45	4458.98
					2/24/09	348.64	4459.79
					5/6/09	349.38	4459.05
					8/12/09	349.13	4459.30
					11/4/09	348.97	4459.46
					3/10/10	348.19	4460.24
					4/6/10	353.86	4454.57
					7/6/10	349.20	4459.23
					2/10/11	347.60	4460.83
					7/13/11	348.14	4460.29
					2/2/12	346.94	4461.49
					8/13/12	344.53	4463.90
					2/14/13	343.50	4464.93
					8/27/13	343.84	4464.59
2/18/14	341.47	4466.96					
8/12/14	338.50	4469.93					
2/5/15	336.02	4472.41					
9/14/15	334.23	4474.20					
TM-03	522575	606366.130	3473711.046	4897.85	3/12/08	127.14	4770.71
					5/20/08	127.40	4770.45
					8/6/08	128.02	4769.83
					11/12/08	128.00	4769.85
					2/26/09	126.94	4770.91
					5/13/09	113.86	4783.99
					8/18/09	128.80	4769.05
					11/10/09	125.38	4772.47
					3/2/10	128.02	4769.83
					4/14/10	130.56	4767.29
					7/7/10	131.25	4766.60
2/1/12	135.04	4762.81					
TM-06 MILLER	522695	606055.975	3468376.658	4707.88	2/26/08	158.78	4549.10
					5/20/08	158.76	4549.12
					8/4/08	158.80	4549.08
					10/29/08	158.85	4549.03
					2/16/09	159.28	4548.60
					5/13/09	158.81	4549.07
					8/18/09	158.91	4548.97
					11/12/09	158.96	4548.92
					3/8/10	158.99	4548.89
					4/14/10	159.02	4548.86
					7/2/10	159.13	4548.75
					7/21/11	159.88	4548.00
					7/9/12	161.40	4546.48
					2/14/13	161.05	4546.83
					8/19/13	161.30	4546.58
7/21/14	162.60	4545.28					
2/5/15	162.36	4545.52					
9/10/15	162.94	4544.94					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
TM-10 USBP	522696	601586.268	3471816.397	4741.18	3/15/12	279.30	4461.88
					4/24/12	279.03	4462.15
					9/13/12	278.30	4462.88
					10/19/12	277.45	4463.73
					3/7/13	276.55	4464.63
					4/17/13	276.42	4464.76
					7/23/13	275.99	4465.19
					11/6/13	254.20	4486.98
					1/15/14	262.00	4479.18
					5/15/14	269.39	4471.79
					7/15/14	271.03	4470.15
					10/16/14	235.11	4506.07
1/28/15	252.47	4488.71					
7/24/15	264.53	4476.65					
TM-16	522578	605588.075	3469842.199	4717.71	3/5/08	81.00	4636.71
					5/22/08	81.24	4636.47
					8/6/08	81.65	4636.06
					11/5/08	81.75	4635.96
					2/26/09	81.88	4635.83
					5/13/09	82.01	4635.70
					8/19/09	82.37	4635.34
					11/10/09	82.83	4634.88
					3/2/10	83.09	4634.62
					4/14/10	83.22	4634.49
					7/2/10	83.51	4634.20
					7/14/11	80.41	4637.30
					7/9/12	72.55	4645.16
					8/15/13	61.42	4656.29
					8/4/14	62.55	4655.16
2/5/15	58.80	4658.91					
9/9/15	60.06	4657.65					
TM-19A	522581	602458.710	3469197.426	4645.87	3/6/08	199.85	4446.02
					5/22/08	199.50	4446.37
					8/6/08	199.19	4446.68
					11/18/08	199.46	4446.41
					3/3/09	199.81	4446.06
					4/22/09	200.57	4445.30
					8/12/09	201.46	4444.41
					11/4/09	201.16	4444.71
					3/10/10	201.34	4444.53
					4/9/10	201.55	4444.32
					7/7/10	202.35	4443.52
					2/14/11	203.00	4442.87
					7/15/11	203.30	4442.57
					2/2/12	203.84	4442.03
					7/11/12	204.75	4441.12
					10/16/12	205.02	4440.85
					2/15/13	205.30	4440.57
					9/4/13	205.73	4440.14
2/12/14	207.47	4438.40					
7/21/14	210.56	4435.31					
9/10/15	206.48	4439.39					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
TM-42	562554	603698.271	3469104.903	4666.67	3/5/08	211.04	4455.63
					5/22/08	210.98	4455.69
					8/6/08	211.55	4455.12
					11/6/08	207.05	4459.62
					2/18/09	212.31	4454.36
					5/7/09	212.37	4454.30
					8/18/09	212.77	4453.90
					11/3/09	213.05	4453.62
					2/24/10	213.36	4453.31
					4/19/10	213.51	4453.16
					7/2/10	213.52	4453.15
					7/12/11	214.62	4452.05
					7/11/12	216.10	4450.57
					2/12/13	216.55	4450.12
					8/28/13	217.38	4449.29
7/21/14	218.33	4448.34					
2/4/15	218.87	4447.80					
9/10/15	219.31	4447.36					
TVI 236	802236	600552.215	3467978.431	4561.98	5/7/08	123.30	4438.68
					7/15/08	121.55	4440.43
					10/15/08	122.35	4439.63
					2/11/09	121.28	4440.70
					4/17/09	122.73	4439.25
					7/21/09	123.96	4438.02
					10/19/09	123.88	4438.10
					2/2/10	122.26	4439.72
					4/23/10	122.70	4439.28
					7/15/10	125.08	4436.90
					7/15/11	127.23	4434.75
					7/16/12	127.81	4434.17
					10/9/12	128.45	4433.53
					7/18/13	127.38	4434.60
					7/16/14	129.24	4432.74
2/2/15	126.81	4435.17					
5/19/15	128.38	4433.60					
7/30/15	128.31	4433.67					
10/7/15	127.26	4434.72					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
TVI 713	567713	600729.095	3468412.946	4567.22	5/7/08	127.10	4440.12
					7/14/08	126.30	4440.92
					10/15/08	130.00	4437.22
					2/11/09	149.87	4417.35
					4/17/09	126.73	4440.49
					7/21/09	127.36	4439.86
					10/19/09	127.79	4439.43
					2/2/10	126.71	4440.51
					4/23/10	127.53	4439.69
					7/15/10	129.14	4438.08
					10/20/10	130.84	4436.38
					1/20/11	134.36	4432.86
					4/11/11	135.72	4431.50
					7/15/11	131.61	4435.61
					10/12/11	130.33	4436.89
					2/3/12	130.01	4437.21
					4/25/12	131.33	4435.89
					7/16/12	131.97	4435.25
					10/9/12	132.16	4435.06
					2/6/13	131.14	4436.08
					4/10/13	132.08	4435.14
					7/18/13	131.72	4435.50
					10/8/13	133.10	4434.12
1/9/14	132.37	4434.85					
4/9/14	132.93	4434.29					
7/16/14	132.57	4434.65					
10/9/14	132.29	4434.93					
1/29/15	132.01	4435.21					
5/18/15	132.34	4434.88					
7/30/15	132.71	4434.51					
10/7/15	132.00	4435.22					

APPENDIX B
Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
WEISKOPF 802	641802	601154.951	3468658.855	4586.89	2/15/08	143.31	4443.58
					5/7/08	143.90	4442.99
					7/16/08	144.22	4442.67
					10/28/08	145.81	4441.08
					1/29/09	143.99	4442.90
					4/15/09	144.38	4442.51
					7/15/09	144.99	4441.90
					10/15/09	145.66	4441.23
					2/2/10	145.28	4441.61
					4/22/10	145.72	4441.17
					7/19/10	146.46	4440.43
					10/20/10	147.11	4439.78
					1/17/11	146.72	4440.17
					4/11/11	146.31	4440.58
					8/26/11	148.06	4438.83
					10/13/11	148.30	4438.59
					2/1/12	148.23	4438.66
					4/25/12	148.82	4438.07
					7/13/12	149.79	4437.10
					10/11/12	149.73	4437.16
					1/16/13	149.49	4437.40
					4/17/13	150.16	4436.73
					7/18/13	150.24	4436.65
10/17/13	150.69	4436.20					
1/16/14	150.08	4436.81					
4/11/14	150.75	4436.14					
7/18/14	150.85	4436.04					
10/9/14	150.89	4436.00					
2/2/15	150.01	4436.88					
5/18/15	150.25	4436.64					
8/4/15	150.72	4436.17					
10/8/15	150.47	4436.42					
WEISKOPF 897	220897	601096.780	3468647.358	4585.70	12/6/12	149.27	4436.43
					1/16/13	148.70	4437.00
					4/17/13	149.80	4435.90
					7/18/13	150.15	4435.55
					10/17/13	150.38	4435.32
					1/16/14	149.78	4435.92
					4/11/14	150.50	4435.20
					7/18/14	150.55	4435.15
					10/9/14	150.34	4435.36
5/18/15	149.95	4435.75					
8/4/15	150.31	4435.39					
WMD-2011-03M	913037	605360.830	3470671.273	4746.28	2/2/12	226.66	4519.62

APPENDIX B

Compilation of Groundwater Elevation Data

Well Name	ADWR 55 Registry Number	UTM East (meters)	UTM North (meters)	Measuring Point Elevation (ft amsl)	Date	Depth To Water (feet)	Groundwater Elevation (ft amsl)
ZANDER	205126	599678.880	3467998.486	4580.94	2/4/08	144.85	4436.09
					5/6/08	145.33	4435.61
					7/16/08	146.40	4434.54
					10/28/08	146.01	4434.93
					2/10/09	144.83	4436.11
					4/16/09	144.94	4436.00
					7/14/09	146.14	4434.80
					10/13/09	146.77	4434.17
					1/26/10	146.34	4434.60
					4/22/10	146.27	4434.67
					7/21/10	147.81	4433.13
					10/19/10	147.80	4433.14
					1/18/11	147.52	4433.42
					4/6/11	147.84	4433.10
					7/13/11	148.91	4432.03
					10/12/11	149.50	4431.44
					1/31/12	149.31	4431.63
					4/10/12	149.64	4431.30
					7/17/12	150.63	4430.31
					10/8/12	150.92	4430.02
1/10/13	150.89	4430.05					
4/18/13	151.36	4429.58					
7/15/13	152.14	4428.80					
10/7/13	151.65	4429.29					
1/7/14	151.10	4429.84					
4/9/14	150.81	4430.13					
7/17/14	152.02	4428.92					
8/3/15	150.65	4430.29					
10/8/15	150.10	4430.84					

Notes:

35-71891 = ADWR 35 Database

ADWR = Arizona Department of Water Resources

ft amsl = feet above mean sea level

NR = No Record

UTM = Universal Transverse Mercator Zone 12, North American Datum 1983 (NAD83)

¹ Depth to water measurement provided by Arizona Water Company

² Depth to water measurement provided by Naco Water Company

³ Well previously identified as ROGERS 803